Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1261642

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15				
Name:		Spot Description:				
Address 1:						
Address 2:		Feet from North / South Line of Section				
City: State: Zip):+	Feet from East / West Line of Section				
Contact Person:		Footages Calculated from Nearest Outside Section Corner:				
Phone: ()						
CONTRACTOR: License #		GPS Location: Lat:, Long:				
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84				
Purchaser:		County:				
Designate Type of Completion:		Lease Name: Well #:				
New Well Re-Entry	Workover	Field Name:				
		Producing Formation:				
		Elevation: Ground: Kelly Bushing:				
		Total Vertical Depth: Plug Back Total Depth:				
OG GSW GSW CM (Coal Bed Methane)	Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet				
Operator:		If Alternate II completion, cement circulated from:				
Well Name:		feet depth to:w/sx cmt.				
Original Comp. Date: Original To						
Deepening Re-perf. Conv. to EN	<u> </u>	Drilling Fluid Menonement Dien				
	W Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
		Chloride content: ppm Fluid volume: bbls				
		Dewatering method used:				
		Location of fluid disposal if hauled offsite:				
		Location of huld disposal in hadred offsite.				
		Operator Name:				
		Lease Name: License #:				
Spud Date or Date Reached TD	Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date	Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II Approved by: Date:					

	Page Two	1261642
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INSTRUCTIONS. Chow important tapa of formations panatrated Dat	ail all aaraa Bapart all fina	Leaning of drill stome tools giving interval tooled, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used		Type and F	Percent Additives	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	[
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	[
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	[

Yes	No
Yes	No
Yes	No

(If No, skip questions 2 and 3) (If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						ement Squeeze Record I of Material Used)	Depth	
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner F	Run:	No	
Date of First, Resumed	I Product	ion, SWD or ENH	٦.	Producing M	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI		SAS:			METHOD	OF COMPLE			PRODUCTION INT	ΈR\/ΔΙ ·
Vented Solo	Sold Used on Lease Open H		Open Hole	en Hole Perf. Dually (Submit A		Comp. A <i>CO-5)</i>	Commingled (Submit ACO-4)			
(in venieu, ou	(If vented, Submit ACO-18.)			Other (Specify)						

Form	ACO1 - Well Completion
Operator	Haas Petroleum, LLC
Well Name	Detar 3-HP
Doc ID	1261642

Casing

	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7.000	17	20	Cement	5	N/A
Production	5.625	2.875	6.5	730	Poz Blend	112	IA Blend

Skyy Drilling, L.L.C. 11551 Ash Street, Suite # 205 Leawood, Kansas 66211 Office (913) 499-8373 Fax (913) 766-1310

July 10, 2015

Company:	Haas Petroleum, LLC 11551 Ash Street, # 205 Leawood, Kansas 66211
Lease:	Detar – Well # 3 HP
County:	Franklin
Spot:	SW NW SE NW of Sec 3, Twp 16, R 21 E
API:	15-059-26944-00-00
Spud:	July 3, 2015
TD:	740

7/3/15:	Set 20' of 7" – Cemented with 5 sacks
7/28/15:	Drilled from 20' to 740' TD. Ran 730' of 2 7/8 casing
7/28/15:	Cemented with 112 sacks.

C Co	NSOLIDATED		372/1457	TICKET NUMI		~
					flan //la	ader
PO Box 884, Cha 620-431-9210 or	nalo, ito oorgo	IELD TICKET & TREA CEMEN			WQ#8	65163
		ELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7.28.15	3451 Deta	c 3-HP	NW 3	16	21	FR
CUSTOMER	P. 1. 1				民间法的法律法证	
HALLING ADDRES	Petroleum	···-	TRUCK#	DRIVER	TRUCK#	DRIVER
11551	Λ.	Ste 205	343	Ad Mc D	Correrg.	JVILE
	STATE	ZIP CODE	369	Mir Hag		
hegwood	e 155	66211	548 1	Too Hor	1	
JOB TYPE / ON S		57/8 HOLE DEPTH	1 740	CASING SIZE & \		718
	73-7 DRILL PIPE	TUBING	- —		OTHER	_
SLURRY WEIGHT	SLURRY VO		k	CEMENT LEFT in	CASING_1/2	5
DISPLACEMENT_	4.3 DISPLACEM		<u></u>	RATE 40	pm'	
REMARKS: He	& neetin	s FSTablishe	& Cat	- Mix	ep & p	un pe
160 # ge	1 tollowed	PY 112 SK	Poz Blen	2 1-1 1	r 149 'd'	10 gc
per 5	ack. Circu	lated cemen	27. Fla	184 ex	pump	101
Frank	ed plug t	o casing I	h Nell	neid	000	PO-LI
ORT 7	- 1001 + ·				·	<u> </u>
	ß	H Doilling		· · · · ·		
		<u>v vi norg</u>				
						1
				10.	11. fol	
		- <u></u> ,		Alar	Mod	ec
ACCOUNT	QUANITY or UNITS	DESCRIPTION of	SERVICES or PR	Ман		TOTAL
ACCOUNT CODE CE0450	QUANITY or UNITS	······	SERVICES or PR	Alav RODUCT 363		TOTAL
CODE CEO450		PUMP CHARGE	SERVICES or PR	368	150000	TOTAL
CEO450 CEO450 CEO002	aD	PUMP CHARGE MILEAGE	SERVICES of PR	368	150000	TOTAL
CE0450 CE0450 CE0902 CE071(aD	PUMP CHARGE MILEAGE ton miles BD vac	······································	368 368 548 369	1500 °C 14300 660 °C 200 °C	TOTAL
CEO450 CEO450 CEO002	20	PUMP CHARGE MILEAGE ton miles BD vac	······································	368 368 548 369	1500 °C 14300 660 °C 200 °C	
CE0450 CE0450 CE0902 CE071(aD	PUMP CHARGE MILEAGE ton miles BD vac	SERVICES or PR	368 368 548 369	1500 °C 14300 660 °C 200 °C 2503 °C	
CE0450 CE0450 CE0902 CE071(aD	PUMP CHARGE MILEAGE ton miles BD vac	quipmen	368 348 548 369 4 545	1500 °° 14300 660 200 2503 1 776. (7	
CE0450 CE0450 CE0902 CE071(112	PUMP CHARGE MILEAGE ton miles BD vac	quipmen	368 348 548 369 4 545	1500 °° 14300 660 °° 200 °° 2503 °° 476. (7 1512 °°	тотац 15ДС
CEO450 CEO450 CEO71(ME0853	112	PUMP CHARGE MILEAGE Ton miles BO vgc e Pozbleno J-/	quipmen	368 348 548 369 4 545	1500 °° 14300 660 200 2503 1 776. (7	
CEO450 CEO450 CEO71(VE0853 CEO71(CEO71(ad nin 2	PUMP CHARGE MILEAGE ton miles BO vgc e	quipmen	368 348 548 369 4 545	1500 °° 14300 660 °° 200 °° 2503 °° 476. (7 1512 °°	
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec	ди <i>рте</i> л 4 сбб	368 348 348 369 4 545 39%	1500 14300 14300 200 200 2503 - 976.17 1512 8640 4500 1643.40	13JL
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec	quipmen	368 348 548 369 4 545 39%	1500 °° 14300 660 2005 2503 1512 8640 4500	13JL
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec	gulpmen Leas J ater:91	368 348 348 369 4 545 39%	1500 14300 14300 200 200 2503 - 976.17 1512 8640 4500 1643.40	15.JL
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec	gulpmen Leas J ater:91	368 348 348 369 4 545 39%	1500 14300 14300 200 200 2503 - 976.17 1512 8640 4500 1643.40	13JL
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec	gulpmen Leas J ater:91	368 348 348 369 4 545 39%	1500 14300 14300 200 200 2503 - 976.17 1512 8640 4500 1643.40	13JL
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec	gulpmen Leas J ater:91	368 348 348 369 4 545 39%	1500 14300 14300 200 200 2503 - 976.17 1512 8640 4500 1643.40	13JL
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec Pozbleno T-/ gel 2 1/2 plag	gulpmen Leas J ater:91	368 348 348 369 4 545 39%	1500 14300 14300 200 200 2503 - 976.17 1512 8640 4500 1643.40	13JL
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec Pozbleno T-/ gel 2 1/2 plag	gulpmen Leas J ater:91	368 348 348 369 4 545 39% 39%	1500 14300 14300 200 2503 - 976.17 1512 8640 4500 - 640.33 -	13.JL
CEO450 CEO450 CEO71(ME0853 CEO71(CEO71(CEO71(CEO71(CEO71(CEO71(CEO71) CEO71(CEO71(CEO71(CEO71) CEO71(CEO71) CEO71(CEO750 CE	112	PUMP CHARGE MILEAGE Ton miles BO vec BO vec Pozbleno T-/ gel 2 1/2 plag	gulpmen Leas J ater:91	368 348 348 369 4 545 39%	1500 14300 14300 200 200 2503 - 976.17 1512 8640 4500 1643.40	13JL

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form