Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1261863

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15			
Name:	Spot Description:			
Address 1:	SecTwpS. R 🗌 East 🗌 West			
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from _ East / _ West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)			
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84			
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
New Well Re-Entry Workover	Field Name:			
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation: Kelly Bushing:			
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW				
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:			
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet			
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No			
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet			
Operator:	If Alternate II completion, cement circulated from:			
Well Name:	feet depth to:w/sx cmt.			
Original Comp. Date: Original Total Depth:				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan			
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)			
Commingled Paymit #:	Chloride content: ppm Fluid volume: bbls			
Commingled Permit #:	Dewatering method used:			
SWD Permit #:	Location of fluid disposal if hauled offsite:			
ENHR Permit #:	·			
GSW Permit #:	Operator Name:			
	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R			
Recompletion Date Recompletion Date	County: Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

1261862

Operator Name:			Lease Name:			_ Well #:	
Sec Twp	S. R [East West	County:				
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.							
Final Radioactivity Log, files must be submitted					ailed to kcc-well-lo	ogs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No			on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASIN	G RECORD	New Used			
			t-conductor, surface, i		tion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
_	D #		AL CEMENTING / SO	QUEEZE RECORD			
Purpose: Perforate Protect Casing	Depth Top Bottom	Type of Cement	# Sacks Used	# Sacks Used Type and Percent Additives			;
Plug Back TD Plug Off Zone							
Does the volume of the total	Did you perform a hydraulic fracturing treatment on this well? Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?					ip questions 2 al	
was the nyuraulic fracturing						out Page Three	
Shots Per Foot		NRECORD - Bridge Plu otage of Each Interval P			ncture, Shot, Cemen mount and Kind of Ma		Depth
TUBING RECORD: Size: Set At: Packer At: Liner Run:					, 		
Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain)							
Estimated Production Per 24 Hours	Oil Bb	ls. Gas	Mcf W	ater E	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION	I OF GAS:		METHOD OF COMP	LETION:		PRODUCTION	ON INTERVAL:
Vented Sold	Vented Sold Used on Lease Open Hole Perf. Dually				mmingled		
(Submit A							

Form	ACO1 - Well Completion		
Operator	HAT Production LLC		
Well Name	Sergent 16		
Doc ID	1261863		

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	11	8	12	20	Portland	6	1
Production	5.875	2.875	6.4	334	Portland	46	1

Billing Statement


Dale Jackson Production Box 266, Mound City, Ks 66056 Cell # 620-363-2683

Date	Well#	Lease Name	Work Description	Price	Total
7/27/15	16	Sergent	Well plugging TD-340' 46 sacks 334' 2 7/8 pipe		\$600.00
			Total Due		\$600.00
			HAT Production		
			12371 Hwy 7 Mound City, KS 66056		
			7/27/2015		
			Send via E-Mail hatdrilling@wildblue.net		
			Seria via E maii natariiii 5@ wiiabiaciict		


HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Sergent #16 API # 15-107-25118-00-00 SPUD DATE 7-24-15

Footage 2 25 31 52 56 58 64 71 221 225 254	Formation Topsoil lime shale lime shale lime shale lime shale lime shale	Thickness 2 23 6 21 4 2 6 7 150 4 29 8	Set 20' of 8' TD 340' Ran 335' of 2 7/8 on 7-27-15 seat nipple placed at 276.2'
262	lime	8	Altamont
273	shale	11	
276 284 290 296 299 314 315 318	sandy/shale oil sand oil sand sandy/shale oil sand shale coal shale	3 8 6 6 3 15 1 3	slight odor good odor, strong bleed good odor, good bleed good odor, light show 60% shale good odor, good show
330	lime	12	Pawnee
340	shale	10	



Drilling Contractor : Hat Drilling, LLC



Seating Nipple

100

1900

Neutron (cps)

150

Gamma Ray (cps)

300