


LB EXPLORATION
 DST3 LANS K 3434-3480
 Start Test Date: 2015/04/01
 Final Test Date: 2015/04/02

CHISM-CONNER UNIT 1
 Formation: DST3 LANS K 3434-3480
 Pool: WILDCAT
 Job Number: A158

CHISM-CONNER UNIT 1



DIAMOND TESTING, LLC

TESTER : ANDY CARREIRA
CELL # 620-617-7202

General Information

Company Name	LB EXPLORATION	Contact	MICHAEL PETERMANN	Job Number	A158
Well Name	CHISM-CONNER UNIT 1	Representative	ANDT CARREIRA	Well Operator	LB EXPLORATION
Unique Well ID	DST3 LANS K 3434-3480	Report Date	2015/04/01	Prepared By	ANDY CARREIRA
Surface Location	SEC 15-19S-14W BARTON CNTY,KS	Field	WILDCAT	Well Type	Vertical

Test Information

Test Type	CONVENTIONAL
Formation	DST3 LANS K 3434-3480
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2015/04/01	Start Test Time	19:30:00
Final Test Date	2015/04/02	Final Test Time	01:00:00

Gauge Name	5585
------------	------

Test Results

RECOVERY: 5' SOSM LESS THAN 1% OIL, MUD

TOOL SAMPLE: TRACE OIL, MUD



DIAMOND TESTING
 P.O. Box 157
HOISINGTON, KANSAS 67544
 (800) 542-7313
DRILL-STEM TEST TICKET
 FILE: CHISM-CONNER 1 DST3

TIME ON: 19:30
 TIME OFF: 01:00

Company LB EXPLORATION Lease & Well No. CHISM-CONNER UNIT 1
 Contractor NINNESCAH DRILLING Charge to LB EXPLORATION
 Elevation 1911 KB Formation LANS K Effective Pay _____ Ft. Ticket No. A158
 Date 4-1-15 Sec. 15 Twp. 19 S Range 14 W County BARTON State KANSAS
 Test Approved By KURT TALBOTT Diamond Representative ANDY CARREIRA

Formation Test No. 3 Interval Tested from 3434 ft. to 3480 ft. Total Depth 3480 ft.
 Packer Depth 3429 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 3434 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____
 Top Recorder Depth (Inside) 3424 ft. Recorder Number 5585 Cap. 5000 P.S.I.
 Bottom Recorder Depth (Outside) 3436 ft. Recorder Number 8471 Cap. 10000 P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 56 Drill Collar Length 0 ft. I.D. 2 1/4 in.
 Weight 9.1 Water Loss 8 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 3000 P.P.M. Drill Pipe Length 3409 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number N/A Test Tool Length 25 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? NO Reversed Out NO Anchor Length 46 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK SURFACE BLOW. DEAD IN 5 MIN. (NObb)
 2nd Open: NO BLOW, FLUSHED, SURGED, NO BLOW (NObb)

Recovered 5 ft. of SOSM LESS THAN 1% OIL, MUD
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Remarks: _____
 TOOL SAMPLE: TRACE OIL, MUD

	Price Job
	Other Charges
	Insurance
	Total

Time Set Packer(s) 9:02 PM A.M. P.M. Time Started Off Bottom 11:02 PM A.M. P.M. Maximum Temperature 104
 Initial Hydrostatic Pressure..... (A) 1661 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 7 P.S.I. to (C) 12 P.S.I.
 Initial Closed In Period..... Minutes 30 (D) 495 P.S.I.
 Final Flow Period..... Minutes 30 (E) 9 P.S.I. to (F) 12 P.S.I.
 Final Closed In Period..... Minutes 30 (G) 339 P.S.I.
 Final Hydrostatic Pressure..... (H) 1627 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.