

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1263797

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monun day year	
DPERATOR: License#	foot from N / S Line of Soction
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	
ity:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	- Will Cores be taken? Yes N
	viii oores se taken:
	- Will Cores be taken?N If Yes, proposed zone:
	viii cores be taken:
AF	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual pet is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> see	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes proposed zone: If yes, propose
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the discontinuation.	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes proposed zone: If Yes, propose
The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If you circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is a surface pipe shall be set the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the state of the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the set of the set of the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the set of the underlying formation is the underlying formation. In the set of the set of the underlying formation is the underlying formation. In the set of the underlying formation is the underlying formation. In the set of the underlying formation is th
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order the set of the understand the set of the set o	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If you circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is a surface pipe shall be set the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation. It is a surface pipe shall be set to the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order for the surface of the surfa	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the total comply with K.S.A. 55 et. seq. Ich drilling rig; If the total comply with K.S.A. 55 et. seq. Ich drilling rig; Ich drill
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the state of the set to the top in all cases surface pipe shall be set the underlying formation. In the set to the top in all cases surface pipe shall be set the underlying formation. In the set to the underlying formation is the underlying formation. In the set to the underlying formation is the underlying formation in the underlying formation. In the set to the underlying right be set the underlying formation. In the set to the underlying formation is the underlying formation in the underlying formation. In the set to the underlying right be set the underlying formation. In the set to the underlying right be set to the underlying formation. In the set the underlying right be set to the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to a proper shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In the state of the set to the top in all cases surface pipe shall be set the underlying formation. In the set to the top in all cases surface pipe shall be set the underlying formation. In the set to the underlying formation is the underlying formation. In the set to the underlying formation is the underlying formation in the underlying formation. In the set to the underlying right be set the underlying formation. In the set to the underlying formation is the underlying formation in the underlying formation. In the set to the underlying right be set the underlying formation. In the set to the underlying right be set to the underlying formation. In the set the underlying right be set to the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set the underlying formation. In the set the underlying right be set
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to a proper shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this is the underlying formation and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. If Yes, proposed zone: If
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be submitted Electronically	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; are from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district office will be set to the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically **For KCC Use ONLY**	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this is the underlying formation and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. If Yes, proposed zone: If
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will see that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for gursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be appropriated before the well shall be appropriated before well is either plug for gursuant to Appendix "B" - Eastern Kansas surface casing order and the district office will be seen that the shall be appropriated before the well shall be appropriated before the appropriated before	If Yes, proposed zone: FIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. If Yes, proposed zone: If Yes,
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual prist agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	If Yes, proposed zone: If Yes
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the state of the specific production of the specific provided within 30 days of the spudiate or the well shall be submitted Electronically **For KCC Use ONLY**	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; At by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; goed or production casing is cemented in; goed from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	If Yes, proposed zone: FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease:	
Field:	1
Number of Acres attributable to well: QTR/QTR/QTR of acreage:	1
ATRIORITE ACT CONTROLL Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 365 ft. O Well Location O Well Location Tank Battery Location Pipeline Location	
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 365 ft. O Well Location Tank Battery Location Pipeline Location	
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 365 ft. O Well Location Tank Battery Location Pipeline Location	
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 365 ft. O Well Location Tank Battery Location Pipeline Location	
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 365 ft. O Well Location Tank Battery Location Pipeline Location	
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 365 ft. O Well Location Tank Battery Location Pipeline Location	
O Well Location Tank Battery Location —— Pipeline Location	
Tank Battery Location —— Pipeline Location	
Pipeline Location	
Electric Line Location	
Lease Road Location	
EXAMPLE :	
20	
1980'FS	
	•
SEWARD CO. 3390' FEL	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.		inter integrity, ii	ncluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	ıl utilized in drilling/workover:	
Number of producing wells on lease: Number of wo		Number of worl	working pits to be utilized:	
Barrels of fluid produced daily: A		Abandonment procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to		be closed within 365 days of spud date.	
Submitted Electronically				
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed

All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	•1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	_ Well Location:	
Name:		
Address 1:		
Address 2:	Lease Name: Well #:	
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or	
Contact Person:	the lease helow:	
Phone: () Fax: ()	_	
Email Address:	-	
Surface Owner Information:		
Name:	_ When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	country and in the real estate preparty toy records of the country traceurs	
City:	_	
the KCC with a plat showing the predicted locations of lease roads, to	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
 □ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax □ I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface 	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and	
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.	
Submitted Electronically		
I		

NE. 1/4, SECTION 20, T215, R13W STAFFORD COUNTY, KANSAS (Set wood stake) Old Well 330'FNL 1650'FEL FLAGGED ROAD OPPOSITE LOC (50'NW. of Loc.) Elev. = 1899 GRAVEL ROAD (NW. 180TH ST.) Drillsite Location △●● TANKS WELLHEAD Fanshier #20-1 365'FNL 1615'FEL (CUT) CORN Ground Elevation = 1899 CORN Y = 564456 X = 1921941State Plane-NAD 27-Kansas South (Mapping Grade GPS Used) Latitude 38.216613 Longitude -98.772165 WGS 84-NAD 83 A VE. 10TH 20 Notes: 1. Set (2) wood stakes at location site. 2. All flagging Red & Yellow. 3. Overhead power available at N., E. & W. lines and E.1/4 of S. line, Sec.20. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION; Various pipelines in Sec.20. 6. Found old well per magnetic response. 7. Contact landowner for best access. (NW. 170TH ST.) GRAVEL ROAD FAS 281 20

STRATAKAN EXPLORATION, LLC FANSHIER LEASE

* Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Radium

FAS

*Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages
*Elevations derived from National Geodetic Vertical Datum.

September 8, 2015

FAS

Seward


FAP

219

19

(EAS)

BASE MAP/SURFACE OWNER NOTIFICATION







Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 10, 2015

Justin R. Prater StrataKan Exploration, LLC 204 W. MILL ST. PLAINVILLE, KS 67663

Re: Drilling Pit Application API 15-185-23943-00-00 Fanshier 20-1 NE/4 Sec.20-21S-13W Stafford County, Kansas

Dear Justin R. Prater:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

KEEP PITS on South side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Summary of Changes

Lease Name and Number: Fanshier 20-1

API/Permit #: 15-185-23943-00-00

Doc ID: 1263797

Correction Number: 1

Approved By: Rick Hestermann 09/10/2015

Field Name	Previous Value	New Value
ElevationPDF	1901 Estimated	1899 Estimated
Feet to Nearest Water Well Within One-Mile of	319	307
Pit Ground Surface Elevation	1901	1899
KCC Only - Approved By	Rick Hestermann 09/09/2015	Rick Hestermann 09/10/2015
KCC Only - Approved Date	09/09/2015	09/10/2015
KCC Only - Date Received	09/04/2015	09/09/2015
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=20&t	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=20&t
Number of Feet East or West From Section Line	1625	1615
Number of Feet East or West From Section Line	1625	1615
Number of Feet North or South From Section Line	355	365

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section Line	355	365
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 63500	//kcc/detail/operatorE ditDetail.cfm?docID=12 63797

Summary of Attachments

Lease Name and Number: Fanshier 20-1

API: 15-185-23943-00-00

Doc ID: 1263797

Correction Number: 1

Approved By: Rick Hestermann 09/10/2015

Attachment Name

Survey Plat

Infrastructure Plat

Bentonite Liner Fluids