



Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION 1263979  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
August 2013

Form must be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Plug Back       Conv. to GSW       Conv. to Producer
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE     NW     SE     SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27     NAD83     WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

*(Data must be collected from the Reserve Pit)*

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



1263979

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No  List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	-------	---------	------------	---

Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____
---	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	---	---

# GARNETT TRUE VALUE HOMECENTER

410 N Maple  
Garnett, KS 66032  
{785} 448-7106 FAX {785} 448-7135

Customer Copy

## INVOICE

THIS COPY MUST REMAIN AT  
MERCHANT AT ALL TIMES!

Page: 1

Invoice: **10228330**

Special :  
Instructions :  
:  
Sale rep #: MIKE

Time: 12:53:56  
Ship Date: 08/31/15  
Invoice Date: 08/31/15  
Due Date: 09/08/15

Acct rep code:

**REPRINT**

Sold To: **IANTHA RESOURCES, LLC**  
% DAVE LYBARGER  
21517 NW 1650 ROAD  
GARNETT, KS 66032

Ship To: **CONCRETE**  
(785) 448-8363 **DELIVERED TO ROGER KENT**  
  
(785) 448-8363

Customer #: 0002078

Customer PO:

Order By:

poping01  
8TH  
T 101

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
560.00	560.00	P	BAG	CPFA	FLY ASH MIX 80 LBS PER BAG	7.5900 BAG	7.5900	4250.40
540.00	540.00	P	BAG	CPPC	PORTLAND CEMENT-94#	11.4900 BAG	11.4900	6204.60

For Miller 8I, 9I  
 Branton 5A, 6A, 7A  
 6I, 8I, 11I, 12I, 13I, 14I, 17I wsw1  
 9I, 10I  
 Pd

X	FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER		Sales total	\$10455.00
	SHIP VIA ANDERSON COUNTY					Taxable	10455.00
	RECEIVED COMPLETE AND IN GOOD CONDITION					Non-taxable	0.00
					Tax #	Sales tax	836.40

**TOTAL \$11291.40**

1 - Customer Copy



## *Miller 8-I*

Start *8-14-15*

Finish *8-17-15*

<i>3</i>	<i>soil</i>	<i>3</i>	
<i>6</i>	<i>clay/rock</i>	<i>9</i>	
<i>140</i>	<i>shale</i>	<i>149</i>	
<i>31</i>	<i>lime</i>	<i>180</i>	
<i>65</i>	<i>shale</i>	<i>245</i>	
<i>18</i>	<i>lime</i>	<i>263</i>	
<i>6</i>	<i>shale</i>	<i>269</i>	
<i>30</i>	<i>lime</i>	<i>299</i>	
<i>6</i>	<i>shale</i>	<i>305</i>	
<i>24</i>	<i>lime</i>	<i>329</i>	
<i>3</i>	<i>shale</i>	<i>332</i>	
<i>21</i>	<i>lime</i>	<i>353</i>	
<i>176</i>	<i>shale</i>	<i>529</i>	
<i>21</i>	<i>lime</i>	<i>550</i>	
<i>60</i>	<i>shale</i>	<i>610</i>	
<i>27</i>	<i>lime</i>	<i>637</i>	
<i>24</i>	<i>shale</i>	<i>661</i>	
<i>7</i>	<i>lime</i>	<i>668</i>	
<i>20</i>	<i>shale</i>	<i>688</i>	
<i>13</i>	<i>lime</i>	<i>701</i>	
<i>4</i>	<i>shale</i>	<i>705</i>	
<i>6</i>	<i>lime</i>	<i>711</i>	
<i>18</i>	<i>shale</i>	<i>729</i>	
<i>6</i>	<i>sandy shale</i>	<i>735</i>	<i>odor</i>
<i>28</i>	<i>bkn sand</i>	<i>763</i>	<i>good show</i>
<i>2</i>	<i>dk sand</i>	<i>765</i>	<i>show</i>
<i>24</i>	<i>shale</i>	<i>789</i>	<i>T.D.</i>

*set 20' of 7"  
ran 783' of 2 7/8  
cemented to surface  
84 sxs total*