

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1264391

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:		Spot Description:
month	day year	Sec Twp S. R [ ] E [
OPERATOR: License#		(0/0/0/0) feet from N / S Line of Se
Name:		feet from E / W Line of Se
Address 1:		
Address 2:		
City: State:		(Note: Decade well and the Cooler, Nation Cooler)
Contact Person:	·	County
Phone:		Lease Name: Well #:
		Field Name:
CONTRACTOR: License#		Is this a Prorated / Spaced Field?
Name:		Target Formation(s):
Well Drilled For: Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield	Mud Rotary	Ground Surface Elevation:feet
Gas Storage Pool E		Water well within one-quarter mile:
Disposal Wildca		Public water supply well within one mile:
Seismic ; # of Holes Other	Gabic	Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
		Surface Pipe by Alternate: I II
If OWWO: old well information as follo	ows:	Length of Surface Pipe Planned to be set:
0		
Operator: Well Name:		Projected Total Depth:
Original Completion Date:		
Original Completion Date	Original lotal Depth.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No	
If Yes, true vertical depth:		Well Tallit old Stilet.
		DWK Feilill #.
•		(Note: Apply for Pormit with DWP )
Bottom Hole Location:KCC DKT #:		(Note: Apply for Fernill with DWK)
Bottom Hole Location:		Will Cores be taken?
Bottom Hole Location:		(Note: Apply for Fernill with DWK)
Bottom Hole Location:		Will Cores be taken?
Bottom Hole Location:KCC DKT #:	A	Will Cores be taken?  If Yes, proposed zone:
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri	<b>A</b> illing, completion and eventual <sub>l</sub>	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri  It is agreed that the following minimum requi	A illing, completion and eventual   uirements will be met:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p	A illing, completion and eventual purements will be met: prior to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte	Ailling, completion and eventual puirements will be met:  prior to spudding of well; ent to drill shall be posted on ea	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe	Ailling, completion and eventual puirements will be met:  prior to spudding of well; ent to drill shall be posted on eace as specified below shall be so	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials	Ailling, completion and eventual purements will be met:  prior to spudding of well; ent to drill shall be posted on eace as specified below shall be so plus a minimum of 20 feet into	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I	Ailling, completion and eventual purements will be met:  prior to spudding of well; ent to drill shall be posted on ear eas specified below shall be so plus a minimum of 20 feet into between the operator and the desired in the desired shall be so posted on the desired shall be so plus a minimum of 20 feet into between the operator and the desired shall be so part of the desired shall be so perator and the desired shall be shall be so perator and the desired shall be	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,	Ailling, completion and eventual juirements will be met:  orior to spudding of well; ent to drill shall be posted on ear e as specified below shall be so plus a minimum of 20 feet into between the operator and the do notified before well is either plu production pipe shall be cemen	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,  Or pursuant to Appendix "B" - Easter	Ailling, completion and eventual purements will be met:  orior to spudding of well; ent to drill shall be posted on ear e as specified below shall be so plus a minimum of 20 feet into between the operator and the do notified before well is either plu production pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter	Ailling, completion and eventual purements will be met:  orior to spudding of well; ent to drill shall be posted on ear e as specified below shall be so plus a minimum of 20 feet into between the operator and the do notified before well is either plu production pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter	Ailling, completion and eventual purements will be met:  orior to spudding of well; ent to drill shall be posted on ear e as specified below shall be so plus a minimum of 20 feet into between the operator and the do notified before well is either plu production pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,  Or pursuant to Appendix "B" - Easter must be completed within 30 days of	Ailling, completion and eventual purements will be met:  orior to spudding of well; ent to drill shall be posted on ear e as specified below shall be so plus a minimum of 20 feet into between the operator and the do notified before well is either plu production pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,  Or pursuant to Appendix "B" - Easter must be completed within 30 days of	Ailling, completion and eventual purements will be met:  orior to spudding of well; ent to drill shall be posted on ear e as specified below shall be so plus a minimum of 20 feet into between the operator and the do notified before well is either plu production pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,  Or pursuant to Appendix "B" - Easter must be completed within 30 days of	Ailling, completion and eventual purements will be met:  orior to spudding of well; ent to drill shall be posted on ear e as specified below shall be so plus a minimum of 20 feet into between the operator and the do notified before well is either plu production pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,  Or pursuant to Appendix "B" - Easter must be completed within 30 days of	Ailling, completion and eventual purements will be met:  orior to spudding of well; ent to drill shall be posted on ear e as specified below shall be so plus a minimum of 20 feet into between the operator and the do notified before well is either plu production pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Colugging of this well will comply with K.S.A. 55 et. seq.  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,  Or pursuant to Appendix "B" - Easter must be completed within 30 days of	Ailling, completion and eventual purements will be met:  prior to spudding of well; ent to drill shall be posted on ea e as specified below shall be so plus a minimum of 20 feet into between the operator and the d notified before well is either plu production pipe shall be cemen in Kansas surface casing order the spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter must be completed within 30 days of  Submitted Electronically  For KCC Use ONLY  API # 15 -	Ailling, completion and eventual puirements will be met:  prior to spudding of well; ent to drill shall be posted on ease as specified below shall be so plus a minimum of 20 feet into between the operator and the donotified before well is either plu production pipe shall be cement Kansas surface casing order the spud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p 2. A copy of the approved notice of inte 3. The minimum amount of surface pipe through all unconsolidated materials 4. If the well is dry hole, an agreement I 5. The appropriate district office will be 6. If an ALTERNATE II COMPLETION, Or pursuant to Appendix "B" - Easter must be completed within 30 days of  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  Conductor pipe required	Ailling, completion and eventual jurements will be met:  prior to spudding of well; ent to drill shall be posted on eade as specified below shall be so plus a minimum of 20 feet into between the operator and the donotified before well is either plut production pipe shall be cement Kansas surface casing order if the spud date or the well shall the spud date or the well shall feet.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,  Or pursuant to Appendix "B" - Easter must be completed within 30 days of  Submitted Electronically  For KCC Use ONLY  API # 15 -	Ailling, completion and eventual jurements will be met:  prior to spudding of well; ent to drill shall be posted on eade as specified below shall be so plus a minimum of 20 feet into between the operator and the donotified before well is either plut production pipe shall be cement Kansas surface casing order if the spud date or the well shall the spud date or the well shall feet.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the dri It is agreed that the following minimum requ  1. Notify the appropriate district office p  2. A copy of the approved notice of inte  3. The minimum amount of surface pipe through all unconsolidated materials  4. If the well is dry hole, an agreement I  5. The appropriate district office will be  6. If an ALTERNATE II COMPLETION,  Or pursuant to Appendix "B" - Easter must be completed within 30 days of  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  Conductor pipe required	illing, completion and eventual uirements will be met:  prior to spudding of well; ent to drill shall be posted on ear eas specified below shall be so plus a minimum of 20 feet into between the operator and the donotified before well is either plu production pipe shall be cement Kansas surface casing order if the spud date or the well shall the spud date or the well shall feet feet feet per ALT.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Dlugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

\_\_ Agent: \_

Spud date: \_

Obtain written approval before disposing of injecting salt water.
 If well will not be drilled or permit has expired (See: authorized expiration date)

please check the box below and return to the address below.					
Well will not be drilled or Permit Expired	Date:				
Signature of Operator or Agent:					



feet from

feet from

N /

E /

S Line of Section

W Line of Section

For KCC Use ONLY	
API # 15	

Well Number:

Operator: \_\_

Lease: \_\_\_

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_

Field:							_ Se	ec	Twp		S. R		E	W
			o well:				- Is	Section:	Regu	lar or	Irregul	ar		
								Section is ection corne			vell from	SE	orner boun SW	dary.
	s	how locati	on of the w	vell. Show	footage to	o the neare	PLAT	r unit bound	dary line.	Show the	predicted	d locations	of	
	lease roa	ads, tank b	oatteries, pi	ipelines an				oy the Kans e plat if desi		ce Owner	Notice Ad	ct (House E	Bill 2032).	
		:	:	:		:	:	:			LEC	SEND		
		:	· · · · · · · · · · · · · · · · · · ·	:	•••••	:	:	: :			Tank	Location Battery L		
	••••	:	:	:	•••••	:	:	:			Elec	eline Locat etric Line L se Road L	ocation	
			:			:	·	:		EXAMP	ı'e	•	:	
		<u>:</u> :	<u>:</u> :	<u>:</u> 1	6	<u>:</u> :	<u>:</u> :	<u>:</u> <u>:</u> :			LE : : : : :			
		:	:	:	*******	:	:	:		•••••	:			
200 #		:	:	: :		:	: :	:			O=			1980' FSL
330 ft	— <u> </u>	<b>:</b>	<u></u>	:			:	<u>:</u>		•••••			······································	

### 970 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1264391

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continue.	Existing nstructed:	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Producing Formation: Type  Number of producing wells on lease: Num			ver and Haul-Off Pits ONLY:  Il utilized in drilling/workover:  king pits to be utilized:  procedure:		
flow into the pit? Yes No  Submitted Electronically		·	e closed within 365 days of spud date.		
	КСС	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No		



### Kansas Corporation Commission Oil & Gas Conservation Division

1264391

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East _ West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: ( ) Fax: ( )	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be location CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner.	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: WALLEHS Good Oil Co.	Location of Well: County: BARBEE
Lease: NUSSER	970 feet from N / X S Line of Section
Well Number: 8-16	330 teet from E / W Line of Section
Field:	Sec. 16 Twp. 35 S. R. /2 E 🗵 W
Number of Acres attributable to well: 10  OTR/QTR/QTR/QTR of acreage: - N/2 - Sw - N/W	Is Section: Regular or Image Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases tocate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections at:
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

For KCC Use ONLY
API # 15

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: //AU.6.H. Lease:/U.C. Well Number:	SER 8						970 330	County: BARBER  feet from N/S S Line of Section Feet from E/X W Line of Section Twp. 35 S. R. /2 EXW
Number of Acres attr QTR/QTR/QTR/QTR	ibutable to of acreage	well: :: <u>S 2</u>	- NW	- <u>5w</u>	- <u>Sw</u>	If S	ection is irre	Regular or irregular irregular regular, locate well from nearest corner boundary.
Si lease roa	how locationeds, tank ba	n of the we atteries, pip	ell. Show fo	t electrical	he neares lines, as r	required by	unit boundar the Kansas plat if desired	ry line. Show the predicted locations of Surface Owner Notice Act (House Bill 2032). d.
								C Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		:				:		EXAMPLE

1980' FSL

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

## 970' In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

September 21, 2015

Vaughn Good Good, Vaughn dba Vaughn Good Oil Co. PO BOX 3744 ENID, OK 73702

Re: Drilling Pit Application Nusser 8 SW/4 Sec.16-35S-12W Barber County, Kansas

### Dear Vaughn Good:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.