Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1263175

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R East _ West				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:, (e.gxxx.xxxxx)				
Name:					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:				
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:				
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Paymit #:	Chloride content: ppm Fluid volume: bbls				
☐ Commingled Permit #: ☐ Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:	·				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

4.0

1	2631	75
	ZD3	7:)

Operator Name:				_ Lease Na	ame:			Well #:		
Sec Twp	S. R	East	West	County:						
open and closed, flow	ow important tops of for ing and shut-in pressu to surface test, along w	ires, whether	shut-in pre	ssure reache	ed statio	e level, hydros	static pressures			
	g, Final Logs run to ob d in LAS version 2.0 o					gs must be er	nailed to kcc-w	vell-logs@kcc.ks	.gov. Dig	ital electronic lo
Drill Stem Tests Taken (Attach Additional S		Yes	No		L		ation (Top), Dep	oth and Datum		Sample
Samples Sent to Geol	logical Survey	Yes	No		Name	Э		Тор		Datum
Cores Taken Electric Log Run		Yes Yes	☐ No ☐ No							
List All E. Logs Run:										
		Report all	CASING		Ne Ne	w Used	uction etc			
Purpose of String	Size Hole	Size Cas		Weigh		Setting	Type o	f # Sack	s Ty	pe and Percent
Fulpose of String	Drilled	Set (In C	D.D.)	Lbs. / F	t.	Depth	Cemer	t Used		Additives
		A.F.	DITIONAL	OFMENTING	2 / 0011					
Purpose:	Depth					EEZE RECOR		and Darsont Addit		
Perforate	Top Bottom	Type of Ce	ement	# Sacks Used Type and Percent Additives						
Protect Casing Plug Back TD										
Plug Off Zone										
	ulic fracturing treatment or					Yes		No, skip questions		
	otal base fluid of the hydra ing treatment information	_			-	Yes Yes	_	No, skip question 3 No, fill out Page Th		ACO 1)
vvas trie riyuraulic fractur	ing treatment information	Submitted to the	e chemical c	iisciosure regi	Suy!	ies		vo, iiii out rage Tii		400-1)
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				Depth		
							•	·		
TUDING DECORD	Cize	Co+ A+.		Do else A		Line: D:				
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:	Yes	No		
Date of First, Resumed	Production, SWD or ENH	IR. Pro	ducing Meth	od:						
,	,		Flowing	Pumping		Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio)	Gravity
DIODOGITI	ON OF CAS:			IETHOD OF O		TION		DDODU	CTION INT	ED\/AL:
	ON OF GAS:	Open	_	IETHOD OF C	OMPLE Dually		Commingled	PRODU	CTION INT	EHVAL:
Vented Sold					Submit A		ubmit ACO-4)			
(II verilea, Sul	JIIII ACO-10.)	Other	(Specify)							

Form	ACO1 - Well Completion		
Operator	HAT Production LLC		
Well Name	Sergent 14		
Doc ID	1263175		

Casing

Purpose Of String		Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	11	8	12	20	Portland	6	1
Production	5.875	2.875	6.4	338	Portland	45	1

Billing Statement


Dale Jackson Production Box 266, Mound City, Ks 66056 Cell # 620-363-2683

Date Well#		Lease Name	Work Description	Price	Total
7/31/15	14	Sergent	Well Cementing 339' 2 7/8" 8 round TD 342' 45 Sacks		\$600.00
, - , -			91 Gal plug chase		,
			HAT Production		
			12371 Hwy 7		
			Mound City, KS 66056		
			8/3/2015		
			Send via E-Mail hatdrilling@wildblue.net		
			Sena via E-iviali Haturiiiiig@wilublue.ilet		

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Sergent #14 API # 15-107-25126-00-00 SPUD DATE 7-29-15

Footage	Formation	Thickness	Set 20' of 8'
2	Topsoil	2	TD 342'
6	clay	4	Ran 338' of 2 7/8 on 7-31-15
27	lime	21	Set seat nipple 285.75
34	shale	7	cemented 45 sacks
55	lime	21	
58	shale	3	
64	lime	6	
66	shale	2	
72	lime	6	
219	shale	147	
222	lime	3	
252	shale	30	
270	lime	18	
278	shale	8	
280	sandy/shale	2	slight odor, no show
283	shale	3	
285	sandy/shale	2	strong odor, light bleed
288	sandy/shale	3	slight odor, no show
291	oil sand	3	strong odor, good bleed
293	sandy/shale	2	good odor, light show
296	oil sand/shale	3	good odor, good bleed, 70% sand
300	sandy/shale	4	good odor, light show
303	oil sand	3	good odor, good bleed
308	shale	5	
309	coal	1	
315	shale	6	
342	lime	27	



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor:
Hat Drilling, LLC

