



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

Blue Goose Drilling Co, Inc

32-17-27w Lane, Ks

P.O. Box 1413  
Greatbend, Ks 67530

**Borell G #1**

Job Ticket: 61732

**DST#: 4**

ATTN: Ken Wallace

Test Start: 2015.07.03 @ 20:01:48

## GENERAL INFORMATION:

Formation: **Ft Scott**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 22:01:18

Time Test Ended: 00:45:48

Test Type: Conventional Bottom Hole (Reset)

Tester: Brandon Turley

Unit No: 79

**Interval: 4442.00 ft (KB) To 4482.00 ft (KB) (TVD)**

Reference Elevations: 2682.00 ft (KB)

Total Depth: 4482.00 ft (KB) (TVD)

2675.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 7.00 ft

**Serial #: 8166 Outside**

Press @ Run Depth: 20.40 psig @ 4443.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2015.07.03

End Date:

2015.07.04

Last Calib.:

2015.07.04

Start Time: 20:01:53

End Time:

00:45:47

Time On Btm:

2015.07.03 @ 22:00:18

Time Off Btm:


2015.07.03 @ 23:01:48

**TEST COMMENT:** IF: Surface blow died in 9 min.

IS: No return.

FF: No blow.

FS: No return.



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2185.13	116.15	Initial Hydro-static
1	18.62	115.60	Open To Flow (1)
16	19.01	116.55	Shut-In(1)
30	51.42	117.31	End Shut-In(1)
31	18.99	117.35	Open To Flow (2)
48	20.40	118.07	Shut-In(2)
61	35.06	118.58	End Shut-In(2)
62	2145.78	119.17	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud 100% m	0.02

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

\* Recovery from multiple tests



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Blue Goose Drilling Co, Inc

**32-17-27w Lane, Ks**

P.O. Box 1413  
Greatbend, Ks 67530

**Borell G #1**

Job Ticket: 61732

**DST#: 4**

ATTN: Ken Wallace

Test Start: 2015.07.03 @ 20:01:48

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 56.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.20 in<sup>3</sup>

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 2800.00 ppm

Filter Cake: 1.00 inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud 100%m	0.025

Total Length: 5.00 ft      Total Volume: 0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

### Pressure vs. Time

