



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Berexco LLC

**28 1S 36W Rawlins KS**

2020 N Bramblewood  
Wichita KS 67206

**Moser C 6-28**

Job Ticket: 65069

**DST#: 3**

ATTN: Bryan Bynog

Test Start: 2015.06.29 @ 05:30:00

## GENERAL INFORMATION:

Formation: **LKC " C and D**  
 Deviated: No Whipstock: ft (KB)  
 Test Type: Conventional Bottom Hole (Reset)  
 Time Tool Opened: 07:59:30 Tester: Robert Zodrow  
 Time Test Ended: 14:14:00 Unit No: 66  
 Interval: **4310.00 ft (KB) To 4420.00 ft (KB) (TVD)** Reference Elevations: 3305.00 ft (KB)  
 Total Depth: 4420.00 ft (KB) (TVD) 3294.00 ft (CF)  
 Hole Diameter: 7.88 inches Hole Condition: Fair KB to GR/CF: 11.00 ft


## Serial #: 6741

Inside

Press@RunDepth: 47.10 psig @ 4311.00 ft (KB) Capacity: 8000.00 psig  
 Start Date: 2015.06.29 End Date: 2015.06.29 Last Calib.: 2015.06.29  
 Start Time: 05:30:05 End Time: 14:14:00 Time On Btm: 2015.06.29 @ 07:59:00  
 Time Off Btm: 2015.06.29 @ 12:00:30

TEST COMMENT: 30-IS- Blow built to 1"  
 60-IS- No return  
 60-FF- No blow  
 90-FS- No return

## PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2164.33	126.74	Initial Hydro-static
1	19.49	126.86	Open To Flow (1)
31	30.75	127.50	Shut-In(1)
90	1198.72	129.75	End Shut-In(1)
91	34.81	129.98	Open To Flow (2)
150	47.10	132.40	Shut-In(2)
240	1169.18	133.15	End Shut-In(2)
242	2067.52	133.69	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
60.00	MUD with oil spots	0.30

\* Recovery from multiple tests

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

Berexco LLC

**28 1S 36W Rawlins KS**

2020 N Bramblewood  
Wichita KS 67206

**Moser C 6-28**

Job Ticket: 65069

**DST#: 3**

ATTN: Bryan Bynog

Test Start: 2015.06.29 @ 05:30:00

### Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 54.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.80 in<sup>3</sup>

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 1000.00 ppm

Filter Cake: 2.00 inches

### Recovery Information

Recovery Table

Length ft	Description	Volume bbl
60.00	MUD with oil spots	0.295

Total Length: 60.00 ft      Total Volume: 0.295 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

