



DRILL STEM TEST REPORT

Prepared For: **TDI**

1310 Bison Rd.
Hays, KS 67601

ATTN: Herb Deines

Charlie #1

29-8s-19w Rooks,KS

Start Date: 2015.07.17 @ 10:21:27

End Date: 2015.07.17 @ 13:35:57

Job Ticket #: 34530 DST #: 1

Trilobite Testing, Inc
1515 Commerce Parkway Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2015.07.20 @ 08:37:00

TDI
29-8s-19w Rooks,KS
Charlie #1
DST # 1
LKC "C&D"
2015.07.17



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

TDI
1310 Bison Rd.
Hays, KS 67601
ATTN: Herb Deines

29-8s-19w Rooks, KS
Charlie #1
Job Ticket: 34530 **DST#: 1**
Test Start: 2015.07.17 @ 10:21:27

Tool Information

Drill Pipe:	Length: 3230.00 ft	Diameter: 3.82 inches	Volume: 45.79 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: ft	Diameter: inches	Volume: - bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose:	lb
			<u>Total Volume:</u> - bbl	Tool Chased	ft
Drill Pipe Above KB:	25.00 ft			String Weight: Initial	lb
Depth to Top Packer:	3225.00 ft			Final	lb
Depth to Bottom Packer:	ft				
Interval between Packers:	60.00 ft				
Tool Length:	80.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			

Tool Comments:

Tool Description

Length (ft) Serial No. Position Depth (ft) Accum. Lengths

Change Over Sub	1.00			3206.00	
Shut In Tool	5.00			3211.00	
Hydraulic tool	5.00			3216.00	
Packer	5.00			3221.00	20.00 Bottom Of Top Packer
Packer	4.00			3225.00	
Stubb	1.00			3226.00	
Perforations	22.00			3248.00	
Change Over Sub	1.00			3249.00	
Recorder	0.00	8651	Inside	3249.00	
Recorder	0.00	8655	Outside	3249.00	
Drill Pipe	32.00			3281.00	
Change Over Sub	1.00			3282.00	
Bullnose	3.00			3285.00	60.00 Bottom Packers & Anchor

Total Tool Length: 80.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

TDI **29-8s-19w Rooks,KS**
 1310 Bison Rd. **Charlie #1**
 Hays, KS 67601 Job Ticket: 34530 **DST#: 1**
 ATTN: Herb Deines Test Start: 2015.07.17 @ 10:21:27

Mud and Cushion Information


Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 52.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.78 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 3900.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl

Total Length: ft Total Volume: bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:




Serial #: 8651

Inside TDI

Charlie #1

DST Test Number: 1



Trilobite Testing, Inc

Ref. No: 34530

Printed: 2015.07.20 @ 08:37:01



DRILL STEM TEST REPORT

Prepared For: **TDI**

1310 Bison Rd.
Hays, KS 67601

ATTN: Herb Deines

Charlie #1

29-8s-19w Rooks,KS

Start Date: 2015.07.17 @ 13:50:13

End Date: 2015.07.17 @ 22:29:43

Job Ticket #: 34531 DST #: 2

Trilobite Testing, Inc
1515 Commerce Parkway Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2015.07.20 @ 08:36:38

TDI
29-8s-19w Rooks,KS
Charlie #1
DST # 2
LKC "C&D"
2015.07.17



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TDI
1310 Bison Rd.
Hays, KS 67601
ATTN: Herb Deines

29-8s-19w Rooks,KS
Charlie #1
Job Ticket: 34531 **DST#: 2**
Test Start: 2015.07.17 @ 13:50:13


GENERAL INFORMATION:

Formation: **LKC "C&D"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 17:27:43
 Time Test Ended: 22:29:43
 Interval: **3225.00 ft (KB) To 3285.00 ft (KB) (TVD)**
 Total Depth: 3285.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: Brannan Lonsdale
 Unit No: 62
 Reference Elevations: 2015.00 ft (KB)
 2007.00 ft (CF)
 KB to GR/CF: 8.00 ft

Serial #: 8655 Outside
 Press@RunDepth: 161.94 psig @ 3249.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2015.07.17 End Date: 2015.07.17 Last Calib.: 2015.07.17
 Start Time: 13:50:14 End Time: 22:29:43 Time On Btm: 2015.07.17 @ 17:27:13
 Time Off Btm: 2015.07.17 @ 20:28:13

TEST COMMENT: 45- IF- BOB 23 mins
 45- IS- No blow
 45- FF- BOB 39 mins
 45- FS- No blow

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1597.75	105.46	Initial Hydro-static
1	21.99	105.11	Open To Flow (1)
48	98.60	107.22	Shut-In(1)
90	819.07	106.95	End Shut-In(1)
91	104.17	106.88	Open To Flow (2)
133	161.94	107.66	Shut-In(2)
180	801.76	107.43	End Shut-In(2)
181	1540.64	107.48	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
315.00	WM, 45%W 55%M	4.47
1.00	CO	0.01

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

TDI
1310 Bison Rd.
Hays, KS 67601
ATTN: Herb Deines

29-8s-19w Rooks,KS
Charlie #1
Job Ticket: 34531 **DST#: 2**
Test Start: 2015.07.17 @ 13:50:13

Tool Information

Drill Pipe:	Length: 3233.00 ft	Diameter: 3.82 inches	Volume: 45.83 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: ft	Diameter: inches	Volume: - bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose:	43000.00 lb
			<u>Total Volume:</u> - bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	28.00 ft			String Weight: Initial	40000.00 lb
Depth to Top Packer:	3225.00 ft			Final	40000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	60.00 ft				
Tool Length:	80.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			

Tool Comments:

Tool Description

Length (ft) Serial No. Position Depth (ft) Accum. Lengths

Change Over Sub	1.00			3206.00	
Shut In Tool	5.00			3211.00	
Hydraulic tool	5.00			3216.00	
Packer	5.00			3221.00	20.00 Bottom Of Top Packer
Packer	4.00			3225.00	
Stubb	1.00			3226.00	
Perforations	22.00			3248.00	
Change Over Sub	1.00			3249.00	
Recorder	0.00	8651	Inside	3249.00	
Recorder	0.00	8655	Outside	3249.00	
Drill Pipe	32.00			3281.00	
Change Over Sub	1.00			3282.00	
Bullnose	3.00			3285.00	60.00 Bottom Packers & Anchor

Total Tool Length: 80.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

TDI
1310 Bison Rd.
Hays, KS 67601
ATTN: Herb Deines

29-8s-19w Rooks,KS
Charlie #1
Job Ticket: 34531
Test Start: 2015.07.17 @ 13:50:13

DST#: 2

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: 115000 ppm	
Viscosity: 52.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.78 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 3900.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table


Length ft	Description	Volume bbl
315.00	WM, 45%W 55%M	4.465
1.00	CO	0.014


Total Length: 316.00 ft Total Volume: 4.479 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:







DRILL STEM TEST REPORT

Prepared For: **TDI**

1310 Bison Rd.
Hays, KS 67601

ATTN: Herb Deines

Charlie #1

29-8s-19w Rooks,KS

Start Date: 2015.07.18 @ 13:55:09

End Date: 2015.07.18 @ 20:56:09

Job Ticket #: 34532 DST #: 3

Trilobite Testing, Inc
1515 Commerce Parkway Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2015.07.20 @ 08:36:10

TDI
29-8s-19w Rooks,KS
Charlie #1
DST # 3
Arbuckle
2015.07.18



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TDI
1310 Bison Rd.
Hays, KS 67601
ATTN: Herb Deines

29-8s-19w Rooks,KS
Charlie #1
Job Ticket: 34532 **DST#: 3**
Test Start: 2015.07.18 @ 13:55:09


GENERAL INFORMATION:

Formation: **Arbuckle**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 15:43:09
Time Test Ended: 20:56:09
Interval: 3410.00 ft (KB) To 3468.00 ft (KB) (TVD)
Total Depth: 3468.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair
Test Type: Conventional Bottom Hole (Reset)
Tester: Brannan Lonsdale
Unit No: 62
Reference Elevations: 2015.00 ft (KB)
2007.00 ft (CF)
KB to GR/CF: 8.00 ft

Serial #: 8655 Outside
Press@RunDepth: 368.66 psig @ 3432.00 ft (KB) Capacity: 8000.00 psig
Start Date: 2015.07.18 End Date: 2015.07.18 Last Calib.: 2015.07.18
Start Time: 13:55:10 End Time: 20:56:09 Time On Btm: 2015.07.18 @ 15:41:39
Time Off Btm: 2015.07.18 @ 18:21:09

TEST COMMENT: 30- IF- BOB 13 mins
30- IS- No blow
45- FF- BOB 8 mins
45- FS- No blow

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1703.00	106.74	Initial Hydro-static
2	38.70	106.40	Open To Flow (1)
30	157.08	110.55	Shut-In(1)
61	1087.05	109.91	End Shut-In(1)
62	163.07	109.44	Open To Flow (2)
105	368.66	111.75	Shut-In(2)
158	1081.20	111.71	End Shut-In(2)
160	1642.98	111.94	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
565.00	WMCO, 30%W 25%M 45%O	8.01
220.00	HOCM, 45%O 55%M	3.12

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

TOOL DIAGRAM

TDI
1310 Bison Rd.
Hays, KS 67601
ATTN: Herb Deines

29-8s-19w Rooks, KS
Charlie #1
Job Ticket: 34532 **DST#: 3**
Test Start: 2015.07.18 @ 13:55:09

Tool Information

Drill Pipe:	Length: 3421.00 ft	Diameter: 3.82 inches	Volume: 48.49 bbl	Tool Weight:	2000.00 lb
Heavy Wt. Pipe:	Length: ft	Diameter: inches	Volume: - bbl	Weight set on Packer:	25000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose:	68000.00 lb
			<u>Total Volume:</u> - bbl	Tool Chased	0.00 ft
Drill Pipe Above KB:	31.00 ft			String Weight: Initial	40000.00 lb
Depth to Top Packer:	3410.00 ft			Final	43000.00 lb
Depth to Bottom Packer:	ft				
Interval between Packers:	58.00 ft				
Tool Length:	78.00 ft				
Number of Packers:	2	Diameter: 6.75 inches			

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
-------------------------	--------------------	-------------------	-----------------	-------------------	-----------------------

Change Over Sub	1.00			3391.00	
Shut In Tool	5.00			3396.00	
Hydraulic tool	5.00			3401.00	
Packer	5.00			3406.00	20.00 Bottom Of Top Packer
Packer	4.00			3410.00	
Stubb	1.00			3411.00	
Perforations	20.00			3431.00	
Change Over Sub	1.00			3432.00	
Recorder	0.00	8651	Inside	3432.00	
Recorder	0.00	8655	Outside	3432.00	
Drill Pipe	32.00			3464.00	
Change Over Sub	1.00			3465.00	
Bullnose	3.00			3468.00	58.00 Bottom Packers & Anchor

Total Tool Length: 78.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

TDI **29-8s-19w Rooks,KS**
 1310 Bison Rd. **Charlie #1**
 Hays, KS 67601 Job Ticket: 34532 **DST#: 3**
 ATTN: Herb Deines Test Start: 2015.07.18 @ 13:55:09

Mud and Cushion Information


Mud Type: Gel Chem	Cushion Type:	Oil API: 26 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: ppm
Viscosity: 45.00 sec/qt	Cushion Volume: bbl	
Water Loss: 8.19 in ³	Gas Cushion Type:	
Resistivity: ohm.m	Gas Cushion Pressure: psig	
Salinity: 4100.00 ppm		
Filter Cake: inches		


Recovery Information


Recovery Table

Length ft	Description	Volume bbl
565.00	WMCO, 30%W 25%M 45%O	8.009
220.00	HOCM, 45%O 55%M	3.119

Total Length: 785.00 ft Total Volume: 11.128 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:







TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

Test Ticket

Well Name & No. Charlie #1 Test No. 1 Date 7/17/15
 Company TDI Zone Tested LKC "CVD"
 Address 1310 Bison Rd. Hays, KS 67601 Elevation 2015 KB 2007 GL
 Co. Rep / Geo. Herb Dames Rig Southwind #1
 Location: Sec. 29 Twp. 9S Rge. 19 W Co. Rooks State KS
 Comment: _____


Interval Tested 3225-3285 Drill Pipe Size 4 1/2"
 Anchor Length 60' Wt. Pipe Run _____
 Top Packer Depth 3220 Drill Collar Run _____
 Bottom Packer Depth 3225 Ft. Run 3233
 Total Depth 3285 Recorder #(s) 8651, 8655
 Blow Description Mis run - stuck out on bridge approximately 1000'

Recovery - Total Feet	GIP	Ft. in DC	Ft. in DP			
Rec.	Feet of	%gas	%oil	%water	%mud	
BHT	*F Gravity	*API D @	*F Corrected Gravity	*API		
RW	@	*F Chlorides	ppm Recovery	Chlorides	3900 ppm System	

IF _____	<input checked="" type="checkbox"/> Test <u>850</u>	<input type="checkbox"/> Sampler _____	<input type="checkbox"/> Day Standby _____
ISI _____	<input type="checkbox"/> Jars _____	<input type="checkbox"/> Straddle _____	<input type="checkbox"/> Accessibility _____
FF _____	<input type="checkbox"/> Safety Joint _____	<input type="checkbox"/> Shale Packer _____	<input type="checkbox"/> Ruined Shale Packer _____
FSI _____	<input type="checkbox"/> Circ Sub _____	<input type="checkbox"/> Extra Packer _____	<input type="checkbox"/> Ruined Packer _____
T-on Loc <u>1010</u>	<input type="checkbox"/> Hourly Standby _____	<input type="checkbox"/> Extra Recorder _____	<input type="checkbox"/> Extra Copies _____
T-started <u>1021</u>	<input checked="" type="checkbox"/> Mileage <u>86 RT</u>	<input type="checkbox"/> Other _____	
T-open _____			
T-pulled _____	Sub Total <u>936</u>	Sub Total <u>0</u>	Sub Total <u>0</u>
T-out <u>1337</u>			Total <u>936</u>

Trilobite Testing, Inc. shall not be liable for damage of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

Approved By _____ Our Representative Brennan Lonsdale



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

Test Ticket

Well Name & No. Charlie #1 Test No. 2 Date 7/17/15
 Company TDI Zone Tested LKC "C+D"
 Address 1310 Bron RD, Hays, KS 67601 Elevation 2015 KB 2007 GL
 Co. Rep / Geo. Herb Dames Rig Southwind #1
 Location: Sec. 29 Twp. 8 S Rge. 19 W Co. Reks State KS
 Comment: _____

Interval Tested 3225 - 3285 Drill Pipe Size 4 1/2"
 Anchor Length 60' Wt. Pipe Run _____
 Top Packer Depth 3220 Drill Collar Run _____
 Bottom Packer Depth 3225 Ft. Run 3233
 Total Depth 3285 Recorder #(s) 8651, 8655
 Blow Description IF - BOB 23 mins
ISI - No blow
EF - BOB 39 mins
FSI - No blow


Recovery - Total Feet	GIP	Ft. in DC	Ft. in DP
<u>316</u>	_____	_____	<u>816</u>
Rec. <u>315</u>	Feet of <u>WM</u>	%gas _____ %oil _____	<u>45</u> %water <u>55</u> %mud
Rec. <u>1</u>	Feet of <u>CO</u>	%gas _____ %oil _____	%water _____ %mud _____
Rec. _____	Feet of _____	%gas _____ %oil _____	%water _____ %mud _____
Rec. _____	Feet of _____	%gas _____ %oil _____	%water _____ %mud _____
Rec. _____	Feet of _____	%gas _____ %oil _____	%water _____ %mud _____

BHT 107 °F Gravity _____ °API D @ _____ °F Corrected Gravity _____ °API
 RW 4.77 @ 77 °F Chlorides 115000 ppm Recovery _____ Chlorides 3900 ppm System

IF <u>45</u>	Test <u>1050</u>	<input type="checkbox"/> Sampler _____	<input type="checkbox"/> Day Standby _____
ISI <u>45</u>	<input type="checkbox"/> Jars _____	<input type="checkbox"/> Straddle _____	<input type="checkbox"/> Accessibility _____
FF <u>45</u>	<input type="checkbox"/> Safety Joint _____	<input type="checkbox"/> Shale Packer _____	<input type="checkbox"/> Ruined Shale Packer _____
FSI <u>45</u>	<input type="checkbox"/> Circ Sub _____	<input type="checkbox"/> Extra Packer _____	<input type="checkbox"/> Ruined Packer _____
T-on Loc <u>1337</u>	<input type="checkbox"/> Hourly Standby _____	<input type="checkbox"/> Extra Recorder _____	<input type="checkbox"/> Extra Copies _____
T-started <u>1350</u>	<input checked="" type="checkbox"/> Mileage _____	<input type="checkbox"/> Other _____	
T-open <u>1828</u>	Sub Total <u>1050</u>	Sub Total <u>0</u>	Sub Total <u>0</u>
T-pulled <u>2028</u>			Total <u>1050</u>
T-out <u>2231</u>			

Trilobite Testing, Inc. shall not be liable for damage of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

Approved By _____ Our Representative Branner Lonsdale



TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

Test Ticket

Well Name & No. Charlie #1 Test No. 3 Date 2/18/15
 Company TDF Zone Tested Arbuckle
 Address 1310 Bron Rd. Hays, KS 67601 Elevation 2015 KB 2057 GL
 Co. Rep / Geo. Herb Deines Rig Southwind #1
 Location: Sec. 29 Twp. 8 S Rge. 19 W Co. _____ Rocks State KS
 Comment: _____

Interval Tested 3410 - 3468 Drill Pipe Size 4 1/2"
 Anchor Length 58' Wt. Pipe Run _____
 Top Packer Depth 3405 Drill Collar Run _____
 Bottom Packer Depth 3410 Ft. Run 3421
 Total Depth 3468 Recorder #(s) 8651, 8655

Blow Description IF - BOB 13mins
FSI - No blow
PF - BOB 8mins
FSI - No blow

Recovery - Total Feet	GIP	Ft. in DC	Ft. in DP
<u>365</u>			<u>785</u>
Rec. <u>220</u>	Feet of <u>WNICO</u>	%gas <u>45%</u> %oil <u>30%</u> %water <u>25%</u> %mud	
Rec. _____	Feet of <u>HOCM</u>	%gas <u>45%</u> %oil _____ %water _____ %mud	
Rec. _____	Feet of _____	%gas _____ %oil _____ %water _____ %mud	
Rec. _____	Feet of _____	%gas _____ %oil _____ %water _____ %mud	
Rec. _____	Feet of _____	%gas _____ %oil _____ %water _____ %mud	

BHT 112 °F Gravity 28 °API D @ 80 °F Corrected Gravity 26 °API
 RW _____ @ _____ °F Chlorides _____ ppm Recovery _____ Chlorides 4,100 ppm System

IF <u>30</u>	<input checked="" type="checkbox"/> Test <u>1050</u>	<input type="checkbox"/> Sampler _____	<input type="checkbox"/> Day Standby _____
ISI <u>30</u>	<input type="checkbox"/> Jars _____	<input type="checkbox"/> Straddle _____	<input type="checkbox"/> Accessibility _____
FF <u>45</u>	<input type="checkbox"/> Safety Joint _____	<input type="checkbox"/> Shale Packer _____	<input type="checkbox"/> Ruined Shale Packer _____
FSI <u>45</u>	<input type="checkbox"/> Circ Sub _____	<input type="checkbox"/> Extra Packer _____	<input type="checkbox"/> Ruined Packer _____
T-on Loc <u>1350</u>	<input type="checkbox"/> Hourly Standby _____	<input type="checkbox"/> Extra Recorder _____	<input type="checkbox"/> Extra Copies _____
T-started <u>1355</u>	<input checked="" type="checkbox"/> Mileage <u>86 RT</u>	<input type="checkbox"/> Other _____	
T-open <u>1543</u>			
T-pulled <u>1813</u>	Sub Total <u>1136</u>	Sub Total <u>0</u>	Sub Total <u>0</u>
T-out <u>2057</u>			Total <u>1136</u>

TriLOBite Testing, Inc. shall not be liable for damage of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

Approved By _____ Our Representative Brannan Lonsdale