



# CEMENTING LOG

STAGE NO. \_\_\_\_\_

Date 6/2/15 District Ball Co Ticket No. 067268  
 Company Benevento Rig Benevento  
 Lease POWELL Well No. 9-22  
 County Hawthorn State Ky  
 Location \_\_\_\_\_ Field \_\_\_\_\_

CEMENT DATA:

Spacer Type: \_\_\_\_\_  
 Amt. \_\_\_\_\_ Skts Yield \_\_\_\_\_ ft<sup>3</sup>/sk Density \_\_\_\_\_ PPG

LEAD: Pump Time \_\_\_\_\_ hrs. Type ALUM 65-356 7000  
11-1/2 390CC Excess \_\_\_\_\_

Amt. 650 Skts Yield \_\_\_\_\_ ft<sup>3</sup>/sk Density \_\_\_\_\_ PPG

TAIL: Pump Time \_\_\_\_\_ hrs. Type Comm 390CC

Amt. 150 Skts Yield 1 LR Excess \_\_\_\_\_  
 ft<sup>3</sup>/sk Density 15 LR PPG

WATER: Lead \_\_\_\_\_ gals/sk Tail 5.14 gals/sk Total \_\_\_\_\_ Bbls.

CASING DATA: Conductor  PTA  Squeeze  Misc   
 Surface  Intermediate  Production  Liner   
 Size 8 5/8 Type New Weight 24 Collar \_\_\_\_\_

Casing Depths: Top 120 Bottom 1948

Pump Trucks Used 495-181  
818  
830

Float Equip: Manufacturer \_\_\_\_\_

Shoe: Type \_\_\_\_\_ Depth \_\_\_\_\_

Float: Type \_\_\_\_\_ Depth \_\_\_\_\_

Centralizers: Quantity \_\_\_\_\_ Plugs Top \_\_\_\_\_ Btm. \_\_\_\_\_

Stage Collars \_\_\_\_\_

Special Equip. \_\_\_\_\_

Disp. Fluid Type \_\_\_\_\_ Amt. \_\_\_\_\_ Bbls. Weight \_\_\_\_\_ PPG

Mud Type \_\_\_\_\_ Weight \_\_\_\_\_ PPG

Drill Pipe: Size 4 1/2 Weight \_\_\_\_\_ Collars \_\_\_\_\_  
 Open Hole: Size 6 1/4 T.D. \_\_\_\_\_ ft. P.B. to \_\_\_\_\_ ft.

CAPACITY FACTORS:

Casing: Bbls/Lin. ft. 0637 Lin. ft./Bbl. \_\_\_\_\_

Open Holes: Bbls/Lin. ft. \_\_\_\_\_ Lin. ft./Bbl. \_\_\_\_\_

Drill Pipe: Bbls/Lin. ft. \_\_\_\_\_ Lin. ft./Bbl. \_\_\_\_\_

Annulus: Bbls/Lin. ft. \_\_\_\_\_ Lin. ft./Bbl. \_\_\_\_\_

Bbls/Lin. ft. \_\_\_\_\_ Lin. ft./Bbl. \_\_\_\_\_

Perforations: From \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Amt. \_\_\_\_\_

COMPANY REPRESENTATIVE \_\_\_\_\_

CEMENTER ML

TIME	PRESSURES PSI		FLUID PUMPED DATA			REMARKS
	DRILL PIPE CASING	ANNULUS	TOTAL FLUID	Pumped Per Time Period	RATE Bbls Min.	
						evaluation 2FTs into Set up from top Circumference
				150.0	3 1/2	mix of 650 - 650 gals
				20.0	3 1/2	mix Comm - 150 gals
				10		
				20		
				40		
				60		
				80		
				20		
				100		

FINAL DISP. PRESS: \_\_\_\_\_ PSI BUMP PLUG TO \_\_\_\_\_ PSI BLEEDBACK \_\_\_\_\_ BBLs. THANK YOU