



**QUALITY OILWELL CEMENTING, INC.**  
 PO Box 32 - 740 West Wichita Ave, Russell KS 67665  
 Phone: 785-324-1041 fax: 785-483-1087  
 Email: cementing@ruraltel.net

**Date:** 8/31/2015  
**Invoice #** 1487  
**P.O.#:**  
**Due Date:** 9/30/2015  
**Division:** Russell

# Invoice

RECEIVED

SEP 04 2015

**Contact:**  
 Palomino Petroleum Inc  
**Address/Job Location:**  
 Palomino Petroleum Inc  
 4924 SE 84th  
 Newton Ks 67114

**Reference:**  
 STECKLINE 1

**Description of Work:**  
 SURFACE JOB

Services / Items Included:	Quantity	Price	Taxable	Item	Quantity	Price	Taxable
Labor		\$ 620.74	No				
Common-Class A	120	\$ 1,692.00	Yes				
Calcium Chloride	6	\$ 283.66	Yes				
Bulk Truck Matl-Material Service Charge	159	\$ 135.05	No				
Pump Truck Mileage-Job to Nearest Camp	28	\$ 130.81	No				
Bulk Truck Mileage-Job to Nearest Bulk Plant	28	\$ 83.24	No				
Premium Gel (Bentonite)	3	\$ 41.48	Yes				
				POZ Mix-Standard	30	\$178.37	Yes

**Invoice Terms:**

Net 30

	<i>SubTotal:</i>	\$ 3,165.37
	<i>Discount Available <u>ONLY</u> if Invoice is Paid &amp; Received within listed terms of invoice:</i>	\$ (79.13)
<hr/>		
	SubTotal for Taxable Items:	\$ 2,140.63
	SubTotal for Non-Taxable Items:	\$ 945.60
<hr/>		
	Total:	\$ 3,086.24
	Tax:	\$ 160.55
<hr/>		
	<b>Amount Due:</b>	<b>\$ 3,246.79</b>
	<b>Applied Payments:</b>	
	<b>Balance Due:</b>	<b>\$ 3,246.79</b>

7.50% Ness County Sales Tax

**Thank You For Your Business!**

Past Due Invoices are subject to a service charge (annual rate of 24%)  
 This does not include any applicable taxes unless it is listed.  
 ©2008-2013 Straker Investments, LLC. All rights reserved.

# QUALITY OILWELL CEMENTING, INC.


Federal Tax I.D.# 20-2886107


Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1487

Date	8-31-15	Sec.	15	Twp.	16	Range	26	County	Ness	State	KS	On Location		Finish	11:15 AM
Lease								Well No. 1	Location						
Contractor								Owner							
Type Job								To Quality Oilwell Cementing, Inc.							
Hole Size								You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.							
Csg.								Charge To							
Tbg. Size								Street							
Tool								City							
Cement Left in Csg.								State							
Meas Line								The above was done to satisfaction and supervision of owner agent or contractor.							
EQUIPMENT								Cement Amount Ordered							
Pumptrk								150 80/20 3/CC 2/CEL							
Bulktrk								Common							
Bulktrk								120							
JOB SERVICES & REMARKS								Poz. Mix							
Remarks:								30							
Rat Hole								Gel.							
Mouse Hole								3							
Centralizers								Calcium							
Baskets								6							
D/V or Port Collar								Hulls							
8 5/8 on bottom. Est. Circulation								Salt							
Mileage								Flowseal							
Mileage								Kol-Seal							
Mileage								Mud CLR 48							
Mileage								CFL-117 or CD110 CAF 38							
Mileage								Sand							
Mileage								Handling							
Mileage								159							
Mileage								Mileage							
Mileage								FLOAT EQUIPMENT							
Mileage								Guide Shoe							
Mileage								Centralizer							
Mileage								Baskets							
Mileage								AFU Inserts							
Mileage								Float Shoe							
Mileage								Latch Down							
Mileage								Pumptrk Charge							
Mileage								Surface							
Mileage								Mileage							
Mileage								28							
Mileage								Tax							
Mileage								Discount							
Mileage								Total Charge							
Signature															





**QUALITY OILWELL CEMENTING, INC.**

PO Box 32 - 740 West Wichita Ave, Russell KS 67665  
 Phone: 785-324-1041 fax: 785-483-1087  
 Email: cementing@ruraltel.net

Date: 9/7/2015  
 Invoice # 1034 **RECEIVED**  
 P.O.#: SEP 11 2015  
 Due Date: 10/7/2015  
 Division: Russell

# Invoice

**Contact:**  
 Palomino Petroleum Inc  
**Address/Job Location:**  
 Palomino Petroleum Inc  
 4924 SE 84th  
 Newton Ks 67114

**Reference:**  
 STECKLEIN 1

**Description of Work:**  
 PLUG JOB

Services / Items Included:	Quantity	Price	Taxable	Item	Quantity	Price	Taxable
Labor		\$ 606.13	Yes				
Common-Class A	168	\$ 2,313.06	Yes				
POZ Mix-Standard	112	\$ 650.26	Yes				
Bulk Truck Matl-Material Service Charge	290	\$ 240.53	Yes				
Premium Gel (Bentonite)	10	\$ 135.03	Yes				
Pump Truck Mileage-Job to Nearest Camp	28	\$ 127.73	Yes				
Flo Seal	70	\$ 116.12	Yes				
Bulk Truck Mileage-Job to Nearest Bulk Plant	28	\$ 81.28	Yes				

**Invoice Terms:**

Net 30		SubTotal: \$ 4,270.14
	Discount Available <u>ONLY</u> if Invoice is Paid & Received within listed terms of invoice:	\$ (106.75)
		SubTotal for Taxable Items: \$ 4,163.39
		SubTotal for Non-Taxable Items: \$ -
		Total: \$ 4,163.39
		Tax: \$ 312.25
		<b>Amount Due: \$ 4,475.64</b>

**Thank You For Your Business!**

**Applied Payments:**  
**Balance Due: \$ 4,475.64**

Past Due Invoices are subject to a service charge (annual rate of 24%)  
 This does not include any applicable taxes unless it is listed.  
 ©2008-2013 Straker Investments, LLC. All rights reserved.

7.50% Ness County Sales Tax


# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1034

Date	9-7-15	Sec.	15	Twp.	16	Range	26	County	Ness	State	KS	On Location		Finish	4:30 PM
Lease Stecklein								Well No. #1		Owner					
Contractor WW #12										To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.					
Type Job Plug										Charge To Palomino Petroleum					
Hole Size 7 7/8								T.D. 9640		Street					
Csg. Drill Pipe								Depth		City					
Tbg. Size								Depth		State					
Tool								Depth		The above was done to satisfaction and supervision of owner agent or contractor.					
Cement Left in Csg.								Shoe Joint		Cement Amount Ordered 280 60/40 4% Gel 1/4 Cl					
Meas Line								Displace		Common 168					
<b>EQUIPMENT</b>															
Pumptrk 20 No. Cementer								Craig		Poz. Mix 112					
Bulktrk 21 No. Helper								Nick		Gel. 10					
Bulktrk PU No. Driver								Brett		Calcium					
<b>JOB SERVICES &amp; REMARKS</b>															
Remarks:										Hulls					
Rat Hole 30 5/8										Salt					
Mouse Hole										Flowseal 70#					
Centralizers										Kol-Seal					
Baskets										Mud CLR 48					
D/V or Port Collar										CFL-117 or CD110 CAF 38					
1st Plug @ 2040 w/ 50 sks										Sand					
2nd Plug @ 1290 w/ 80 sks										Handling 290					
3rd Plug @ 660 w/ 50 sks										Mileage					
<b>FLOAT EQUIPMENT</b>															
4th Plug @ 270 w/ 50 sks										Guide Shoe					
5th Plug @ 60 w/ 20 sks										Centralizer					
										Baskets					
										AFU Inserts					
										Float Shoe					
										Latch Down					
										Pumptrk Charge					
										Mileage 28					
										Tax					
										Discount					
										Total Charge					
X Signature 															

# DIAMOND TESTING

## General Information Report

### General Information

Company Name PALOMINO PETROLEUM, INC.  
Contact KLEE WATCHOUS  
Well Name STECKLEIN #1  
Unique Well ID DST #1, MISSISSIPPIAN, 4449-4562  
Surface Location SEC 15-16S-26W, NESS CO. KS.  
Field WILDCAT  
Well Type Vertical  
Test Type CONVENTIONAL  
Formation DST #1, MISSISSIPPIAN, 4449-4562  
Well Fluid Type 01 Oil

Representative TIM VENTERS  
Well Operator PALOMINO PETROLEUM, INC.  
Report Date 2015/09/06  
Prepared By TIM VENTERS  
  
Qualified By ANDREW STENZEL

Start Test Date 2015/09/06  
Final Test Date

Start Test Time 12:41:00  
Final Test Time 19:43:00

### Test Recovery:


RECOVERED: 125' MUD


TOOL SAMPLE: TRACE OIL, 100% MUD

PALOMINO PETROLEUM, INC.  
DST #1, MISSISSIPPIAN, 4449-4562  
Start Test Date: 2015/09/06

STECKLEIN #1  
Formation: DST #1, MISSISSIPPIAN, 4449-4562  
Pool: WILDCAT  
Job Number: T492

# STECKLEIN #1





**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313

TIME ON: 12:41

TIME OFF: 19:43

**DRILL-STEM TEST TICKET**  
FILE: STECKLEIN1DST1

Company PALOMINO PETROLEUM, INC. Lease & Well No. STECKLEIN #1  
Contractor W W DRILLING, LLC RIG #12 Charge to PALOMINO PETROLEUM, INC.  
Elevation 2606 KB Formation MISSISSIPPIAN Effective Pay \_\_\_\_\_ Ft. Ticket No. T492  
Date 9-6-15 Sec. 15 Twp. 16 S Range 26 W County NESS State KANSAS  
Test Approved By ANDREW STENZEL Diamond Representative TIMOTHY T. VENTERS

Formation Test No. 1 Interval Tested from 4449 ft. to 4562 ft. Total Depth 4562 ft.  
Packer Depth 4444 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
Packer Depth 4449 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 4430 ft. Recorder Number 5504 Cap. 5,000 P.S.I.  
Bottom Recorder Depth (Outside) 4559 ft. Recorder Number 11029 Cap. 5,025 P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEMICAL Viscosity 53 Drill Collar Length 120 ft. I.D. 2 1/4 in.  
Weight 9.2 Water Loss 8.8 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.  
Chlorides 4,000 P.P.M. Drill Pipe Length 4296 ft. I.D. 3 1/2 in.

Jars: Make STERLING Serial Number 2 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? NO Reversed Out NO Anchor Length 19 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK SURFACE BLOW THROUGHOUT PERIOD. (NO BB)  
2nd Open: NO BLOW THROUGHOUT PERIOD. (NO BB)

Recovered 125 ft. of MUD  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: <u>THE TOOL MUST HAVE OPENED WHEN RIG HIT BRIDGE FOR A LITTLE BIT.</u>	Insurance
TOOL SAMPLE: <u>TRACE OIL, 100% MUD</u>	Total

Time Set Packer(s) 3:12 PM A.M. P.M. Time Started Off Bottom 5:12 PM A.M. P.M. Maximum Temperature 118 deg.

Initial Hydrostatic Pressure..... (A) 2180 P.S.I.  
Initial Flow Period..... Minutes 30 (B) 88 P.S.I. to (C) 89 P.S.I.  
Initial Closed In Period..... Minutes 30 (D) 376 P.S.I.  
Final Flow Period..... Minutes 30 (E) 89 P.S.I. to (F) 91 P.S.I.  
Final Closed In Period..... Minutes 30 (G) 247 P.S.I.  
Final Hydrostatic Pressure..... (H) 2179 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.