



|                       |         |        |              |
|-----------------------|---------|--------|--------------|
| PAGE                  | CUST #  | YARD # | INVOICE DATE |
| 1 of 1                | 1000719 | 1718   | 08/17/2015   |
| <b>INVOICE NUMBER</b> |         |        |              |
| <b>91889825</b>       |         |        |              |

Pratt (620) 672-1201  
 B CHIEFTAIN OIL COMPANY  
 I PO Box: 124  
 L KIOWA  
 L KS US 67070  
 T  
 O ATTN: ACCOUNTS PAYABLE


J LEASE NAME AHS Cattle Company 7  
 O LOCATION  
 B COUNTY Barber  
 S STATE KS  
 I JOB DESCRIPTION Cement-New Well Casing/Pi  
 T  
 E JOB CONTACT

| JOB #    | EQUIPMENT # | PURCHASE ORDER NO. | TERMS         | DUE DATE   |
|----------|-------------|--------------------|---------------|------------|
| 40865951 | 86779       |                    | Net - 30 days | 09/16/2015 |

|   | QTY    | U of M | UNIT PRICE | INVOICE AMOUNT |
|---|--------|--------|------------|----------------|
| <i>For Service Dates: 08/13/2015 to 08/13/2015</i>                  |        |        |            |                |
| 0040865951  |        |        |            |                |
| 171812756A Cement-New Well Casing/Pi 08/13/2015<br>Cement Conductor |        |        |            |                |
| 60/40 POZ   | 350.00 | EA     | 5.40       | 1,889.76 T     |
| Celloflake  | 88.00  | EA     | 1.66       | 146.50 T       |
| Calcium Chloride  | 903.00 | EA     | 0.47       | 426.62 T       |
| Sugar   | 50.00  | EA     | 2.25       | 112.49 T       |
| "Unit Mileage Chg (PU, cars one way)"                               | 50.00  | MI     | 2.02       | 101.24         |
| Heavy Equipment Mileage   | 100.00 | MI     | 3.37       | 337.46         |
| "Proppant & Bulk Del. Chgs., per ton mil                            | 753.00 | EA     | 1.12       | 847.02         |
| Depth Charge; 0-500'  | 1.00   | EA     | 449.95     | 449.95         |
| Blending & Mixing Service Charge                                    | 350.00 | BAG    | 0.63       | 220.47         |
| "Service Supervisor, first 8 hrs on loc.                            | 1.00   | EA     | 78.74      | 78.74          |

**ENTERED**  
**AUG 27 2015**  
**912184**

|                                  |                                      |                      |                 |
|----------------------------------|--------------------------------------|----------------------|-----------------|
| <b>PLEASE REMIT TO:</b>          | <b>SEND OTHER CORRESPONDENCE TO:</b> | <b>SUB TOTAL</b>     | <b>4,610.25</b> |
| <b>BASIC ENERGY SERVICES, LP</b> | <b>BASIC ENERGY SERVICES, LP</b>     | <b>TAX</b>           | <b>193.15</b>   |
| <b>PO BOX 841903</b>             | <b>801 CHERRY ST, STE 2100</b>       | <b>INVOICE TOTAL</b> | <b>4,803.40</b> |
| <b>DALLAS, TX 75284-1903</b>     | <b>FORT WORTH, TX 76102</b>          |                      |                 |



|   |                            |                                      |
|---|----------------------------|--------------------------------------|
| Customer<br><i>Chief-Tain Oil</i>       | Lease No.                  | Date<br><i>08-13-15</i>              |
| Lease<br><i>AHS Cattle Company</i>      | Well #<br><i>7</i>         |                                      |
| Field Order #<br><i>12756</i>           | Station<br><i>PRA-H EC</i> | Casing<br><i>3 3/8</i>               |
|   | Depth<br><i>323'</i>       | County<br><i>BARTON</i>              |
| Type Job<br><i>CNW 13 3/8 Conductor</i> | Formation                  | State<br><i>KS</i>                   |
|   |                            | Legal Description<br><i>12-35-12</i> |

| PIPE DATA       |              | PERFORATING DATA |    | FLUID USED |            | TREATMENT RESUME |                  |  |
|-----------------|--------------|------------------|----|------------|------------|------------------|------------------|--|
| Casing Size     | Tubing Size  | Shots/Ft         |    | Acid       | RATE       | PRESS            | ISIP             |  |
| <i>13 3/8</i>   |              |                  |    |            |            |                  |                  |  |
| Depth           | Depth        | From             | To | Pre Pad    | Max        |                  | 5 Min.           |  |
| <i>323'</i>     |              |                  |    |            |            |                  |                  |  |
| Volume          | Volume       | From             | To | Pad        | Min        |                  | 10 Min.          |  |
| <i>46</i>       |              |                  |    |            |            |                  |                  |  |
| Max Press       | Max Press    | From             | To | Frac       | Avg        |                  | 15 Min.          |  |
| <i>400</i>      |              |                  |    |            |            |                  |                  |  |
| Well Connection | Annulus Vol. | From             | To |            | HHP Used   |                  | Annulus Pressure |  |
| <i>SW 4 1/2</i> |              |                  |    |            |            |                  |                  |  |
| Plug Depth      | Packer Depth | From             | To | Flush      | Gas Volume |                  | Total Load       |  |
| <i>743'</i>     |              |                  |    |            |            |                  |                  |  |

|   |                                      |                                   |
|---|--------------------------------------|-----------------------------------|
| Customer Representative<br><i>Kyan moles</i>          | Station Manager<br><i>DAVE SCOTT</i> | Treater<br><i>Robert Sullivan</i> |
| Service Units<br><i>27900 78982 86779 19959 21010</i> |                                      |                                   |
| Driver Names<br><i>Sullivan ERANT</i>                 | <i>MOYLAN</i>                        |                                   |

| Time         | Casing Pressure | Tubing Pressure | Bbls. Pumped | Rate | Service Log                                 |
|--------------|-----------------|-----------------|--------------|------|---|
| <i>9:15</i>  |                 |                 |              |      | <i>on loc</i>                               |
|              |                 |                 |              |      | <i>RUN 13 3/8 CONDUCTOR</i>                 |
|              |                 |                 |              |      | <i>CASING ON BOTTOM</i>                     |
| <i>12:40</i> |                 |                 |              |      | <i>HOOK UP TO CIRC</i>                      |
| <i>12:45</i> |                 |                 | <i>3</i>     |      | <i>ST SPACER</i>                            |
|              |                 |                 |              |      | <i>MIX CMT 350 SK 60/40/107 3% ACC 1/4"</i> |
|              |                 |                 | <i>75</i>    |      | <i>CMT MIX. @</i>                           |
|              |                 |                 |              |      | <i>ST DISP</i>                              |
| <i>1:45</i>  |                 |                 | <i>46</i>    |      | <i>plug down</i>                            |
|              |                 |                 |              |      | <i>1 circ 10 BBL cmt Pit</i>                |
|              |                 |                 |              |      | <i>JOB COMPLETE</i>                         |
|              |                 |                 |              |      | <i>Thank you</i>                            |





|                       |         |        |              |
|-----------------------|---------|--------|--------------|
| PAGE                  | CUST    | YARD # | INVOICE DATE |
| 1 of 1                | 1000719 | 1718   | 08/20/2015   |
| <b>INVOICE NUMBER</b> |         |        |              |
| <b>91893690</b>       |         |        |              |


Pratt (620) 672-1201  
 B CHIEFTAIN OIL COMPANY  
 I PO Box: 124  
 L KIOWA  
 L KS US 67070  
 T  
 O ATTN: ACCOUNTS PAYABLE

J LEASE NAME AHS Cattle Company 7  
 O LOCATION  
 B COUNTY Barber  
 S STATE KS  
 I JOB DESCRIPTION Cement-New Well Casing/Pi  
 T JOB CONTACT  
 E

| JOB #   | EQUIPMENT # | PURCHASE ORDER NO. | TERMS         | DUE DATE   |            |                |
|---|-------------|--------------------|---------------|------------|------------|----------------|
| 40867244  | 20920       |                    | Net - 30 days | 09/19/2015 |            |                |
|   |             |                    | QTY           | U of       | UNIT PRICE | INVOICE AMOUNT |
| <b>For Service Dates: 08/18/2015 to 08/18/2015</b>                          |             |                    |               |            |            |                |
| 0040867244  |             |                    |               |            |            |                |
| 171812682A Cement-New Well Casing/Pi 08/18/2015<br>Cement 5 1/2" Longstring |             |                    |               |            |            |                |
| A Serv Lite   |             |                    | 100.00        | EA         | 5.24       | 524.06 T       |
| AA2 Cement  |             |                    | 150.00        | EA         | 6.85       | 1,027.96 T     |
| Celloflake  |             |                    | 25.00         | EA         | 1.49       | 37.29 T        |
| C-41P   |             |                    | 29.00         | EA         | 1.61       | 46.76 T        |
| Salt  |             |                    | 752.00        | EA         | 0.20       | 151.57 T       |
| FLA-322   |             |                    | 113.00        | EA         | 3.02       | 341.64 T       |
| Gilsonite   |             |                    | 750.00        | EA         | 0.27       | 202.57 T       |
| Mud Flush   |             |                    | 500.00        | EA         | 0.60       | 302.34 T       |
| Super Flush II  |             |                    | 500.00        | EA         | 0.62       | 308.39 T       |
| Mag Chem 10CR   |             |                    | 423.00        | EA         | 1.09       | 460.40 T       |
| Claymax KCL Substitute  |             |                    | 5.00          | EA         | 14.11      | 70.55 T        |
| "Latch Down Plug & Baffle, 5 1/2" (Blu                                      |             |                    | 1.00          | EA         | 161.25     | 161.25         |
| "Auto Fill Float Shoe 5 1/2" (Blue)"  |             |                    | 1.00          | EA         | 145.12     | 145.12         |
| "Turboizer, 5 1/2" (Blue)"  |             |                    | 9.00          | EA         | 44.34      | 399.09         |
| "5 1/2" Basket (Blue)"  |             |                    | 2.00          | EA         | 116.91     | 233.81         |
| "Unit Mileage Chg (PU, cars one way)"                                       |             |                    | 50.00         | MI         | 1.81       | 90.70          |
| Heavy Equipment Mileage   |             |                    | 100.00        | MI         | 3.02       | 302.34         |
| "Proppant & Bulk Del. Chgs., per ton mil                                    |             |                    | 573.00        | EA         | 1.01       | 577.47         |
| Depth Charge; 5001-6000'  |             |                    | 1.00          | EA         | 1,160.99   | 1,160.99       |
| Blending & Mixing Service Charge  |             |                    | 250.00        | BAG        | 0.56       | 141.09         |
| Plug Container Util. Chg.   |             |                    | 1.00          | EA         | 100.78     | 100.78         |
| "Service Supervisor, first 8 hrs on loc.                                    |             |                    | 1.00          | EA         | 70.55      | 70.55          |

**ENTERED**  
 AUG 26 2015  
 9304 BC

|                                  |                                      |                      |                 |
|----------------------------------|--------------------------------------|----------------------|-----------------|
| <b>PLEASE REMIT TO:</b>          | <b>SEND OTHER CORRESPONDENCE TO:</b> | <b>SUB TOTAL</b>     | <b>6,856.72</b> |
| <b>BASIC ENERGY SERVICES, LP</b> | <b>BASIC ENERGY SERVICES, LP</b>     | <b>TAX</b>           | <b>260.51</b>   |
| <b>PO BOX 841903</b>             | <b>801 CHERRY ST, STE 2100</b>       | <b>INVOICE TOTAL</b> | <b>7,117.23</b> |
| <b>DALLAS, TX 75284-1903</b>     | <b>FORT WORTH, TX 76102</b>          |                      |                 |



**BASIC**<sup>SM</sup>  
ENERGY SERVICES  
PRESSURE PUMPING & WIRELINE

10244 NE Hwy. 61  
P.O. Box 8613  
Pratt, Kansas 67124  
Phone 620-672-1201

FIELD SERVICE TICKET  
1718 12682 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

| DATE OF JOB <u>8/18/15</u> DISTRICT _____ |             | NEW WELL <input checked="" type="checkbox"/> OLD WELL <input type="checkbox"/> PROD <input type="checkbox"/> INJ <input type="checkbox"/> WDW <input type="checkbox"/> CUSTOMER ORDER NO. _____ |     |                   |     |                                  |                |    |    |              |
|---|-------------|---|-----|-------------------|-----|----------------------------------|----------------|----|----|--------------|
| CUSTOMER <u>Chieftain Oil Company Inc</u> |             | LEASE <u>AHS Cattle Company</u>   |     | WELL NO. <u>7</u> |     |                                  |                |    |    |              |
| ADDRESS _____                             |             | COUNTY <u>Butler</u>  |     | STATE <u>Ks</u>   |     |                                  |                |    |    |              |
| CITY _____ STATE _____                    |             | SERVICE CREW <u>Scott L. Skrown, Mike</u>   |     |                   |     |                                  |                |    |    |              |
| AUTHORIZED BY <u>Ryan Moltz</u>           |             | JOB TYPE: <u>5/8 Long string CWL</u>  |     |                   |     |                                  |                |    |    |              |
| EQUIPMENT#                                | HRS         | EQUIPMENT#  | HRS | EQUIPMENT#        | HRS | TRUCK CALLED                     | DATE           | AM | PM | TIME         |
| <u>20920</u>                              | <u>1.75</u> |   |     |                   |     |                                  |                |    |    |              |
| <u>19417</u>                              | <u>.5</u>   |   |     |                   |     |                                  |                |    |    |              |
|   |             |   |     |                   |     | ARRIVED AT JOB                   | <u>8/18/15</u> |    |    | <u>4:30</u>  |
|   |             |   |     |                   |     | START OPERATION                  | <u>8/18/15</u> |    |    | <u>8:37</u>  |
|   |             |   |     |                   |     | FINISH OPERATION                 | <u>8/18/15</u> |    |    | <u>9:50</u>  |
|   |             |   |     |                   |     | RELEASED                         | <u>8/18/15</u> |    |    | <u>10:30</u> |
|   |             |   |     |                   |     | MILES FROM STATION TO WELL _____ |                |    |    |              |

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: X [Signature]  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

| ITEM/PRICE REF. NO. | MATERIAL, EQUIPMENT AND SERVICES USED | UNIT | QUANTITY | UNIT PRICE | \$ AMOUNT |
|---------------------|---------------------------------------|------|----------|------------|-----------|
| CP106               | A Seiv 1.4                            | SK   | 50       |            | 650.00    |
| CP105               | AAZ Cement                            | SK   | 150      |            | 2550.00   |
| CP106               | A Seiv 1.4                            | SK   | 50       |            | 650.00    |
| CC122               | Yellow flake                          | lb   | 25       |            | 92.50     |
| CC105               | C-41P                                 | lb   | 29       |            | 116.00    |
| CC111               | Salt                                  | lb   | 752      |            | 376.00    |
| CC116               | Mud chem 10CR                         | lb   | 423      |            | 1147.10   |
| CC129               | FIA 322                               | lb   | 113      |            | 847.50    |
| CC1201              | Gilsonite                             | lb   | 750      |            | 502.50    |
| CF607               | Latch down Plug + Baffle 5/8          | EA   | 1        |            | 400.00    |
| CF1251              | Auto Fill float shoe 5/8              | EA   | 1        |            | 360.00    |
| CF1651              | Tubing liners 5/8                     | EA   | 9        |            | 990.00    |
| CF1901              | Bracket 5/8                           | EA   | 2        |            | 580.00    |
| C704                | Claymax KCl Substitute                | Gal  | 5        |            | 17.50     |
| CC151               | Mud Flush                             | Gal  | 500      |            | 750.00    |
| CC155               | Super Flush II                        | Gal  | 500      |            | 765.00    |
| E100                | Unit Milwaukee Pickups                | MI   | 50       |            | 775.00    |
| E101                | Heavy Equipment M. Large              | MI   | 100      |            | 750.00    |
| E113                | Prop + Bulk Delivery                  | TM   | 573      |            | 1431.75   |
| SUB TOTAL           |                                       |      |          |            |           |

| CHEMICAL / ACID DATA: |  |  |  |
|-----------------------|--|--|--|
|                       |  |  |  |
|                       |  |  |  |
|                       |  |  |  |

|                     |            |           |
|---------------------|------------|-----------|
| SERVICE & EQUIPMENT | %TAX ON \$ |           |
| MATERIALS           | %TAX ON \$ |           |
| TOTAL               |            | <u>14</u> |

SERVICE REPRESENTATIVE [Signature]  
FIELD SERVICE ORDER NO. \_\_\_\_\_

THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY X [Signature]  
(WELL OWNER OPERATOR CONTRACTOR OR AGENT)



|   |                            |                             |                      |                                      |                    |
|---|----------------------------|-----------------------------|----------------------|--------------------------------------|--------------------|
| Customer<br><i>Chieftain Oil Comp</i>     |                            | Lease No.                   |                      | Date<br><i>8/18/15</i>               |                    |
| Lease<br><i>AHS cattle Company</i>        |                            | Well #<br><i>7</i>          |                      |                                      |                    |
| Field Order #<br><i>17082A</i>            | Station<br><i>Pratt KS</i> | Casing<br><i>5 1/2 15.5</i> | Depth<br><i>5215</i> | County<br><i>Butler</i>              | State<br><i>KS</i> |
| Type Job<br><i>5 1/2 Long string CMLU</i> |                            |                             | Formation            | Legal Description<br><i>12-55-17</i> |                    |

| PIPE DATA                       |              | PERFORATING DATA |    | FLUID USED | TREATMENT RESUME |       |                  |
|---------------------------------|--------------|------------------|----|------------|------------------|-------|------------------|
| Casing Size<br><i>5 1/2</i>     | Tubing Size  | Shots/Ft         |    | Acid       | RATE             | PRESS | ISIP             |
| Depth<br><i>5215</i>            | Depth        | From             | To | Pre Pad    | Max              |       | 5 Min.           |
| Volume<br><i>123.6</i>          | Volume       | From             | To | Pad        | Min              |       | 10 Min.          |
| Max Press<br><i>7000</i>        | Max Press    | From             | To | Frac       | Avg              |       | 15 Min.          |
| Well Connection<br><i>5 1/2</i> | Annulus Vol. | From             | To |            | HHP Used         |       | Annulus Pressure |
| Plug Depth                      | Packer Depth | From             | To | Flush      | Gas Volume       |       | Total Load       |

|   |              |              |   |  |  |                                |  |  |
|---|--------------|--------------|---|--|--|--------------------------------|--|--|
| Customer Representative<br><i>Kyle Molt</i> |              |              | Station Manager<br><i>Kevin Gardley</i> |  |  | Treater<br><i>Scott Graves</i> |  |  |
| Service Units                               | <i>36970</i> | <i>33708</i> | <i>19960</i>                            |  |  |                                |  |  |
| Driver Names                                | <i>Scott</i> | <i>Shawn</i> | <i>Mike</i>                             |  |  |                                |  |  |

| Time | Casing Pressure | Tubing Pressure | Bbls. Pumped | Rate | Service Log   |
|------|-----------------|-----------------|--------------|------|---|
| 4:30 |                 |                 |              |      | On Location Safety Meeting Rig  |
| 4:45 |                 |                 |              |      | Run float equipment - 1<br>Rockets 1, 7 Turbos 2, 4, 6, 8, 10, 11, 12, 14, 16 |
| 5:50 |                 |                 |              |      | Circulate 30min on IT # 1.0   |
| 7:10 |                 |                 |              |      | Break circulation on well   |
| 8:37 | 0               |                 |              | 4    | Pump H <sub>2</sub> O Spacer  |
| 8:38 | 200             |                 | 5            | 4.8  | Pump 500 gallons Wash Flush   |
| 8:41 | 250             |                 | 12           | 4.5  | Pump H <sub>2</sub> O Spacer  |
| 8:42 | 250             |                 | 5            | 4.5  | Pump 500 gallon Super Flush   |
| 8:45 | 500             |                 | 12           | 4.8  | Pump H <sub>2</sub> O Spacer  |
| 8:46 | 400             |                 | 5            | 5.1  | Mix 50 SKS A Seve lite 17.6 ppg   |
| 8:50 | 450             |                 | 16.8         | 5.2  | Mix 150 SKS AAZ 15 ppg  |
| 8:57 |                 |                 | 38.2         |      | Intake pump shut down   |
| 8:58 |                 |                 |              |      | Wash pump + lines clean   |
| 9:05 |                 |                 |              | 5.2  | Release plug start displacement   |
| 9:21 |                 |                 | 86           | 5.1  | lft pressure  |
| 9:30 | 400             |                 | 29           | 3.4  | Reduce Rate   |
| 9:35 | 650             |                 | 86           | 3.4  | Plug landed   |
| 9:37 | 1800            |                 |              |      | Increase Pressure   |
| 9:37 |                 |                 |              |      | Release Pressure <del>Plug</del> NO Returns                                   |
| 9:45 | 0               |                 | 8.5          | 2.5  | Plug Put back 20 SKS A Seve lite  |
| 9:50 | 0               |                 | 6.5          | 2.5  | Plug Mouse hole 20 SKS A Seve lite  |