



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1266979  
OIL & GAS CONSERVATION DIVISION

Form CP-4  
March 2009

Type or Print on this Form  
Form must be Signed  
All blanks must be Filled

**WELL PLUGGING RECORD**  
K.A.R. 82-3-117

OPERATOR: License #: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_  
 Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Contact Person: \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
 Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
 Producing Formation(s): List All (If needed attach another sheet)  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
 Spot Description: \_\_\_\_\_  
 \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 \_\_\_\_\_ Feet from  North /  South Line of Section  
 \_\_\_\_\_ Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_  
 Date Well Completed: \_\_\_\_\_  
 The plugging proposal was approved on: \_\_\_\_\_ (Date)  
 by: \_\_\_\_\_ (KCC District Agent's Name)  
 Plugging Commenced: \_\_\_\_\_  
 Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Name of Party Responsible for Plugging Fees: \_\_\_\_\_  
 State of \_\_\_\_\_ County, \_\_\_\_\_, ss.  
 \_\_\_\_\_  Employee of Operator or  Operator on above-described well,  
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1628

Date	9-16-15	Sec.	5	Twp.	17	Range	26	County	Ness	State	Ks	On Location		Finish	1:30 PM		
Lease	Bowers			Well No.	2		Owner	NE, N+E to well									
Contractor	J + M Well Service			To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.													
Type Job	Plug			Charge To J. O. Farmer													
Hole Size				T.D.													
Csg.	4 1/2"			Depth	4200'												
Tbg. Size	2 3/8"			Depth	1700'												
Tool				Depth	The above was done to satisfaction and supervision of owner agent or contractor.												
Cement Left in Csg.				Shoe Joint	Cement Amount Ordered 470 60/40 4% gel												
Meas Line				Displace	H2O 6CC - 700# Hulls on side												
<b>EQUIPMENT</b>													Common	108			
Pumptrk	18	No.	Cementer	Travis											Poz. Mix	72	
Bulktrk	19	No.	Driver	Donny											Gel.	6	
Bulktrk	p.u.	No.	Driver	Rick											Calcium	6	
<b>JOB SERVICES &amp; REMARKS</b>													Hulls	14			
Remarks:	1700 - 50 SX 60/40 4% gel												Salt				
Rat Hole	3% CC - 400# Hulls												Flowseal				
Mouse Hole	1500 - 50 SX 60/40 4% gel 3% CC												Kol-Seal				
Centralizers	150# Hulls												Mud CLR 48				
Baskets													CFL-117 or CD110 CAF 38				
D/V or Port Collar	1500' - 80 SX 60/40												Sand				
	4% Gel 150# Hulls												Handling	470			
													Mileage				
	used 180 SX 700# Hulls 6CC												<b>FLOAT EQUIPMENT</b>				
													Guide Shoe				
													Centralizer				
													Baskets				
													AFU Inserts				
													Float Shoe				
													Latch Down				
													Pumptrk Charge	plug			
													Mileage	33			
													Tax				
													Discount				
													Total Charge				
X Signature	Use Donny																

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1629

Date	9-17-15	Sec.	5	Twp.	17	Range	26	County	Ness	State	Ks	On Location		Finish	11:30 AM
------	---------	------	---	------	----	-------	----	--------	------	-------	----	-------------	--	--------	----------

Location Utica, Ks - 2 1/2 W to Bld, 2 S, 1 W

Lease	<u>Bower</u>	Well No.	<u>2</u>	Owner	<u>1/2 S 1/4 E N+E to well</u>
Contractor	<u>J &amp; M well service</u>	To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.			
Type Job	<u>Plug</u>	Charge To <u>J.O. Farmer</u>			
Hole Size		T.D.			
Csg.	<u>5 1/2"</u>	Depth	<u>4200'</u>	Street	
Tbg. Size	<u>2 3/8"</u>	Depth	<u>1500'</u>	City State	
Tool		Depth		The above was done to satisfaction and supervision of owner agent or contractor.	
Cement Left in Csg.		Shoe Joint		Cement Amount Ordered <u>290 60/40 4% Gel</u>	
Meas Line		Displace	<u>H2O</u>	<u>1000 # Hulls 16 cc on side</u>	

**EQUIPMENT**

Pumptrk	<u>18</u>	No.	<u>Cement Helper Travis</u>	Common	<u>66</u>
Bulktrk	<u>19</u>	No.	<u>Driver Downey</u>	Poz. Mix	<u>44</u>
Bulktrk	<u>P.W.</u>	No.	<u>Driver Rick</u>	Gel.	<u>4</u>
<b>JOB SERVICES &amp; REMARKS</b>				Calcium	
Remarks: <u>1500' - 50 5x 60/40 4% Gel 4% CC</u>				Hulls	<u>8</u>

Rat Hole	<u>400 # Hulls</u>	Flowseal	
Mouse Hole		Kol-Seal	
Centralizers	<u>630' - Circulate to</u>	Mud CLR 48	
Baskets	<u>Surface w/ 50 5x 60/40 4%</u>	CFL-117 or CD110 CAF 38	
D/V or Port Collar	<u>Gel</u>	Sand	

Top off w/ 10 5x

Used 110 5x  
60/40 4% Gel  
400 # Hulls  
4 cc

**FLOAT EQUIPMENT**

Handling	<u>Charge from Day 9-16-</u>
Mileage	
Guide Shoe	
Centralizer	
Baskets	
AFU Inserts	
Float Shoe	
Latch Down	

Pumptrk Charge	<u>plug</u>
Mileage	<u>33</u> <u>NO pumptrk or bulk take</u>
Tax	
Discount	
Total Charge	

X Signature Val Dine