

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1267720

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite:
☐ ENHR Permit #: ☐ GSW Permit #:	Operator Name:
Connection Connection	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. Twp. S. R. East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY									
Confidentiality Requested									
Date:									
Confidential Release Date:									
☐ Wireline Log Received									
Geologist Report Received									
UIC Distribution									
ALT I II III Approved by: Date:									

Page Two



Operator Name:				_ Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in presson surface test, along	sures, whether with final chart	shut-in pre (s). Attach	ssure reac extra shee	hed stati t if more	c level, hydrosta space is neede	tic pressures, bot d.	tom hole temp	erature, fluid	recovery,
Final Radioactivity Lo- files must be submitte						ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital elec	tronic log
Drill Stem Tests Taker (Attach Additional S		Yes	No				on (Top), Depth ar		Sam	
Samples Sent to Geo	logical Survey	Yes	☐ No		Nam	e		Тор	Datu	m
Cores Taken Electric Log Run		Yes Yes	☐ No ☐ No							
List All E. Logs Run:										
				RECORD	Ne					
	0	· ·				ermediate, product		T "0 1	I	
Purpose of String	Size Hole Drilled	Size Ca Set (In 0		Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and I Additiv	
		Al	DDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of C	ement	# Sacks	Used		Type and P	ercent Additives		
Perforate Protect Casing	Top Bottom Top Bottom Type of Germent # Gacks Osed Type and Fercent Additives									
Plug Back TD Plug Off Zone										
r lug on zone										
Did you perform a hydrau	ulic fracturing treatment	on this well?				Yes	No (If No, ski	p questions 2 ar	nd 3)	
Does the volume of the to								p question 3)		
Was the hydraulic fractur	ing treatment information	on submitted to th	ne chemical o	disclosure re	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Footage of Each					cture, Shot, Cement		d	Depth
	Эреспу	1 oolage of Lacif	iliterval Feli	Orated		(A	THOURT AND KIND OF MA	teriai Oseu)		Берит
TUBING RECORD:	Size:	Set At:		Packer A	+-	Liner Run:				
TOBING FILEGORIS.	0.20	001711.		r donor 7	••	[Yes No			
Date of First, Resumed	Production, SWD or EN	NHR. Pro	oducing Meth		a \Box	Coo Lift 0	Other (Evelein)			
Estimated Dradustics	0.11	Dhla	Flowing	Pumpin			Other (Explain)	Nee Oil D-#-		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	eı B	bls. C	Gas-Oil Ratio	G	iravity
	ON OF GAS:	Open		METHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:	
Vented Sold	Used on Lease bmit ACO-18.)		(Specify)	_ 1 011.	(Submit		mit ACO-4)			



4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1716

		T			ı	1	1				1
Deep Well GroundB	ed Data:					Date:	10/06/15				
Late Manager	00740 0045 1/0				D.:III	0 1 1	N4 - 1 1 -	OD 11	. 11 - 42	les e	
	SST10-2015-KS					Contractor:		CP Insta	allation,	inc	
	SOUTHERN STAR DEEP WELL	T			F	acility/Line: State:					-
Well Depth:							HASKELL				
Diameter:					0	ther-Driller:					
Casing:					Ŭ	THO DIMOL	***				
Type of Backfill:					TES	ST VOLTS:	15.61				
	1 SET OF 15-ANOTE	CH 2684									
Remarks:											
										 	<u> </u>
<u>Drilling</u>	Log				ectrical L					<u>Anode</u>	
D	F 7 7	Markania			FORE BACK				M - 14	AFTER BAC	
Depth:	Formation Type:	Material:		Volt	Anode	Anode #			Volt	Anode	Anode #
0'	TOP SOIL	CASING/HOLE PI	LIG		Depth					Depth	
5'	SANDY CLAY	CASING/HOLE PI									
10'	SANDY CLAY	CASING/HOLE PI								+	
15'	SANDY CLAY	CASING/HOLE PI									
20	SANDY CLAY	CASING/HOLE PI								1	
25	SANDY CLAY	HOLE PLUG									
30	SANDY CLAY	HOLE PLUG									
35	SANDY CLAY	HOLE PLUG								1	$oxed{oxed}$
40	SANDY CLAY	HOLE PLUG									
45	SANDY CLAY	HOLE PLUG									
50 55	SANDY CLAY SANDY CLAY	HOLE PLUG HOLE PLUG				-				1	
60	SANDY CLAY	HOLE PLUG									
65	SANDY CLAY	HOLE PLUG									
70	SANDY CLAY	HOLE PLUG									
75	SANDY CLAY	HOLE PLUG									
80	SANDY CLAY	HOLE PLUG									
85	SANDY CLAY	HOLE PLUG									
90	SANDY CLAY	HOLE PLUG									
95	SANDY CLAY	HOLE PLUG									
100 105	SANDY CLAY SANDY CLAY	COKE COKE									-
110	SANDY CLAY	COKE									
115	SANDY CLAY	COKE									
120	SANDY CLAY	COKE									
125	SANDY CLAY	COKE									
130	SANDY CLAY	COKE									
135	SANDY CLAY	COKE									
140	SANDY CLAY	COKE									
145	SANDY CLAY	COKE								1	
150	SANDY CLAY	COKE		2.2		15				+	\vdash
155 160	SANDY CLAY SANDY CLAY	COKE COKE		2.3		15				 	
165	SANDY CLAY SANDY CLAY	COKE		2.2		14				+	\vdash
170	SANDY CLAY	COKE		2.2		17				1	\vdash
175	SANDY CLAY	COKE		1.5		13				1	
180	SANDY CLAY	COKE		1		İ				1	
185	SAND	COKE		1.0		12					
190	SAND	COKE	_								
195	SAND	COKE		0.7		11					
200	SANDY GRAVEL	COKE		1 1 1		10				-	ļ
205	SANDY GRAVEL	COKE		1.1		10				+	
210 215	SANDY GRAVEL SANDY GRAVEL	COKE		1.8		9				 	-
220	SANDY GRAVEL	COKE		1.0		9				+	
225	SANDY GRAVEL	COKE		0.8		8				1	
230	SANDY GRAVEL	COKE		<u> </u>		Ť					
235	SANDY GRAVEL	COKE		0.5		7					
240	SANDY GRAVEL	COKE	-				-				
245	SANDY GRAVEL	COKE		0.3		6					
250	SAND	COKE									<u>j</u>



4520 State Hwy 136, Amarillo,	TX	79108-7617	• tel	. 806-383-5047		fax 806-383-1716
-------------------------------	----	------------	-------	----------------	--	------------------

Deep Well GroundB	ed Data:				Date:	10/06/15				
loh Number:	SST10-2015-KS			Drilling	Contractor:	McLean's	CP Inc	tallation	Inc	
	SOUTHERN STAR				C57243	01 1113	Tanation,			
	DEEP WELL			·	State:				+	
Well Depth:						HASKELL			+	
Diameter:				С	ther-Driller:				\vdash	
Casing:	20'									
Type of Backfill:				TEST	VOLTAGE:	15.61				
Anode Type:	1 SET OF 15-ANOTE	CH 2684								
Remarks:										
<u>Drilling</u>	lling Log			Electrical Log					Anode	
Depth:	Formation Type:	Material:	Volt	Anode	Anode #			Volt	Anode	Anode #
	,,			Depth					Depth	
255	SAND	COKE	0.3	•	5					
260	SAND	COKE								
265	SAND	COKE	0.4		4					
270	SAND	COKE								
275	SAND	COKE	1.1		3					
280	SAND	COKE								
285	SAND	COKE	1.1		2					
290	SAND	COKE	·							
295	SAND	COKE	0.9		1		·			
300	SAND	COKE								1

