

Global Cementing LLC

1958 E HWY 40
Russell, KS 67665

Invoice

Date	Invoice #
10/1/2015	2542
Due Date	10/31/2015

Bill To
L.D. DRILLING INC 7 SW 26TH AVE GREAT BEND,KS 67530

P.O. No.	Project
BRINNY#1-30	

Quantity	Description	Rate	Amount
231	COMMON	15.75	3,638.25T
154	POZ	7.50	1,155.00T
14	GEL	23.50	329.00T
96.25	FLO-SEAL	2.00	192.50T
399	HANDLING	2.10	837.90
	BULK MILEAGE	600.00	600.00
1	TRI-PLEX PUMP CHARGE FOR PLUG	900.00	900.00
25	PUMP TRUCK MILEAGE	8.00	200.00
25	PICKUP	2.00	50.00
9	HULLS	35.32	317.88T
6	GEL	23.50	141.00T
	DEDUCT 20% FROM TOTAL IF PAID WITHIN 30 DAYS OF INVOICE		
	Sales Tax	8.75%	505.19

259.260.00

7093.38

Thank you for your business.

Phone #	Fax #	E-mail
785-324-2658	785-445-4174	globalcementing@gmail.com

Total

~~88,866.72~~

GLOBAL CEMENTING, L.L.C.

REMIT TO 18048 170RD
RUSSELL, KS 67665

SERVICE POINT: RUSSELL, KS

DATE <u>10-1-15</u>	SEC. <u>30</u>	TWP. <u>5</u>	RANGE <u>36W</u>	CALLED OUT	ON LOCATION <u>1 PM</u>	JOB START <u>4 PM</u>	JOB FINISH <u>5 PM</u>
LEASE	WELL #. <u>1020</u>	LOCATION			COUNTY <u>RAWLINS</u>	STATE <u>KS</u>	
OLD OR NEW (CIRCLE ONE)							

CONTRACTOR GARCIA OILFIELD SERVICES

OWNER

TYPE OF JOB

HOLE SIZE	T.D.
CASING SIZE <u>4 1/2"</u>	DEPTH <u>4,830</u>
TUBING SIZE <u>2 3/4"</u>	DEPTH <u>4,650</u>
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT

CEMENT AMOUNT ORDERED 385 SY 60/40 P02
1/2 GE 1/4 FLUXAL

CEMENT LEFT IN CSG.

PERFS 3-3' 230'

DISPLACEMENT

EQUIPMENT

PUMP TRUCK # P1 CEMENTER Bean/HSEATU
HELPER JANSEN

BULK TRUCK # B3 DRIVER BAND

BULK TRUCK # DRIVER

COMMON	@	
POZMIX	@	
GEL	@	
CHLORIDE	@	
ASCI	@	
<u>HULLS 450#</u>	@	
<u>600# GEL</u>	@	
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING	@	
MILEAGE	@	

REMARKS:

1st - 4657' - 600# GE - 65 SY - 200#
2nd - 3125' - 105 SY - 150#
3rd - 1595' - 105 SY 100#
TOP OFF - 30 SY 85/4 85 SY

CHARGE TO: LD
STREET
CITY STATE ZIP

Global Cementing, L.L.C.,
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME
SIGNATURE

TOTAL

SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	
EXTRA FOOTAGE	@
MILEAGE	@
MANIFOLD	@
	@
	@

TOTAL

PLUG & FLOAT EQUIPMENT

	@
	@
	@
	@
	@

TOTAL

SALES TAX (If Any)
TOTAL CHARGES
DISCOUNT IF PAID IN 30 DAYS

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-153-20,888-00-01
Spot: NE-SW-SE-SW Sec/Twnshp/Rge: 30-5-36W
431 feet from S Section Line
3504 feet from E Section Line
Lease/Unit Name: Briney Trust Well Number: 1-30

County: Rawlins Total Vertical Depth: 4842 feet

Operator License No.: 6039
Operator Name: L.D. Davis Inc.
Address: 7 SW 26th Ave.
Great Bend Kansas 67530-6525

Conductor Pipe: Size _____ feet: _____
Surface Casing: Size 8 5/8 feet: 432
Production: Size 4 1/2 feet: 4830
Liner: Size _____ feet: _____

Well Type: Oil UIC Docket No: _____ Date/Time to Plug: 10/1/2015 1:30 P.M.

Plug Co. License No.: 34787 Plug Co. Name: Green Oilfield Services

Proposal Rcvd. from: Mike Kasselmann Company: L.D. Drilling Inc. Phone: 620-793-3051

Proposed
Plugging
Method

**8 5/8 surface casing set @ 432' W/270 sx.
4 1/2 production casing set @ 4830' W/260 sx.
TD 4842' PBTD 4803'
Perforations: 4680-85'.**

Plugging Proposal Received By: Case Morris Witness Type: All Partial Not Witnessed

Date/Time Plugging Completed: 10/1/2014 5:00P.M. KCC Agent: Darrel Dipman ECRS

Actual Plugging Report:

**Ordered 450 sx 60/40 pozmix cement 4 % gel, 600 # gel and 500 # hulls.
Perforated production casing @ 3132 & 2302'.
Ran tubing to 4657'. Pumped 600 # gel and followed with 65 sx cement mixed with 250 # hulls.
Pulled tubing to 3125'. Pumped 105 sx cement mixed with 150 # hulls.
Pulled tubing to 1595'. Pumped 100 sx cement mixed with 100 # hulls. Cement circulated to surface.
Pulled tubing to surface. Connected to 4 1/2 casing and pumped 30 sx cement. Casing full.
Connected to 8 5/8 surface casing. Pumped 80 sx cement.**

Gps: Lat 39.58408, Long -101.40729

Remarks: Global Oilfield Services ticket # 2542. Plug complete.

Plugged through: Tubing.

District: 04

Signed Darrel Dipman ECRS
(TECHNICIAN)