

9/20

# Bar Drilling, LLC

1317 105th Rd  
Yates Center, KS 66783  
(719) 210-8806 ,(620) 625-3679

DATE: August 31, 2015  
INVOICE #

**BILL TO:**  
Colt Energy Inc.  
P.O. Box 388  
Iola, KS 66749

**FOR:** Pendley 18

15-207-29264

DESCRIPTION	Quantity	RATE	AMOUNT
set 40.4' of 8 5/8" surface casing with 12 sacks of cement drilled 1405', (6 3/4" hole)	1405.00	included	10,125.00
APPROVED JA 9/14/2015			
SUBTOTAL			\$ 10,125.00
TAX RATE			
SALES TAX			-
OTHER			
<b>TOTAL</b>			<b>\$ 10,125.00</b>

105000

D15D18109

SEP 14 2015

THANK YOU FOR YOUR BUSINESS!

Mud Rotary Drilling  
 Andrew King - Manager/Driller

**Bar Drilling, LLC**  
 Phone: (719) 210-8806

1317 105th Rd.  
 Yates Center, KS 66783

<b>Company/Operator</b> Colt Energy Inc. P.O. Box 388 Iola, KS 66749		<b>Well No.</b> 18	<b>Lease Name</b> Pendley	<b>Well Location</b> 2171'fsl, 952'fel	<b>1/4</b> SE	<b>1/4</b> NW	<b>1/4</b> NE	<b>Sec.</b> 22	<b>Twp.</b> 26s	<b>Rge.</b> 14e	
<b>Job/Project Name/No.</b>		<b>Well API #</b> 15-207-29264	<b>Type/Well</b> Oil	<b>County</b> Woodson	<b>State</b> KS	<b>Total Depth</b> 1397'	<b>Date Started</b> 8/25/2015	<b>Date Completed</b> 8/27/2015			
		<b>Surface Record</b>		<b>Bit Record</b>		<b>Coring Record</b>					
<b>Driller/Crew</b> Andy King Charles King	<b>Bit Size:</b> 11 1/4 <b>Casing Size:</b> 8 5/8 <b>Casing Length:</b> 40.4 <b>Cement Used:</b> 12SX <b>Cement Type:</b> Portland	<b>Type</b> PDC PDC	<b>Size</b> 11 1/4 6 3/4	<b>From</b> 0' 40.4'	<b>To</b> 40.4' 1405'	<b>Core #</b> 1	<b>From</b> 1300'	<b>To</b> 1328'	<b>% Rec.</b> 99		

**Formation Record**

From	To	Formation	From	To	Formation	From	To	Formation
0	34	Overburden	1404	1405	Miss lime			
34	218	shale						
218	480	lansing lime						
480	559	shale						
559	731	Lime						
731	834	shale						
834	840	Lime						
840	866	shale						
866	878	lime						
878	913	shale						
913	1024	sandy shale						
1024	1054	Lime						
1054	1068	shale						
1068	1090	sand						
1090	1238	sandy shale						
1238	1299	shale						
1299	1300	oil sand						
1300	1328	core						
1328	1351	shale						
1351	1358	sand						
1358	1389	shale						
1389	1395	coal						
1395	1404	sandy shale						

**Well Notes:**

ran 1391' of 4 1/2" casing.

18 LEAD Penetration

DATE: 11/11/07 TIME: 10:00 AM

Surface 424.5  
40.4' 898

266

559

1300 core pt

Core 1300 1320.5

Core 567  
1320.5

