



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Vincent Oil Corporation

**5-29S-22W Ford**

155 N Market Ste 700  
Wichita, KS 67202

**Imel 4-5**

Job Ticket: 59775

**DST#: 1**

ATTN: Tom Dudgeon

Test Start: 2015.07.09 @ 05:02:58

## GENERAL INFORMATION:

Formation: **Conglomerate**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 07:30:58

Time Test Ended: 12:47:28

Test Type: Conventional Bottom Hole (Initial)

Tester: Leal Cason

Unit No: 74

**Interval: 5228.00 ft (KB) To 5252.00 ft (KB) (TVD)**

Reference Elevations: 2537.00 ft (KB)

Total Depth: 5252.00 ft (KB) (TVD)

2524.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 13.00 ft

**Serial #: 6798**

**Inside**

Press@RunDepth: 30.02 psig @ 5229.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2015.07.09

End Date:

2015.07.09

Last Calib.:

2015.07.09

Start Time: 05:02:59

End Time:

12:47:28

Time On Btm:

2015.07.09 @ 07:29:13

Time Off Btm:

2015.07.09 @ 10:35:13


TEST COMMENT: IF: Fair Blow , Built to 8 1/2 inches

IS: No Blow Back

FF: Weak 2 inch Blow

FS: No Blow Back

## PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2781.94	114.70	Initial Hydro-static
2	20.53	116.06	Open To Flow (1)
31	25.71	116.87	Shut-In(1)
91	64.41	117.61	End Shut-In(1)
92	21.25	117.59	Open To Flow (2)
121	30.02	118.05	Shut-In(2)
182	66.76	118.68	End Shut-In(2)
186	2718.77	120.48	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
0.00	155 GIP	0.00
20.00	SGCM 2%G 98%M	0.10

## Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

Vincent Oil Corporation

**5-29S-22W Ford**

155 N Market Ste 700  
Wichita, KS 67202

**Imel 4-5**

Job Ticket: 59775

**DST#: 1**

ATTN: Tom Dudgeon

Test Start: 2015.07.09 @ 05:02:58

### Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 52.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.19 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 7200.00 ppm

Filter Cake: 0.02 inches

### Recovery Information

Recovery Table

Length ft	Description	Volume bbl
0.00	155 GIP	0.000
20.00	SGCM 2%G 98%M	0.098

Total Length: 20.00 ft      Total Volume: 0.098 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 6798

Inside

Vincent Oil Corporation

Inel 4-5

DST Test Number: 1

### Pressure vs. Time

