

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Well will not be drilled or Permit Expired Date: ___

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Section Case Country State Zip: + Country	
SECTION: Regular Insert from E / W Lase Marker Regular Insert from E / W Lase Regular Insert from E /	E
Is SECTION: Regular Irregular/	ne of Secti
Wote: Locate well on the Section Plat on reverse side) Wote: Locate well on the Section Plat on reverse side) County: Lease Name: Well #:	e of Secti
State: Zip: + Countly: Lease Name: Well #: Flease Name: Well Drilled For: Well Class: Type Equipment: Is this a Prorated / Spaced Field? Target Formation(s): Name: Spaced Field? Target Formation(s): Spaced Field. S	
ontact Person: hone: ONTRACTOR: License#	
Lease Name:	
ONTRACTOR: License#_ Field Name: Field Name: Field Name: State Spaced Field? Target Formation(s): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well writin one-quarter mile: Ground Surface Elevation: Ground Surface Elevation: Water well writin one-quarter mile: Ground Surface Elevation: Ground Surface Elevation: Ground Surface Elevation: Ground Surface Elevation: Ground Surface Plape Planned to be set: Length of Conductor Pipe (if any): Formation at Total Depth:	
Target Formation(s): Well Drilled For: Well Class: Type Equipment: Season Infield Mud Rotary Pool Ext. Air Rotary Public water supply well within one-quarter mile:	
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Seismic ; so find Holes Other Othe	Yes N
Oil	
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Depth to bottom of resh water: Depth to bottom of	
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Disposal Wildcat Cable Depth to bottom of tresh water: Depth to bottom of tresh water: Depth to bottom of usable water: Depth to depth to usable water of usable water of usable water in the usable water of usable water in the underlying formation. ### If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging in the underlying formation. ### If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging of the water in surface within 120 DAYS of spu	feet MS
Disposal Wildcat Cable Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I II Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Projected Total	Yes 1
Depth to bottom of usable water: Depth to bottom of usable water:	Yes 1
Surface Pipe by Alternate:	
Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any):	
Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Deptiling Operations: Water Source for Drilling Op	
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth:	
Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Well Farm Pond Other:	
Water Source for Drilling Operations: Well	
irectional, Deviated or Horizontal wellbore? Yes, true vertical depth: CC DKT #: Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Notification of Compliance with the Kansas Surface Owner Notificate (KSONA-1) with Intent to Drill; File Complete Feet within 120 days of spud date; File Complete Feet within 120 days of spud date; File cortification of Compliance with the Kansas Surface Owner Notificate; File Complete Feet within 120 days of spud date; File cortification Form ACO-1 within 120 days of spud date; File cortification Form ACO-1 within 120 days of spud date; File cortification Form ACO-1 within 120 days of spud date; File cortification Form ACO-1 within 120 days of spud date; File careage attribution plat according to field proration orders;	
Yes, true vertical depth: Ottom Hole Location: CC DKT #: ** ** ** ** ** ** ** ** **	
Note: Apply for Permit with DWR () Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Ibmitted Electronically Remember to: - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File careage attribution plat according to field proration orders;	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the plugged of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing API #15 - Conductor pipe required	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing IDMITTED TO THE ADVINGATION OF	Vaa 🗔
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing District office owner Notificate (KSONA-1) with Intent to Drill; For KCC Use ONLY API # 15	Yes N
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Ibmitted Electronically Remember to: - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders;	
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing **Remember to: 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing **Remember to: 5. File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; 6. File Completion Form ACO-1 within 120 days of spud date; 7. File Completion Form ACO-1 within 120 days of spud date; 8. File acreage attribution plat according to field proration orders;	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i>. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud dat Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing 	
 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Jabmitted Electronically For KCC Use ONLY API # 15	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing **DIDMITTED REPORTS OF THE PROPRIES OF	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing **DIDMITTED REPORT OF THE PROPRIES OF T	
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i>. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing Library Grand Conductor pipe required	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Image: Conductor pipe required	ıg;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing Libmitted Electronically For KCC Use ONLY API # 15	te.
For KCC Use ONLY API # 15	
Remember to: For KCC Use ONLY API # 15	J.
Remember to: For KCC Use ONLY API # 15	
Remember to: For KCC Use ONLY API # 15	
Remember to: For KCC Use ONLY API # 15	
For KCC Use ONLY API # 15	
API # 15 Act (KSONA-1) with Intent to Drill; Conductor pipe required feet Minimum surface pipe required feet per ALTIII Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	cation
Conductor pipe requiredfeet	
Minimum surface pipe requiredfeet per ALTIII = - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	
The acreage attribution plat according to field profation orders,	
Approved by: - Notify appropriate district office 48 hours prior to workover or re-entry;	
This authorization expires: Submit plugging report (CP-4) after plugging is completed (within 60 days	
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit has expired (See: authorized expiration)	
Sound date: Agent: Agent: Agent: Agent: Agent: Agent: Agent: Sound date: Agent: Agen	ays);

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🗍 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

330 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 271594

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date colling Pit capacity:	Existing	SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fe		et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
			dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	_ Well Location:		
Name:			
Address 1:	_ County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or		
Contact Person:	the lease below:		
Phone: () Fax: ()	_		
Email Address:	_		
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City:	_		
the KCC with a plat showing the predicted locations of lease roads, to	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will b	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this k, and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.		
Submitted Electronically			
I			

Summary of Changes

Lease Name and Number: Russ 1 API/Permit #: 15-163-20478-00-02

Doc ID: 1271594

Correction Number: 1

Approved By: Rick Hestermann 11/17/2015

Field Name	Previous Value	New Value
API	15-163-20478-00-01	15-163-20478-00-02
KCC Only - API Number	15-163-20478-00-01	15-163-20478-00-02
KCC Only - Approved By	Rick Hestermann 11/16/2015	Rick Hestermann 11/17/2015
KCC Only - Approved Date	11/16/2015	11/17/2015
KCC Only - Permit		