

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1271602

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | | | API No. 15 | | | | | | |
|---|-------------|-------------------------|---|--|--|--|--|--|--|
| Name: | | | Spot Description: | | | | | | |
| Address 1: | | | Sec | TwpS. R | | | | | |
| Address 2: | | | Feet | from $\ \square$ North / $\ \square$ South Line of Section | | | | | |
| City: St | ate: Ziŗ | D:+ | Feet | from East / West Line of Section | | | | | |
| Contact Person: | | | Footages Calculated from Ne | arest Outside Section Corner: | | | | | |
| Phone: () | | | □ NE □ NW | □ SE □ SW | | | | | |
| CONTRACTOR: License # | | | GPS Location: Lat: | , Long: | | | | | |
| Name: | | | | . xx.xxxxx) (e.gxxx.xxxxx) | | | | | |
| Wellsite Geologist: | | | Datum: NAD27 NAD27 | | | | | | |
| Purchaser: | | | County: | | | | | | |
| Designate Type of Completion: | | | Lease Name: Well #: | | | | | | |
| New Well Re- | ·Fntrv | Workover | Field Name: Producing Formation: | | | | | | |
| | _ | | | | | | | | |
| ☐ Oil ☐ WSW | SWD | SIOW | Elevation: Ground: | Kelly Bushing: | | | | | |
| ☐ Gas ☐ D&A ☐ OG | ☐ ENHR | ☐ SIGW | Total Vertical Depth: | Plug Back Total Depth: | | | | | |
| ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.): | | | Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? | | | | | | |
| | | | | | | | | | |
| Operator: | | | | nent circulated from: | | | | | |
| Well Name: | | | , , | w/sx cmt. | | | | | |
| Original Comp. Date: | | | loot doparto. | W, | | | | | |
| | _ | NHR Conv. to SWD | | | | | | | |
| Deepening Re-perf. Plug Back | Conv. to GS | | Drilling Fluid Management F (Data must be collected from the | | | | | | |
| Commingled | Permit #: | | Chloride content: | ppm Fluid volume: bbls | | | | | |
| Dual Completion Permit #: | | Dewatering method used: | | | | | | | |
| SWD Permit #: | | | Location of fluid disposal if hauled offsite: | | | | | | |
| ☐ ENHR | Permit #: | | On and an Name | | | | | | |
| GSW | Permit #: | | | | | | | | |
| | | | | License #: | | | | | |
| Spud Date or Date Rea | • | | | TwpS. R | | | | | |
| Recompletion Date Recompletion Date | | Recompletion Date | County: | Permit #: | | | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|-----------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II Approved by: Date: |

Page Two



| Operator Name: | | | | Lease N | Name: _ | | | Well #: | | | | |
|---|---|--------------|------------------------|----------------------|--------------------------------------|--|---------------------|------------------|----------------|---------------------|--|--|
| Sec Twp | S. R | East | West | County | : | | | | | | | |
| INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to | ing and shut-in pressu | ires, whe | ther shut-in pre | ssure reac | hed stati | c level, hydrosta | tic pressures, bott | | | | | |
| Final Radioactivity Log files must be submitte | | | | | | gs must be ema | iled to kcc-well-lo | gs@kcc.ks.go | v. Digital ele | ectronic log | | |
| Drill Stem Tests Taken Yes No (Attach Additional Sheets) | | | es No | | Log Formation (Top), Depth and Datum | | | | Sample | | | |
| Samples Sent to Geol | ogical Survey | _ Ye | es No | | Nam | e | | Тор | Dat | tum | | |
| Cores Taken | | | | | | | | | | | | |
| List All E. Logs Run: | | | | | | | | | | | | |
| | | | | RECORD | ☐ Ne | | | | | | | |
| | | Repo | rt all strings set-c | conductor, su | rface, inte | ermediate, producti | on, etc. | | | | | |
| Purpose of String | Size Hole Size Casing Drilled Set (In O.D.) | | | Weight Lbs. / Ft. | | Setting Depth | Type of Cement | # Sacks Used | | d Percent itives | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | ADDITIONAL | CEMENTIN | NG / SQL | JEEZE RECORD | | | | | | |
| Purpose: | Depth Top Bottom | Туре | of Cement | # Sacks | Used | Type and Percent Additives | | | | | | |
| Perforate Protect Casing | 35p 2310111 | | | | | | | | | | | |
| Plug Back TD Plug Off Zone | | | | | | | | | | | | |
| 1 ag on zono | | | | | | | | | | | | |
| Did you perform a hydrau | ılic fracturing treatment o | n this well? | • | | | Yes | No (If No, ski | p questions 2 ar | nd 3) | | | |
| | otal base fluid of the hydra | | J | , | 0 | | _ , , | p question 3) | | | | |
| Was the hydraulic fractur | ing treatment information | submitted | to the chemical o | disclosure re | gistry? | Yes | No (If No, fill | out Page Three | of the ACO-1 | <i>)</i> | | |
| Shots Per Foot PERFORATION RECORD - Bridge F Specify Footage of Each Interval | | | | | | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | | | | | | |
| | . , | | | | | | | , | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer At | t: | Liner Run: | | | | | | |
| | | | | | | | Yes No | | | | | |
| Date of First, Resumed | Production, SWD or ENH | IR. | Producing Meth Flowing | nod: | g 🗌 | Gas Lift C | Other (Explain) | | | | | |
| Estimated Production Oil Bbls Per 24 Hours | | bls. | Gas | Mcf Wate | | er Bbls. | | as-Oil Ratio | | Gravity | | |
| DISDOSITIO | ON OF GAS: | | | METHOD OF | COMPLE | TION: | | PRODUCTIO | ON INTERVAL | | | |
| Vented Sold | | | Open Hole | Perf. | Dually | Comp. Con | nmingled | THODOUTIC | ZIVIIVILAVAL | | | |
| (If vented, Sub | | | Other (Specify) | | (Submit) | ACO-5) (Subi | mit ACO-4) | | | | | |



4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1716

| p Well GroundBe | ed Data: | | | | | Date: | 11/06/15 | | | | | |
|-------------------|------------------|-----------------|----------------|-----------------|----------|----------------|----------|----------|-----------|----------------|--|--|
| | | | | | | | | | | | | |
| Job Number: | SST05-2015-KS | • | | | Drilling | Contractor: | McLean's | CP Insta | allation, | Inc | | |
| | SOUTHERN STAR | | | | | acility/Line: | | | | | | |
| | DEEP WELL | | | | | State: | | | | | | |
| Well Depth: | 200' | | | | | County: | | | | | | |
| Diameter: | 10" | | | | 0 | ther-Driller: | | | | | | |
| Casing: | | | | | | Tinor Brillor. | | | | | | |
| Type of Backfill: | | | | + | TE | ST VOLTS: | 12.5 | | | | | |
| | 1 SET OF 7-ANOTE | CH 3684 ANODES | | 1 | <u></u> | JI VOLIG. | 12.5 | | | | | |
| Alloue Type. | TOLI OI T-ANOTE | SIT 2004 ANODES | | + | | | | | | | | |
| Domarke: | 2 WELLS | | | 1 | | | | | | | | |
| ixemaiks. | Z WLLLS | | | + | | | | | | | | |
| | | | | + | | | | | | | | |
| | | | | | | | | | | | | |
| <u>Drilling</u> | Log | | Electrical Log | | | | | | Anode | | | |
| | | | | BEFORE BACKFILL | | | | | | AFTER BACKFILL | | |
| Depth: | Formation Type: | Material: | | Volt | Anode | Anode # | | | Volt | Anode | Anode | |
| | | | | | Depth | | | | | Depth | | |
| 0' | CLAY | CASING/HOLE PI | LUG | | | | | | | | | |
| 5' | CLAY | CASING/HOLE PI | LUG | | | | | | | | | |
| 10' | CLAY | CASING/HOLE PI | LUG | 1 | | | | | | | | |
| 15' | CLAY | CASING/HOLE PI | | | | | | | | | | |
| 20 | CLAY | CASING/HOLE PI | | † | | | | 1 | | 1 | | |
| 25 | CLAY | HOLE PLUG | | 1 | | | | | | | | |
| 30 | CLAY | HOLE PLUG | | | | | | | | | | |
| 35 | CLAY | HOLE PLUG | | + | | | | | | | | |
| 40 | SHALE | HOLE PLUG | | 1 | | | | | | | | |
| 45 | SHALE | HOLE PLUG | | | | | | | | | | |
| | | | | - | | | | | | | | |
| 50 | SHALE | HOLE PLUG | | | | | | | | | | |
| 55 | SHALE | HOLE PLUG | | | | | | | | | | |
| 60 | SHALE | COKE | | | | | | | | | | |
| 65 | SHALE | COKE | | | | | | | | | | |
| 70 | SHALE | COKE | | | | | | | | | | |
| 75 | SHALE | COKE | | | | | | | | | | |
| 80 | SHALE | COKE | | | | | | | | | | |
| 85 | SHALE | COKE | | | | | | | | | | |
| 90 | SHALE | COKE | | | | | | | | | | |
| 95 | SHALE | COKE | | | | | | | | | | |
| 100 | SHALE | COKE | | | | | | | | | | |
| 105 | SHALE | COKE | | | | | | | | | | |
| 110 | SHALE | COKE | | 1 | | | | | | | | |
| 115 | SHALE | COKE | | | | | | | | | | |
| 120 | SHALE | COKE | | 1 | | | | 1 | | 1 | 1 | |
| 125 | SHALE | COKE | | | | | | | | | | |
| 130 | SHALE | COKE | | 1 | | | | | | | | |
| 135 | SHALE | COKE | | 6.3 | | 7 | | | | | | |
| 140 | SHALE | COKE | | 5.0 | | - ' | | 1 | | + | | |
| 145 | SHALE | COKE | | 3.8 | | 6 | | | | + | 1 | |
| 150 | SHALE | COKE | | 3.0 | | U | | - | | 1 | 1 | |
| | | | | 10 | | - | | | | + | - | |
| 155 | SHALE | COKE | | 4.3 | | 5 | | | | 1 | 1 | |
| 160 | SHALE | COKE | | | | | | | | | | |
| 165 | SHALE | COKE | | 2.1 | | 4 | | | | | | |
| 170 | SHALE | COKE | | | | | | | | | | |
| 175 | SHALE | COKE | | 1.9 | | 3 | | | | | | |
| 180 | SHALE | COKE | | | | | | | | | | |
| 185 | SHALE | COKE | | 2.7 | | 2 | | | | | | |
| 190 | SHALE | COKE | | | | | | | | | | |
| | | 0.01/= | | | | | | | | | | |
| 195 | SHALE | COKE | | 1.4 | | 1 | | | | | | |

