Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1271607

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15	
Name:	Spot Description:	
Address 1:	S. R East West	
Address 2:	Feet from Dorth / South Line of Section	
City: State: Zip:	+ Feet from East / West Line of Section	
Contact Person:	Footages Calculated from Nearest Outside Section Corner:	
Phone: ()		
CONTRACTOR: License #		
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)	
Wellsite Geologist:		
Purchaser:		
Designate Type of Completion:	Lease Name: Well #:	
New Well Re-Entry Wo	Field Name:	
	Producing Formation:	
	Elevation: Ground:Kelly Bushing:	
	Total Vertical Depth: Plug Back Total Depth:	
	Amount of Surface Pipe Set and Cemented at: Feet	
	Multiple Stage Cementing Collar Used?	
	If yes, show depth set: Feet	
	If Alternate II completion, cement circulated from:	
Well Name:	feet depth to: w/ sx cmt.	
Original Comp. Date: Original Total Der	vth:	
Deepening Re-perf. Conv. to ENHR	Conv. to SWD Drilling Fluid Management Plan	
Plug Back Conv. to GSW		
	Chloride content: ppm Fluid volume: bbls	
	Dewatering method used:	
	Operator Name:	
	Lease Name: License #:	
	Quarter Sec. Twp. S. R. East West	
Purchaser: County: County: Designate Type of Completion: Well #: Designate Type of Completion: Well #: Original Comp. Aba ENHR OG GSW Temp. Abd. Cht (Coal Bed Methane) Cathodic Other (Core, Expl., etc.); Multiple Stage Cementing Collar Used? Yes No If Workover/Re-entry: Old Well Info as follows: If yes, show depth set: If Alternate II completion, cement circulated from: Multiple Stage Cementing Collar Used? Yes No Original Comp. Date: Original Total Depth: Well Well Multiple Stage Cement the Reserve Pit) Choride content: w/ Well Management Plan (Data must be collected from the Reserve Pit) Choride content: ppm Fluid volume: Dewatering method used: Dewatering method used: Dual Completion Permit #: Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License #:		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received								
Geologist Report Received								
UIC Distribution								
ALT I II III Approved by: Date:								

	Page Iwo	1271607
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		.og Formatio	on (Top), Depth and	d Datum	Sample	
Samples Sent to Geolog	,	Yes No	Nam	е		Тор	Datum	
Cores Taken Electric Log Run		Yes No						
List All E. Logs Run:								
		CASING Report all strings set-c	RECORD Ne		on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD				
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives		
Protect Casing								
Plug Off Zone								
Did you perform a hydraulic	fracturing treatment of	on this well?		Yes	No (If No. skip	o questions 2 an	d 3)	
Does the volume of the total	0		ceed 350,000 gallons			o question 3)	/	


Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					e		Depth		
TUBING RECORD:	RD: Size: Set At: Packer At:					Liner R		No		
Date of First, Resumed Pro	oductio	on, SWD or ENHF	? .	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
				-						
DISPOSITION OF GAS:				METHOD OF COMPLE			TION:		PRODUCTION INT	ERVAL:
Vented Sold		lsed on Lease		Open Hole Perf. Dually (Submit A				Commingled (Submit ACO-4)	·	
(If vented, Submit ACO-18.)				Other <i>(Specify)</i>)					

Yes

No (If No, fill out Page Three of the ACO-1)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202





4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1716

Deep Well GroundB	ed Data:					Date:	11/04/15				
						Date.	11/04/13				
Job Number:	SST06-2015-KS			1	Drilling	Contractor	McLean's	CP Inst	allation.	Inc	
	SOUTHERN STAR					acility/Line:					
	DEEP WELL				•	State:					
Well Depth:		1		1			THOMAS				
Diameter:				1	0	ther-Driller:	TR				
Casing:											
Type of Backfill:					TES	T VOLTS:	8.72				
	1 SET OF 7-ANOTEC	H 2684 ANODES									
Remarks:	2 WELLS										
Drilling	Loa			El	ectrical L	oa				Anode	Loa
					FORE BACKE					AFTER BA	
Depth:	Formation Type:	Material:		Volt	Anode	Anode #			Volt	Anode	Anode #
					Depth					Depth	
0'	SANDY CLAY	CASING/HOLE PL	UG								
5'	SANDY CLAY	CASING/HOLE PL									
10'	SANDY CLAY	CASING/HOLE PL		1	1	1	1		1	1	1
15'	SANDY CLAY	CASING/HOLE PL		1							
20	SANDY CLAY	CASING/HOLE PL		1	1	1	1		1	1	1
25	SANDY CLAY	HOLE PLUG									
30	SANDY CLAY	HOLE PLUG									
35	SANDY CLAY	HOLE PLUG									
40	SANDY CLAY	HOLE PLUG									
45	SAND	HOLE PLUG									
50	SAND	HOLE PLUG									
55	SAND	HOLE PLUG									
60	SAND	HOLE PLUG									
65	SAND	COKE									
70	SAND	COKE									
75	SAND	COKE									
80	SAND	COKE									
85	SAND	COKE									
90	GRAVEL	COKE									
95	GRAVEL	COKE									
100	SANDY CLAY	COKE									
105	SANDY CLAY	COKE									
110	SANDY CLAY	COKE									
115	SANDY CLAY	COKE									
120	SANDY CLAY	COKE		ļ				ļ		ļ	
125	SANDY CLAY	COKE		ļ				ļ		ļ	
130	SANDY CLAY	COKE									
135	SANDY CLAY	COKE		2.3		7					
140	SANDY CLAY	COKE									
145	SANDY CLAY	COKE		1.0		6					
150	SHALE	COKE				_				-	
155	SHALE	COKE		0.3		5				-	
160	SHALE	COKE									
165	SHALE	COKE		0.4		4				-	
170	SHALE	COKE								-	
175	SHALE	COKE		0.3		3					
180	SHALE	COKE		0.0							
185	SHALE	COKE		0.3		2		L		<u> </u>	
190	SHALE	COKE		0.5						-	
195	SHALE	COKE		0.5		1				-	
200	SHALE	COKE									