

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
ODERATOR, Licensett	(Q/Q/Q/Q) feet from N / S Line of Section
OPERATOR: License# Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
Phone:	Lease Name: Well #:
CONTRACTOR, Licensett	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55 et. seq. drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set aunderlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. circi office on plug length and placement is necessary prior to plugging ;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. circi office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. bict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Circi office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date. By 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. Fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the states. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						Location of V	veii: County:
Lease:							feet from N / S Line of Section
Well Number:							feet from E / W Line of Section
Field:							
Number of Acres att						Is Section:	Regular or Irregular
	J				PL,	Section corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
	ads, tank ba			d electrical line	nearest lea es, as requ	ase or unit bound	
	:	:		: :	:	· · · · · · · · · · · · · · · · · · ·	LEGEND
1155 ft.							O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
			7				EXAMPLE
	:	·		· :	· · · · · · · · · · · · · · · · · · ·	·	
							1980' FSL
	i			<u></u>		 	
							SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1271946

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth fro If the pit is lined give a brief description of the line material, thickness and installation procedure.	Artificial Liner? Yes N Length (fee	(bbls) No lo epest point:	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l
Distance to nearest water well within one-mile of	of pit:	. ,	west fresh water feet.
feet Dorth of water well	foot	Source of inform	mation: well owner electric log KDWR
feet Depth of water well Emergency, Settling and Burn Pits ONLY:	feet		over and Haul-Off Pits ONLY:
Producing Formation:			Il utilized in drilling/workover:
Number of producing wells on lease:			king pits to be utilized:
Barrels of fluid produced daily:			procedure:
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to		e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection:



Kansas Corporation Commission Oil & Gas Conservation Division

1271946

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

rator: Whitaker Companies, Inc.		Location of Well: Count	y: Allen
se: Korte Farms		825	feet from N / S Line of Section
Number: 21		1,155	feet from E / W Line of Section
d: lola		Sec. 7 Twp. 24	s. R. 19 X E W
nber of Acres attributable to well:		Is Section: Regul	ar or Irregular
R/QTR/QTR/QTR of acreage: N	IE - SE - NW - NW	1	
		If Section is Irregular, Section corner used:	locate well from nearest corner boundary. NE NW SE SW
		PLAT	
	the well. Show footage to the neare	가게 들어 있어요. 그 사람이 없었다면 그를 잃었다면서 얼마를 하셨다면 되었다면 하지 않아 모르겠다면 하다.	
	Va.,	하는 사람이 보다는 전쟁 경우를 내려왔다면 하는 것이 없는데 하는데 없다면 하는데 하다 하는데	e Owner Notice Act (House Bill 2032).
625	FNL YOU may attach	a separate plat if desired.	
020	1-110		
1 0	1 1	: :	
(7			LECEND
			LEGEND
1 July 20 42			LEGEND O Well Location
			O Well Location
			O Well Location Tank Battery Location
			O Well Location Tank Battery Location Pipeline Location
			O Well Location Tank Battery Location Pipeline Location Electric Line Location
			O Well Location Tank Battery Location Pipeline Location Electric Line Location
			O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
			O Well Location Tank Battery Location Pipeline Location Electric Line Location
			O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
			O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
			O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

November 20, 2015

Curt Whitaker Whitaker Companies, Inc. 555 DELAWARE RD HUMBOLDT, KS 66732

Re: Drilling Pit Application Korte Farms 21 NW/4 Sec.07-24S-19E Allen County, Kansas

Dear Curt Whitaker:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.