

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R L E L W
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty:	County.
ontact Person:hone:	Lease Name: Well #:
ione.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWNO, old well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	
sottom Hole Location:	DVVK Permit #
KCC DKT #:	(Note: Apply to I territe with BVV)
	vviii Cores be takeri?
	If Yes, proposed zone:
	AFFIDAVIT
he undersigned hereby affirms that the drilling, completion and even	tual plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
	on each drilling rig;
2. A copy of the approved notice of intent to drill shall be posted of	
3. The minimum amount of surface pipe as specified below shall	be set by circulating cement to the top; in all cases surface pipe shall be set
The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet	into the underlying formation.
3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet4. If the well is dry hole, an agreement between the operator and	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging</i> ;
 The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the specified before well is either the operator will be notified before well is either through the specified before well in the specified before the specified before well in the specified before the specified below shall be a specified below shall be specified below shall be	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be certain. 	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the surface structure of the surface of the surface will be notified before well is either than all the surface of the surfa	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either. The appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well state. 	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; or emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either. The appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well state. 	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging</i> ; er plugged or production casing is cemented in; emented from below any usable water to surface within <i>120 DAYS</i> of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet If the well is dry hole, an agreement between the operator and the surface district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be computed by the surface casing of must be completed within 30 days of the spud date or the well surface. 	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the second strict office will be notified before well is either that an ALTERNATE II COMPLETION, production pipe shall be considered or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically For KCC Use ONLY	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the	into the underlying formation. the district office on plug length and placement is necessary <i>prior to plugging;</i> or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the specified district office will be notified before well is either than the specified before the	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the specified before the specified before well is either the specified before the specified before the s	into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or plugged or production and usable water to surface within 120 DAYS of spud date. If all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the street of the specified district office will be notified before well is either the specified before the specified before well is either the specified before the operator and the specified before the operator and the specified before well is either the specified before well is either the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before well is either the operator and the specified before the specified before the operator and the specified before th	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

_ Agent: .

Side Two



For KCC Use ONLY	
API # 15	

Operator: ___

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: __

Lease:									feet from N / S Line of Section
Well Numb	oer:								feet from E / W Line of Section
Field:							Se	ec	Twp S. R
Number of QTR/QTR/							- Is	Section:	Regular or Irregular
								Section is ection corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
			atteries, p		d electrica	the neare	required b		dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032).
		:	:	:		:	:	:]
			: : :			•	:		LEGEND
						•			O Well Location Tank Battery Location Pipeline Location Electric Line Location
825 ft.	••••	<u>-</u>	: : : :	: :			:	<u></u>	Lease Road Location
		: : : : : :		7				: :	EXAMPLE
		· 		:				:	
				·	••••	•			1980' FSL
		·		·	••••			·	SEWARD CO. 3390' FEL
		:	:	:		:	:	:	JEWARD CO. 3390 FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1271960

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes 1	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	m ground level to dee	pest point:	(feet) No Pit
If the pit is lined give a brief description of the line material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of work	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spring flow into the pit? Yes No	pilled fluids to	Drill pits must b	pe closed within 365 days of spud date.
Submitted Electronically			
	ксс	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

1271960

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip: +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: () Fax: () Email Address:	
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and a KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

	mpanies, Inc.				Well: County: Allen	
Lease: Korte Farms				1,815		feet from N / S Line of Section
Well Number: 18				825		feet from L E / W Line of Section
Field: lola				Sec. 7	Twp. 24	_S. R. 19 🔀 E 🔲 W
Number of Acres attri	butable to well:			Is Section:	Regular or	T Irrogular
QTR/QTR/QTR/QTR		- NE - SW	- NW	is Section.	Kegulai oi	Integular
				If Section is Section corr		well from nearest corner boundary. NW SE SW
			to the neares			e predicted locations of r Notice Act (House Bill 2032).
	ENT 1815			separate plat if de		,
П	()					LEGEND
-	7 :					23 SEASON 35
1 -1	3) I :			:		Well Location
	3					Well Location Tank Battery Location
		i			. =	
						Tank Battery Location
	4					Tank Battery Location Pipeline Location
25	#18°					Tank Battery Location Pipeline Location Electric Line Location
25	ها الو ها الو					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
\$5	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				EXAME	Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
es =	# s					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
25 -	ا الا					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
\$5	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
\$5) #					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
25	# s					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
\$5	الله الله					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
\$5	\$ 18 °					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
\$5	- 18 - 18					Tank Battery Location Pipeline Location Electric Line Location Lease Road Location

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

November 20, 2015

Curt Whitaker Whitaker Companies, Inc. 555 DELAWARE RD HUMBOLDT, KS 66732

Re: Drilling Pit Application Korte Farms 18 NW/4 Sec.07-24S-19E Allen County, Kansas

Dear Curt Whitaker:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.