

Confidentiality Requested:

Yes No

uested: KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1272427

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			Sec.	TwpS. R	East _ West		
Address 2:			F6	eet from North /	South Line of Section		
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section		
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:		
Phone: ()			□ NE □ NW	V □SE □SW			
CONTRACTOR: License #			GPS Location: Lat:	, Long:			
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name:	W	ell #:		
	e-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:			
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:		
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet		
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No		
If Workover/Re-entry: Old Well I			If yes, show depth set:				
Operator:			If Alternate II completion, c	cement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:							
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan			
Plug Back	Conv. to G		(Data must be collected from to				
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls		
Dual Completion			Dewatering method used:_				
SWD			Location of fluid disposal if	hauled offsite:			
ENHR	Permit #:						
GSW	Permit #:		Operator Name:				
			Lease Name:				
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West		
Recompletion Date		Recompletion Date	County:	Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottom								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Form	ACO1 - Well Completion
Operator	Lakeshore Operating, LLC
Well Name	Cress LO-17
Doc ID	1272427

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17.0	20	Portland	6	0
Production	5.875	2.875	6.5	792	PozMix	86	0



CONSOLIDATED

FIELD TICKET & TREATMENT REPORT

	USTOMER#	WELL	CEME AME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7-5-15	1807	Cress	L017	SW 22	25	17	wo
STOMER							Wind Sin
LING ADDRESS	hore o	peratin	5	TRUCK#	DRIVER	TRUCK#	DRIVER
			í.	730	Ha Made	Safex	Meet
o Carpla	u Jersen		PCODE	368	tomal.		
5 20 10 191	31		1211	675	her Vet	-	
Vichita			7/2	510 8	10 Hor	2 74	_
B TYPE	701	OLE SIZE		ртн <u>806</u> с	ASING SIZE & W		8
SING DEPTH_	7,0	RILL PIPE	TUBING_			OTHER	
JRRY WEIGHT	111	URRY VOL	WATER g		1	CASING 12	2
PLACEMENT		SPLACEMENT P			ATE 4 6	pm	
MARKS: He	. //	FING.		shed rate	Mixa	d + pu	weben
00 \$ 9	el foll	oned	by 86 51			A p 145	
7.10 9		Dillea	P71	hens seal	pagga		
Circul	ated o	timen?	+ lusheo	2 pump	fung	es pl	45,
to Co	35/AS I	D. 4	tell help	e 800 P	51 3	et the	st.
**							
2	ack Jac	Kman					1
	•				1000	Mon	se_
	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT						
		1777		175	15000		
	QUANITY or	UNITS	DESCRIPTION	N of SERVICES or PRO		UNIT PRICE	TOTAL
CODE	QUANITY or			N of SERVICES or PRO	DUCT	UNIT PRICE	TOTAL
F0450	1	P	UMP CHARGE	N of SERVICES or PRO	368		TOTAL
F0450 P	1	P	UMP CHARGE		368 368	1500 9 1 286	TOTAL
E 0711	1	P	UMP CHARGE ILEAGE ten mile		368 368 510	UNIT PRICE 1500 900 286000000000000000000000000000000000	TOTAL
FO450	1	P	UMP CHARGE	5	368 368	1500 9 1 286 00 1 300 9 300 9 1	TOTAL
E 0711	1	P	UMP CHARGE ILEAGE ten mile	5 	368 368 368 510 675	1500 9 15	TOTAL
E 0711	1	P	UMP CHARGE ILEAGE ten mile	5 	368 368 510	1500 9 1 286 00 1 300 9 300 9 1	TOTAL
E 0711	1	P	UMP CHARGE ILEAGE ten mile	5 	368 368 368 510 675	1500 9 15	TOTAL
E 0750 E 0750 E 0711	- ! - M;	P M	UMP CHARGE ILEAGE TON M: 12	5 54b 4 c 55	368 368 368 510 675	1500 9 286 0 286 0 2 300 9 2 2746 0 1 0 7 0 , 94	TOTAL
E 0750 E 0750 E 0711 E 0851	- 1 - M; 3	P M	UMP CHARGE ILEAGE ten mile	5 54b 4 c 55	368 368 368 510 675	1500 9 15	TOTAL
E 0750 E 0711 E 0851	- 1/3 - M 3 - 3 - 396	PIO M	UMP CHARGE ILEAGE TON M: 12	5 54b 4 c 55	368 368 368 510 675	1500 9 286 0 286 0 2 300 9 2 2746 0 1 0 7 0 , 94	TOTAL
E 0851 C 5965 C 6077	86 396	PIO M	UMP CHARGE ILEAGE Tyn mile 80 rac Poz Bland gel	5 54b 4 c 55	368 368 368 510 675	1500 9 15	TOTAL
E 0851 C 5965 C 6077	86 396	PIO M	Poz Bland Solver Poz Bland Solver Phanoses	5 54b hrss	368 368 368 510 675	1500 9 286 0 286 0 2 2746 0 1 0 10 94 1 268.50 1 1 8.80	TOTAL
E 0950 E 0711 E 0851 C 5965 C 5965	- 1/3 - M 3 - 3 - 396	PIO M	Poz Bland Solver Poz Bland Solver Phanoses	5 54b hrss	368 368 368 510 675	1500 9 286 0 286 0 2 2746 0 1 0 10 94 1 268.50 1 1 8.80	TOTAL
E 0950 E 0711 E 0851 C 5965 C 6077	86 396	PIO M	Poz Bland Jeol 5egi Pheno 9eo	5 545 hrss	368 368 368 510 675	1500 9 1500 9 1500 9 1000 9 1 1 1 8 8 0 1 1 1 0 5 35 1 1 7 0 5 35	TOTAL
E 0750 E 0711 E 0851 C 5842 C 5965 C 6077	86 396	PIO M	Poz Bland Solver Poz Bland Solver Phanoses	5 545 hrss	368 368 368 510 675	1500 9 1500 9 1500 9 1000 9 1 1 1 8 8 0 1 1 1 0 5 35 1 1 7 0 5 35	1675,0
E 0750 E 0711 E 0851 C 5842 C 5965 C 6077	86 396	PIO M	Poz Bland Solver Poz Bland Solver Phanoses	5 545 hrss	368 368 368 510 675	1500 9 1500 9 1500 9 1000 9 1 1 1 8 8 0 1 1 1 0 5 35 1 1 7 0 5 35	1675.0
E 0711	86 396	PIO M	Poz Bland Solver Poz Bland Solver Phanoses	5 545 hrss	368 368 368 510 675 39%	1500 9 286 286 286 2746 2 1070,94 1268.50 215.00 258.05 215.00 21	1675,0
E 0950 E 0711 E 0851 C 5965 C 5965	86 396	PIO M	Poz Bland Solver Poz Bland Solver Phanoses	5 545 hrss	368 368 368 510 675	1500 9 1500 9 1500 9 1000 9 1 1 1 8 8 0 1 1 1 0 5 35 1 1 7 0 5 35	1675,0

acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

January 14, 2016

Wesley Ketcham Lakeshore Operating, LLC 13505 S. MUR-LEN RD SUITE 105-182 OLATHE, KS 66062

Re: ACO-1 API 15-207-29261-00-00 Cress LO-17 SW/4 Sec.22-25S-17E Woodson County, Kansas

Dear Wesley Ketcham:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 8/3/2015 and the ACO-1 was received on January 13, 2016 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department