

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day yea	Sec. Twp. S. R. E W
OPERATOR: License#	feet from N / S Line of Section
Name:	fact from F / W Line of Continu
Address 1:	LOCATION D. L. D. L. A.
Address 2:	
City: State: Zip: +	(Note: Escale went of the Section Flat of Feverse state)
Contact Person:	County
Phone:	
CONTRACTOR: License#	Field Name:
Name:	is the difference of epaced field.
Name.	Target Formation(s):
Well Drilled For: Well Class: Type Equipme	
Oil Enh Rec Infield Mud Rota	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotar	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes Yes Yes
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : . IT . ID ::
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	(Note: Apply for Fernik with DWK)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and	
The undersigned hereby animis that the uniming, completion and	eventual biuduliid of this well will combly with N.S.A. 33 et. Sed.
It is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w	rell;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> pos	rell; sted on each drilling rig;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below s	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 20	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 20	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below s through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; seither plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below s through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set D feet into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The be cemented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below s through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; seither plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below s through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set D feet into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The be cemented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of w A copy of the approved notice of intent to drill <i>shall be</i> po: The minimum amount of surface pipe as specified below sthrough all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator The appropriate district office will be notified before well is If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the 	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set D feet into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The be cemented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of w A copy of the approved notice of intent to drill <i>shall be</i> po: The minimum amount of surface pipe as specified below sthrough all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator The appropriate district office will be notified before well is If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the 	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set D feet into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The be cemented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below so through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set D feet into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The be cemented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of w A copy of the approved notice of intent to drill <i>shall be</i> po: The minimum amount of surface pipe as specified below sthrough all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator The appropriate district office will be notified before well is If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the 	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set D feet into the underlying formation. I and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below so through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Defect into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The emented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below sthrough all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the Submitted Electronically For KCC Use ONLY API # 15 -	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Defect into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The emented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below surface through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Difect into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The ecemented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below s through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. rand the district office on plug length and placement is necessary prior to plugging; seither plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved notice of intent to drill <i>shall be</i> po: 3. The minimum amount of surface pipe as specified below surface through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the Submitted Electronically For KCC Use ONLY API # 15	rell; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Difect into the underlying formation. The and the district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The ecemented from below any usable water to surface within 120 DAYS of spud date. The sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: _

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		

Ш

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
PLI Show location of the well. Show footage to the nearest lea lease roads, tank batteries, pipelines and electrical lines, as requ	ase or unit boundary line. Show the predicted locations of ired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a sep 15	380 ft.
	LEGEND
	O Well Location
	Tank Battery Location
	1250 ft. Pipeline Location
<u> </u>	1250 II Electric Line Location
	Lease Road Location
	EXAMPLE
30	
	1980' FSL
	· · · · · · · · · · · · · · · · · · ·
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1272606

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date col Pit capacity: urea? Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (feet) Depth from ground level to deep				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic ma liner integrity, including any special n				
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	·
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	-
Email Address:	
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, the are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this
that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CB-1	ng fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

Summary of Changes

Lease Name and Number: Werth #1-30

API/Permit #: 15-195-23002-00-00

Doc ID: 1272606

Correction Number: 1

Approved By: Rick Hestermann 11/30/2015

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 11/10/2015	Rick Hestermann 11/30/2015
KCC Only - Approved Date	11/10/2015	11/30/2015
KCC Only - Date Received	11/10/2015	11/30/2015
Lease Name	Rosemary	Werth
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 70854	//kcc/detail/operatorE ditDetail.cfm?docID=12 72606
Well Number	#2 SHR	#1-30