

Miami County, KS
 Well: Gerken T-6
 Lease Owner: Triple T

Town Oilfield Service, Inc.
 (913) 837-8400

Commenced Spudding:
 10/23/2015

WELL LOG

Thickness of Strata	Formation	Total Depth
0-7	Soil-Clay	7
28	Lime	35
8	Shale	43
21	Lime	64
4	Shale	68
2	Lime	70
5	Shale	75
6	Lime	81
23	Shale	104
11	Sand	115
35	Sandy Shale	150
99	Shale	249
5	Limey Sand	254
35	Shale	289
5	Lime	294
19	Shale	313
7	Lime	320
15	Shale	335
4	Lime	339
6	Shale	345
7	Sand	352
29	Lime	381
5	Shale	386
2	Lime	388
52	Shale	440
2	Lime	442
5	Shale	447
2	Sandy Shale	449
6	Sand & Sandy Shale	455
4	Sand	459
14	Sandy Shale	473
3	Sand	476
11	Shale	487
1	Coal	488
2	Lime	490
90	Shale	580-TD

Log Book

Well No. T-6

Farm Griken

KS Miami
(State) (County)

29 18 24
(Section) (Township) (Range)

For Triple T Oil
(Well Owner)

**Town Oilfield
Services, Inc.**

1207 N. 1st East
Louisburg, KS 66053
913-710-5400

Greber Farm: Miami County
 KS State; Well No. T-6

Elevation 926

Commenced Spuding 10-23 20 15

Finished Drilling 10-29 20 15

Driller's Name Wesley Dollar

Driller's Name

Driller's Name

Tool Dresser's Name Ryan Weed

Tool Dresser's Name

Tool Dresser's Name

Contractor's Name TOS

29 18 24

(Section) (Township) (Range)

Distance from S line, 4280 ft.

Distance from E line, 1590 ft.

3 sacks

7 hrs

5/8 borehole

2 7/8 casing

CASING AND TUBING RECORD

10" Set _____ 10" Pulled _____
 8" Set _____ 8" Pulled _____
 7 1/2" Set 20 6 1/2" Pulled _____
 4" Set _____ 4" Pulled _____
 2" Set _____ 2" Pulled _____

CASING AND TUBING MEASUREMENTS

Feet	In.	Feet	In.	Feet	In.
515.80		B.P.P.		e	
546.45		Float			
580 TD				2 7/8	

Thickness of Strata	Formation	Total Depth	Remarks
0-7	soil-clay	7	
28	Lime	35	
8	Shale	43	
21	Lime	64	
4	Shale	68	
2	Lime	70	
5	Shale	75	
6	Lime	81	Hertha
23	Shale	104	
11	sand	115	slight show
35	sandy shale	150	
99	shale	249	
5	limy sand	254	
35	shale	289	
5	Lime	294	
19	shale	313	
7	Lime	320	
15	shale	335	
4	Lime	339	
6	shale	345	
7	sand	352	no oil
29	Lime	381	
5	shale	386	
2	Lime	388	
52	shale	440	
2	Lime	442	
5	shale	447	



4641
4549

TICKET NUMBER 49869
LOCATION Ottawa KS
FOREMAN Fred Maden

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
10-27-15	7966	Gardner # T-6	NE 29	15	24	MI
CUSTOMER			TRUCK # DRIVER TRUCK # DRIVER			
Triole T Oil			712 Fred Mad			
MAILING ADDRESS			495 Hor Bec			
P.O. Box 339			675 Mei Det			
CITY STATE ZIP CODE			545 Tra Har			
Louisburg KS 66053						

JOB TYPE Longstray HOLE SIZE 5 7/8 HOLE DEPTH 580 CASING SIZE & WEIGHT 2 7/8 "EUE"
 CASING DEPTH 546 DRILL PIPE Baffle TUBING 5 1/2 OTHER _____
 SLURRY WEIGHT _____ BLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT IN CASING _____
 DISPLACEMENT 3.00 DISPLACEMENT PSI _____ MIX PSI _____ RATE _____

REMARKS: Hold safety meeting. Establish pump rate. Mix Pump 100# Gel Flush. Mix + Pump 74 SKS Per Blend I.A Cement 270 Gal Cement to surface. Flush pump & lines clean. Displace 2 1/2" Rubber Plug to Baffle in casing. Pressure to 800 PSI. Release pressure to set float valve. Shut in Casing.

TAS Drilling (was)

Fred Maden

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
CE0450	1	PUMP CHARGE	495	1500.00
CE0402	30 mi	MILEAGE	495	2145.00
CE0718	1/2 Minimum	Ten Miles Delivery	548	320.00
WE0853	1 hr	80 BBL Vac Truck	675	100.00
		Sub Total		2144.50
		Less 4670		- 986.42
				1158.08
CE5840	74 SKS	Per Blend I.A Cement	999.00	
CE5765	224	Bentonite Gel	67.00	
CP 5176	1	2 1/2" Rubber Plug	45.00	
		Sub Total		1111.00
		Less 4670		- 511.15
				600.00
			SALES TAX	42.11
			ESTIMATED TOTAL	1506.15
				(3344.60)

Rev'n 3737

AUTHORIZATION _____ TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.