Confidentiality Requested: Yes No

## **KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION**

1272757

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:
□ Gas □ D&A □ EINFIR □ SIGW □ OG □ GSW □ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR         Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec TwpS. R East West

County:

Spud Date or Recompletion Date Date Reached TD

Completion Date or Recompletion Date

> **KCC Office Use ONLY** Confidentiality Requested Date: Confidential Release Date: Wireline Log Received Geologist Report Received UIC Distribution ALT I II II Approved by: \_\_\_\_ Date:

Permit #:\_\_\_

## AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

	Page Iwo	1272757
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		Log Formatio	n (Top), Depth ar	nd Datum	Sample
Samples Sent to Geolog	,	Yes No	Nan	ne		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-		ew Used ermediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQ	UEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydraulic	fracturing treatment o	n this well?		Yes	No (If No, ski	p questions 2 an	d 3)

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	

Tes	
Yes	
Yes	

No (If No, skip question 3)

No (If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION R Specify Foota		RD - Bridge Pl Each Interval P		е			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	re: S	Set At:		Packer	At:	Liner R	un:	No	
Date of First, Resumed	l Producti	on, SWD or ENHR.		Producing M	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbls.		Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
	1								Γ	
DISPOSITI	ON OF G	AS:			METHOD		TION:	_	PRODUCTION IN	TERVAL:
Vented Solo	d []ι	Jsed on Lease		Open Hole	Perf.	Dually				
(If vented, Su	bmit ACO	-18.)		Other (Specify)		(Submit /		(Submit ACO-4)		

CONSOLIDATED
Oli Well Services, LLC

4100

)

49486 TICKET NUMBER

LOCATION OCKIE

1029 11 NOICE #805618 FOREMAN Kelly 640

D Box 884, C1 20-431-9210	nanute, KS 667 or 800-467-8676	20			ATMENT REI			VK
DATE	CUSTOMER #		NAME & NU		SECTION	TOWNSHIP	RANGE	COUNTY
G-1-15	2626	Ochane	x 3-1	<del>x</del>	18	4	41	Cheven
USTOMER			<u> </u>	St France	without a support of the support of			ete se
G	ceu			20	TRUCK #	DRIVER	TRUCK #	DRIVER
IAILING ADDRE	ESS .	1. Start 1. Start		105	753	Jerry_		1
				w.s	460	ROD		
fTΥ		STATE	ZIP CODE	7 -		· · · ·		
	MAGER				 TH スフク	CASING SIZE & '		17=
ASING DEPTH		DRILL PIPE					OTHER	
	<u>,</u>					CEMENT LEFT i		-
LURRY WEIGH					U/SK			
	<u> </u>		0 - 64		0 00 54	C-11#7	hrake	c) scule
CHIARAS. JC	rety ME	<u></u>	1.73			splaced 1	7)	
<u>n xe e</u>		<u>DRG COT</u>	0.542	<u>C 270</u>	gel dis	PIGCECL		2) WOTE
Shut i	<u> </u>			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		
					<u> </u>			
A22	FOX 5	obl to	Pit					
- 1			1					
<u> </u>		· · · · · · · · · · · · · · · · · · ·						
							They	balu
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·					2	Villy on a	DOL
ACCOUNT	QUANITY	or UNITS	1	DESCRIPTION	of SERVICES or P	RODUCT	UNIT PRICE	TOTAL
280450	1		PUMP CHAP	RGE		<u> </u>	1	
- <u>2001-00</u> -	60 7	<b>N</b>	MILEAGE				•	
		<u> </u>	<u></u>	<u> </u>	م مان 2			
1150311	~ ~ ·	7	<u>lon</u> m	ileege	o deliver	¥		
	1 100	at Tax at		-				
<u>C 587</u>	1 🔺				lend II Co			
CC 5325	27	ia#	1001c	Jums	-ploride			
CC 5965	18	55	90	\				
		-						
_7 <b>%55</b>	1		2	entra	line n			-site
<u> </u>	<u> </u>	······, ·····		ENTIG		<u> </u>		
				···		·		
a								
			1	· · · · · · · · · · · ·				
			· ·	· · · · · · · · · · · · · · · · · · ·				
			<u> </u>					
· ·	· · · · · · · · · · · · · · · · · · ·		·		· · · · ·			
	l		<u> </u>					

AUTHORIZTION/ 2

 $\sim$ 

vdi

I acknowledge that the payment terms, unless specifically amended in writing on the front of t account records, at our office, and conditions of service on the back of this form are in effect

TITLE

9:00 Am		' A	175			10	105
-			10		TIUNET NUMB	ER <u>49</u>	<u>495</u>
	SOLIDATED	- L	IAL .	: 1164 <b>-</b> / /	LOCATION	_ Cakle,	Er
	tell Services. LLC	-1	invol C	2开0056	20 REMAN	ery	¥
Box 884, Chanu	te KS 66720	FIELD TICK	ET & TREA	TMENT REP	PORT		11
-431-9210 or 80	00-467-8676		CEMEN	NT			<u> /&lt; 5</u>
	ISTOMER #	WELL NAME & NU	MBER	SECTION	TOWNSHIP	RANGE	COUNTY
9-2-15 2	2626 0	changer i	3-18	18	45	4/6	Charm
ISTOMER		110	St France	TRUCK #	DRIVER	TRUCK #	DRIVER
LING ADDRESS	- xcell Ser	Viers CLC	- W+07 5+01	753	Michae /R		
			340	410	Collins		· ·
<u>гү — — — — — — — — — — — — — — — — — — —</u>	STATE	ZIP CODE	Now	GUS-54	Jerem		
			into	- casej.			
	Trink HOLE SI	ZE 6/4	HOLE DEPT	TH 1507	CASING SIZE & W		1/2 11.6
	1469 DRILLP			····		OTHER	
SING DEPTH	14, Z SLURRY		WATER gai	/sk	CEMENT LEFT in		<u>43</u>
SPLACEMENT	22,1 55/DISPLAN		MIX PSI		RATE		
~	<u> </u>		1-1 11	rin 2 tut	about Lary	scirca	6£ 15-
MARKS: Jar	Ty shorting 3	rigup on	L KCCII	777	i wash a	1. HO Als	105005
LV, 100 5	<u>ks 50,50</u>	poznik S	Le obur	release pi	ing wass p	Zater C	IIM
U:4622	bol RCL'	Water plu	g landed	0 1250	with a		
· · · · · · · · · · · · · · · · · · ·						1-1-10	1/2
					k	at Vo	a rew
					A	at Vo	a rew
ACCOUNT	QUANITY of UNIT	S	DESCRIPTION	of SERVICES or P	RODUCT	WIT PRICE	TOTAL
1	QUANITY or UNIT	S PUMP CH/		of SERVICES or P	PRODUCT		1
CODE CF0452	QUANITY or UNIT	PUMP CHA MILEAGE	ARGE				1
CODE CE 0452 CE 0007	60	PUMP CHA MILEAGE	ARGE				1
CODE F 0452 E 0007	60	PUMP CH/ MILEAGE	ARGE	de (iny			1
CODE CE0452 CE0002 CE070	4.7	PUMP CH/ MILEAGE	ARGE	de (iny			1
CODE CE 0452 CE 0002 CE 0700	- 60 - 4.7 - 100sks	PUMP CH/ MILEAGE	ARGE	de (iny			1
CODE CE 0452 CE 0002 CE 0700	4.7	PUMP CH/ MILEAGE	ARGE	de (iny			1
CODE CE 0452 CE 0007 CE 070 CE 070	- 60 - 4.7 - 100sks	PUMP CH/ MILEAGE ton 501 KC	ARGE	de (iny blad =lost Shoe			1
CODE CE 0452 CE 0002 CE 07:0 CE 07:0 CE 07:0 CE 07:0 CE 07:0 CE 07:0 CE 07:0 CE 07:0 CE 07:0 CE 0454	- 60 - 4.7 - 100sks	PUMP CH/ MILEAGE ton 501 KC	ARGE	de (iny blad =lost Shoe			1
CODE CE 0452 CE 0007 CE 070 CS846 CS361 CP 8484 P 8253	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1
CODE CE 0452 CE 0007 CE 070 CS846 CS846 CS361 CP 8484 P 8253	- 60 - 4.7 - 100sks	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Shoe			1
CODE CE 0452 CE 0007 CE 070 CS846 CS361 CP 8484 P8253	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1
CODE CE 0452 CE 0007 CE 070 CS846 CS361 CP 8484 P8253	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1
CODE CE 0452 CE 0007 CE 070 CS846 CS361 CP 8484 P8253	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1
CODE CE 0452 CE 0007 CE 07:0 CS846 CS361 CP 8484 P8253	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1
CODE CE 0452 CE 0007 CE 070 CS846 CS846 CS361 CP 8484 P 8253	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1
CODE CE 0452 CE 0007 CE 070 CS846 CS846 CS361 CP 8484 P 8253	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1
CODE CE 0452 CE 0002 CE 070 CE 070 CC5846 CC5361 CP 8484	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1
CODE CE 0452 CE 0007 CE 070 CS846 CS846 CS361 CP 8484 P 8253	1005ks 2901	PUMP CH/ MILEAGE ton 501 KC	ARGE Milag 50 ADZ L AFU F L (otch	de (iny blad =lost Stor chan 955			1