



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

**KANSAS CORPORATION COMMISSION 1274114**  
**OIL & GAS CONSERVATION DIVISION**  
**WELL PLUGGING RECORD**  
 K.A.R. 82-3-117

Form CP-4  
 March 2009

**Type or Print on this Form**  
**Form must be Signed**  
**All blanks must be Filled**

OPERATOR: License #: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_  
 Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Contact Person: \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
 Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
 Producing Formation(s): List All (If needed attach another sheet)  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
 Spot Description: \_\_\_\_\_  
 \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 \_\_\_\_\_ Feet from  North /  South Line of Section  
 \_\_\_\_\_ Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_  
 Date Well Completed: \_\_\_\_\_  
 The plugging proposal was approved on: \_\_\_\_\_ (Date)  
 by: \_\_\_\_\_ (KCC District Agent's Name)  
 Plugging Commenced: \_\_\_\_\_  
 Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Name of Party Responsible for Plugging Fees: \_\_\_\_\_  
 State of \_\_\_\_\_ County, \_\_\_\_\_, ss.  
 \_\_\_\_\_  Employee of Operator or  Operator on above-described well,  
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

**Submitted Electronically**

**Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202**

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1294

Date	11-17-15	Sec.	3	Twp.	22	Range	17	County	Pawnee	State	Ks	On Location		Finish	10:00PM
Lease								Froetschres							
Well No.								1-3							
Owner								160th Rd, 15 to m Rd, 3/4 E, 5/8 into							
Contractor								Sterling #4							
Type Job								Surface							
Hole Size								12 1/4"							
Csg.								8 5/8"							
Tbg. Size															
Tool															
Cement Left in Csg.								34.13'							
Shoe Joint								34.13'							
Meas Line								Displace 65 1/4 BS 1/2 # Flo-seal							
<b>EQUIPMENT</b>															
Pumptrk 18								No. Cementer Helper Travis							
Bulktrk								No. Driver Billy							
Bulktrk p.u.								No. Driver Rick							
<b>JOB SERVICES &amp; REMARKS</b>															
Remarks:								Cement did Circulate							
Rat Hole															
Mouse Hole															
Centralizers															
Baskets															
D/V or Port Collar															
								Common 270							
								Poz. Mix 180							
								Gel. 9							
								Calcium 19							
								Hulls							
								Salt							
								Flowseal 225#							
								Kol-Seal							
								Mud CLR 48							
								CFL-117 or CD110 CAF 38							
								Sand							
								Handling 477							
								Mileage							
<b>FLOAT EQUIPMENT</b>															
								Guide Shoe 1 Slip-on							
								Centralizer Rubber plug							
								Baskets Baffle plate							
								AFU Inserts							
								Float Shoe							
								Latch Down							
								Pumptrk Charge Long Surface							
								Mileage 23							
								Tax							
								Discount							
								Total Charge							
Signature								<i>[Signature]</i>							

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1298

Date	11-23-15	Sec.		Range		County	Pawnee	State	Ks	On Location		Finish	6:30 PM
Lease	Froetschner			Well No.	1-3		Location Larned, Ks - SW on 156 Hwy to 160 Rd						
Contractor	Sterling		4	Owner		15 3/4 E, 5/4 into							
Type Job	Plug			To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.									
Hole Size	7 7/8"		T.D.	4155'		Charge To		Shelby Resources					
Csg.				Depth		Street							
Tbg. Size	4 1/2" D.P.		Depth		4005'		City		State				
Tool				Depth		The above was done to satisfaction and supervision of owner agent or contractor.							
Cement Left in Csg.				Shoe Joint		Cement Amount Ordered 210 60/40 40% Gel							
Meas Line				Displace		H2O/mud							
<b>EQUIPMENT</b>													
Pumptrk	5	No.	Cementer	Brett		Common		126					
			Helper			Poz. Mix		84					
Bulktrk	15	No.	Driver	Nick		Gel.		7					
			Driver			Calcium							
Bulktrk	p.u.	No.	Driver	Rick		Hulls							
			Driver			Salt							
<b>JOB SERVICES &amp; REMARKS</b>													
Remarks:	4005' - 50 SX			Flowseal		50#							
Rat Hole	<del>100</del> 1090' - 50 SX			Kol-Seal									
Mouse Hole	250' - 40 SX			Mud CLR 48									
Centralizers	60' - 20 SX			CFL-117 or CD110 CAF 38									
Baskets	Rathole - 30 SX			Sand									
D/V or Port Collar	Mousehole - 20 SX			Handling		217							
Cement did Circulate													
<b>FLOAT EQUIPMENT</b>													
Guide Shoe													
Centralizer													
Baskets													
AFU Inserts													
Float Shoe													
Latch Down													
Pumptrk Charge plug													
Mileage 23													
Tax													
Discount													
Total Charge													
X Signature	Garry S. Salge												