For KCC Use:

Eff	e	ct	iv	е	Date

District	±	
DISTINCT	TT .	

SGA?	Yes	No

Forn

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

1274793

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	
Humo	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Age	ent:

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

ш



For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 408 ft.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

mg/l

APPLICATION FOR SURFACE PIT

Submit in Duplicate **Operator Name:** License Number: **Operator Address:** Contact Person: Phone Number: Lease Name & Well No .: Pit Location (QQQQ): Type of Pit: _ - ____ - ____ - ____ Pit is: **Emergency Pit** Burn Pit Proposed Existing Sec.____Twp.____R.___ East West Settling Pit **Drilling Pit** If Existing, date constructed: Feet from North / South Line of Section Haul-Off Pit Workover Pit ____Feet from ___ East / ___ West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) County _(bbls) Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: (For Emergency Pits and Settling Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Yes Yes No No ____Length (feet) ___ _____Width (feet) Pit dimensions (all but working pits): N/A: Steel Pits Depth from ground level to deepest point: __ __ (feet) No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Depth to shallowest fresh water ____ Distance to nearest water well within one-mile of pit: feet. Source of information: KDWR measured well owner electric log _feet Depth of water well ____ __ feet Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: _ Type of material utilized in drilling/workover: Number of producing wells on lease: _____ Number of working pits to be utilized: ____ Barrels of fluid produced daily:

flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Steel Pit Liner RFAC RFAS Permit Number: No Date Received: Permit Date: Lease Inspection: Yes

Does the slope from the tank battery allow all spilled fluids to

Abandonment procedure:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	5 1 5 1
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:


- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.


If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I

Side Two





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1 LOCATION County:				WELL RECORD	Form WWC	-5 KSA 82a-	1212		
COUNTY'		1	Fraction			ection Number	Township Nu	Imber	Range Number
	Decatur		SIJ 14		SW 14	27		S	R 2.8 E/W
In	Leovil1	.e	city street addr	ress of well if locat	ed within city?				
	VELL OWNER		Meet 1	S 97.					
RR#, St. Add	dress, Box #		le, KS 67	7 67742			Board of A	ariculture (Division of Water Resource
City, State, Z		:	10				Application	Number	
AN "X" IN	SECTION BO		DEPTH OF COM			ft. ELEVAT	ION:		
- <u> </u>	N N	Dep	oth(s) Groundwat	ter Encountered	1	ft. 2.		ft. 3	ft
1 1		WEI	LL'S STATIC W	ATER LEVEL	94 ft.	below land surfa	ace measured on	mo/day/yr	8-10-93
	NW	NE	Pump te	st data: Well wat	ter was	ft. aft	er	hours pur	mping gpm
1		Est.	Yield	. gpm: Well wat	ter wasnott	estedft. aft	ər	hours put	moina
* *		E BORE	e Hole Diameter	1 8	····185··	ft., a	nd	in.	to
-			LL WATER TO I		5 Public wat		Air conditioning		Injection well
	SW	SE	1 Domestic	3 Feedlot	6 Oil field w	ater supply	Dewatering	12 (Other (Specify below)
	!		2 Irrigation	4 Industrial	7 Lawn and	garden only 10) Monitoring well	• • • • • • • • • • • •	•••••••
	<u> </u>	vvas	a chemical/bach	teriological sample	submitted to [Department? Yes	No	; If yes,	mo/day/yr sample was sub
5 TYPE OF	BLANK CASI	mitte				Wate	r Well Disinfected		
1 Steel		3 RMP (SR)		Wrought iron			CASING JOIN		ί <u>χ</u> Ctamped
2 PVC		4 ABS		Asbestos-Cement Fiberglass	2077 - 2077 - 2077 - 2078 - 707	(specify below)		Welde	ed
	diameter	1. · · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·			Threa	ded
Casino heicht	above land o	urface	10	wojoht	trtr. tr	·····		•••••••	in. to
TYPE OF SC	REEN OR PE	REFORATION MA		weigni ,	2 - 6 · · · · · 7 P\	IDS./II.			<u>1</u> ∕.4
1 Steel		3 Stainless stee		Fiberglass	2485 2780 NO	VP (SR)		stos-cemei	
2 Brass		4 Galvanized st		Concrete tile	9 AE				
		ON OPENINGS A		a carrierational atomat	ed wrapped	0007.00		e used (ope	
	nuous slot	3 Mill slot			wrapped		8 Saw cut		11 None (open hole)
	red shutter	4 Key pu	1	7 Torch			9 Drilled holes		
SCREEN-PEF						ft Erama	U Uther (specify)		
		F	from	ft to		4 Eva-		···· π. το),
GRA	VEL PACK I	NTERVALS: F	From 1	8 ft to	185	ft From	••••••	Π. IC)
		F	rom	ft. to		ft., From			
6 GROUT M	ATERIAL:	1 Neat cemer		Cement grout			the second secon		·
Grout Intervals	s: From			tt., From	ft,	to	. ft. From		. ft. to
What is the ne	earest source	of possible conta	mination:			10 Livesto			andoned water well
1 Septic	tank	4 Lateral line	es	7 Pit privy		11 Fuel st			I well/Gas well
2 Sewer	lines	5 Cess pool		8 Sewage lag	loou	12 Fertilize	er storage		her (specify below)
3 Water	tight sewer lin	ies 6 Seepage p	oit	9 Feedyard		13 insectio	ida atarana		
Direction from	well?	south ea	st	51					
FROM	TO					How many	· · · · · · · · · · · · · · · · · · ·		
	10	U	THOLOGIC LOC	3	FROM	How many TO	feet? 120	IGGING IN	
-0 32		ur soil	THOLOGIC LOC	3	FROM		feet? 120		
	2 top	soi1		a rock strij			feet? 120		
0 32 32 60 66 95	2 top 5 sand 5 sand	soil dy clay a	nd s and	rock stri			feet? 120		
0 32 32 60 66 95 95 10	2 top 5 san 5 san 5 san 00 san	soi1	nd sand d clay s	rock stri			feet? 120		
0 32 32 60 66 95	2 top 5 san 5 san 90 san	soil dy clay a d and san	nd sand d clay s rd	rock strij trips			feet? 120		
0 32 32 60 66 95 95 10	2 top 5 san 5 san 5 san 90 san 32 san	soil dy clay a d and san d rock ha	nd sand d clay s rd d rock s	rock strij trips			feet? 120		
$\begin{array}{c cccc} 0 & 32 \\ \hline 32 & 66 \\ \hline 66 & 95 \\ \hline 95 & 10 \\ \hline 100 & 13 \\ \hline 132 & 17 \end{array}$	2 top 5 san 5 san 5 san 77 san 77 san	soil dy clay a d and san d rock ha d and san	nd sand d clay s rd d rock s good	rock strij trips			feet? 120		
$\begin{array}{c cccc} 0 & 32 \\ \hline 32 & 66 \\ \hline 66 & 95 \\ \hline 95 & 10 \\ \hline 100 & 13 \\ \hline 132 & 17 \end{array}$	2 top 5 san 5 san 5 san 77 san 77 san	soil dy clay a d and san d rock ha d and san d fair to	nd sand d clay s rd d rock s good	rock strij trips			feet? 120		
$\begin{array}{c cccc} 0 & 32 \\ \hline 32 & 66 \\ \hline 66 & 95 \\ \hline 95 & 10 \\ \hline 100 & 13 \\ \hline 132 & 17 \end{array}$	2 top 5 san 5 san 5 san 77 san 77 san	soil dy clay a d and san d rock ha d and san d fair to	nd sand d clay s rd d rock s good	rock strij trips			feet? 120		
$\begin{array}{c cccc} 0 & 32 \\ \hline 32 & 66 \\ \hline 66 & 95 \\ \hline 95 & 10 \\ \hline 100 & 13 \\ \hline 132 & 17 \end{array}$	2 top 5 san 5 san 5 san 77 san 77 san	soil dy clay a d and san d rock ha d and san d fair to	nd sand d clay s rd d rock s good	rock strij trips			feet? 120		
$\begin{array}{c cccc} 0 & 32 \\ \hline 32 & 66 \\ \hline 66 & 95 \\ \hline 95 & 10 \\ \hline 100 & 13 \\ \hline 132 & 17 \end{array}$	2 top 5 san 5 san 5 san 77 san 77 san	soil dy clay a d and san d rock ha d and san d fair to	nd sand d clay s rd d rock s good	rock strij trips			feet? 120		
$\begin{array}{c cccc} 0 & 32 \\ \hline 32 & 66 \\ \hline 66 & 95 \\ \hline 95 & 10 \\ \hline 100 & 13 \\ \hline 132 & 17 \end{array}$	2 top 5 san 5 san 5 san 77 san 77 san	soil dy clay a d and san d rock ha d and san d fair to	nd sand d clay s rd d rock s good	rock strij trips			feet? 120		
$\begin{array}{c cccc} 0 & 32 \\ \hline 32 & 66 \\ \hline 66 & 95 \\ \hline 95 & 10 \\ \hline 100 & 13 \\ \hline 132 & 17 \end{array}$	2 top 5 san 5 san 5 san 77 san 77 san	soil dy clay a d and san d rock ha d and san d fair to	nd sand d clay s rd d rock s good	rock strij trips			feet? 120		
$\begin{array}{c cccc} 0 & 32 \\ \hline 32 & 66 \\ \hline 66 & 95 \\ \hline 95 & 10 \\ \hline 100 & 13 \\ \hline 132 & 17 \end{array}$	2 top 5 san 5 san 5 san 77 san 77 san	soil dy clay a d and san d rock ha d and san d fair to	nd sand d clay s rd d rock s good	rock strij trips			feet? 120		
0 32 32 66 66 95 95 10 100 13 132 17 177 16	2 top 5 san 5 san 70 san 32 san 77 san 35 cke	soil dy clay a d and san d rock ha d and san d fair to r and sha	nd sand d clay s rd d rock s good le	rock strij trips trips	98		feet? 120 PLL		ITERVALS
0 32 32 66 66 95 95 10 100 13 132 17 177 16	2 top 5 sand 5 sand 70 sand 32 sand 77 sand 35 oke 1 5 oke	soil dy clay a d and san d rock ha d and san d fair to r and sha r and sha	nd sand d clay s rd d rock s good le ERTIFICATION:	rock strij trips trips This water well w	ps		feet? 120 PLL		ITERVALS
0 32 -32 66 -66 95 -95 10 -100 13 -132 17 -177 16 	2 top 5 sand 5 sand 70 sand 32 sand 77 sand 35 oke: 100 sand 100 s	soil dy clay a d and san d rock ha d and san d fair to r and sha ANDOWNERS CR · 8-10-93	nd sand d clay s rd d rock s good le ERTIFICATION:	rock strij trips trips This water well w	25 7as (1) constru	TO	feet? 120 PLL PLL		ITERVALS
0 32 32 66 66 95 95 10 132 17 177 18 7 CONTRAC completed on Water Well Co	2 top 5 sand 5 sand 5 sand 90 sand 92 sand 93 sand 93 sand 93 sand 93 sand 93 sand 93 sand 93 sand 93 sand 95 sand	soil dy clay a d and san d rock ha d and san d fair to r and sha r and sha ANDOWNERS CI 	nd sand d clay s rd d rock s good le ERTIFICATION: 139	rock strij trips trips This water well w	25 7as (1) constru	TO	tructed, or (3) plu		PTERVALS
0 32 32 66 95 10 132 17 177 16 CONTRAC completed on Water Well Counder the busiter	2 top 5 sand 5 sand 5 sand 7 sand	soil dy clay a d and san d rock ha d and san d fair to r and sha r and sha and sha r and sha r a	nd sand d clay s rd d rock s good le ERTIFICATION: 139 1 Drilli	rock strij trips trips This water well w This Water W ng	PS	TO TO TO TO TO TO TO TO TO TO TO TO TO T	tructed, or (3) plu is true to the best (mp/day.vr) e)	IGGING IN	PTERVALS