



**TRILOBITE TESTING, INC.**

# DRILL STEM TEST REPORT

Suemaour Expl. & Prod. LLC

**18-7S-28W Sheridan KS**

802 N. Carancahua  
Corpus Christi  
TX 78401  
ATTN: Bob Peterson

**Oelke #1**

Job Ticket: 64962

**DST#: 5**

Test Start: 2015.11.21 @ 20:55:00

## GENERAL INFORMATION:

Formation: **LKC "J-K-L"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 23:23:30

Time Test Ended: 04:32:00

Test Type: Conventional Bottom Hole (Reset)

Tester: Robert Zodrow

Unit No: 78

**Interval: 4086.00 ft (KB) To 4168.00 ft (KB) (TVD)**

Reference Elevations: 2816.00 ft (KB)

Total Depth: 4168.00 ft (KB) (TVD)

2811.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

**Serial #: 6752 Inside**

Press @ Run Depth: 26.64 psig @ 4087.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2015.11.21

End Date:

2015.11.22

Last Calib.: 2015.11.22

Start Time: 20:55:01

End Time:

04:32:00

Time On Btm: 2015.11.21 @ 23:23:20


Time Off Btm: 2015.11.22 @ 02:24:39

TEST COMMENT: 30-IF- Blow built to 1/2"

60-ISI- No return

30-FF- No blow

60-FSI- No return



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2040.45	113.54	Initial Hydro-static
1	17.58	112.99	Open To Flow (1)
31	22.13	113.94	Shut-In(1)
90	315.96	115.08	End Shut-In(1)
91	24.71	114.95	Open To Flow (2)
121	26.64	115.12	Shut-In(2)
181	163.29	116.14	End Shut-In(2)
182	2017.17	116.61	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
10.00	OCM 5%O 95%M	0.05

## Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

\* Recovery from multiple tests





Serial #: 8322

Outside Suemaur Expl. & Prod. LLC

Oelke #1

DST Test Number: 5

