

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

OPERATOR: License#		month da	ay year	Spot Description:	
SECTION: Regular Irregular Ref from N / W Line of Suddress 1: Section Ref from E / W Line of Suddress 2: Section: State: Zip: + State: Zip: + Section Ref from E / W Line of Suddress 2: Section: State: Zip: + Section Ref from E / W Line of Suddress 2: Section: State: Zip: + Section Ref from E / W Line of Suddress 2: Section: State: Zip: + Section Ref from E / W Line of Suddress 2: Section: State: Zip: + Section: Section Ref from E / W Line of Suddress 2: Section: S		monui da	iy year	(0/0/0/0)	E\
doises 1: doises 2: doises	PERATOR: License#			feet from N / S L	
Water Locate well on the Section Plat on revense sides	lame:				ine of Section
County:	ddress 1:			Is SECTION: Regular Irregular?	
County - Service					
Lease Name: Well #: Field Name:	ity:	State: 2	Zip: +	•	
Field Name: Well Drillod For: Well Class: Type Equipment: Target Formation(s): Search Class or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Nearest Lease of the footage line line line Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Start Policion or line line line Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Nearest Leas					
Target Formation(s): Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Gas Storage Pool Ext. Air Rotary Gas Storage Pool Ext. Air Rotary Guille Seasimic: # of Holes Other Other: Original Completion Date: Original Completion Date: Original Completion Date: Other:	hone:				
Target Formation(s): Type Equipment: Nearest Lease or unit boundary line (in footage): Secular Computer	ONTRACTOR: License#.			Is this a Prorated / Spaced Field?	Yes N
Ground Surface Elevation: feet Mud Rotary Water well within one-quarter mile: water water: Season: water: water: Season: water: water: Season: water: wat	lame:			Target Formation(s):	
Ground Surface Elevation: feet Mud Rotary Mark Rotary Water well within one-quarter mile: water water: Mark Rotary Water well within one-quarter mile: water water: Mark Rotary Water water: Depth to bottom of usable water: Depth to Bott	Well Drilled For:	Wall Class:	Type Fauinment:		
Gas Storage Pool Ext Air Rotary Pool Ext A				• • • • • • • • • • • • • • • • • • • •	
Cable Disposal Wildcat Cable Disposal Wildcat Cable Disposal Wildcat Cable Disposal Wildcat Cable Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I II Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Depth to bottom of usable water: Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Depth to bottom of usable water: Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Directional, Deviated or Horizontal wellbore? Yes No Water Source for Drilling Operations: Water Source for Drilling Operations: DWR Permit #: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Wes Will Cores be taken? Wes		=	= '	_	
Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of leaf of the property Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of fresh vater: Depth to bottom of fresh vater: Depth to bottom of fresh vater: Depth to bottom of usable water: Depth to bottom of fresh vater: Depth to bottom of usable water: Depth to bottom of usab		° =			Yes N
Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate:			Cable		
Surface Pipe by Alternate:					
Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: Well Farm Pond O					
Length of Conductor Pipe (if any):	If OWWO: old well	information as follows:			
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth:	Operator:				
Original Completion Date:Original Total Depth:	•				
Water Source for Drilling Operations: Water Surce As Parm Don					
Well Farm Pond Other:	g	<u></u> g			
Vest true vertical depth:	Directional, Deviated or Ho	rizontal wellbore?	Yes No		
(Note: Apply for Permit with DWR) Yes	f Yes, true vertical depth: $_$				
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. to agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Conductor pipe required				- (Note: Apply for Permit with DWR)	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. District Electronically Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain plugging report (CP-4) after plugging is completed (within 60 days);	(CC DKT #:			Will Cores be taken?	Yes N
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. District Office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Certification form CDP-1) with Intent to Drill; - File Certification form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Output the description of the propriet of the provided provided in the propriet of the provided provided in the plugging is post to be provided to the provided provided in the provided provided provided in the provided provided provided prov				If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);			٨Ε	FIDAVIT	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dibmitted Electronically Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit Plugging report (CP-4) after plugging is completed (within 60 days);	The undersigned hereby	affirms that the drilling			
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Dibmitted Electronically Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit Plugging report (CP-4) after plugging is completed (within 60 days);	-	_		lagging of this well will comply with N.S.A. 55 et. seq.	
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. District office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugging; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit the proported before disposed within 60 days); Obtain written construct to the top; in all cases	is agreed that the follow				
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Certification (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);				d. 4292 2 -	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Dibmitted Electronically Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approprial before disposing as placeting coll water.		oved notice of intent to ℓ	drill <i>snall be</i> posted on ead	G G.	
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. For KCC Use ONLY API # 15	2. A copy of the appro		enocified below chall be co		o f
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Image: Conductor pipe required	 A copy of the appro The minimum amore 	unt of surface pipe as s		he underlying formation.	et
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Library district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	 A copy of the appro The minimum amore through all unconsorted 	unt of surface pipe as s plidated materials plus	a minimum of 20 feet into t	·	
round the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: For KCC Use ONLY API # 15	 A copy of the appro The minimum amounthrough all unconso If the well is dry ho The appropriate dis 	unt of surface pipe as solidated materials plus a le, an agreement betwe strict office will be notifie	a minimum of 20 feet into the een the operator and the dis ed before well is either plug	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in;	ing;
### Remember to: For KCC Use ONLY API # 15	 A copy of the appro The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I 	unt of surface pipe as soblidated materials plus and agreement betweetict office will be notified to COMPLETION, produ	a minimum of 20 feet into the the operator and the die de before well is either pluguetion pipe shall be cement	strict office on plug length and placement is necessary prior to plugg gged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud of	iing; late.
Remember to: For KCC Use ONLY API # 15	 A copy of the approach The minimum amounthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	unt of surface pipe as soblidated materials plus a le, an agreement betwe strict office will be notified I COMPLETION, produ endix "B" - Eastern Kar	a minimum of 20 feet into the the operator and the dised before well is either pluguetion pipe shall be cementhes surface casing order #	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of \$133,891-C, which applies to the KCC District 3 area, alternate II cemerates.	<i>ling;</i> late. enting
Remember to: For KCC Use ONLY API # 15	 A copy of the approach The minimum amount through all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	unt of surface pipe as soblidated materials plus a le, an agreement betwe strict office will be notified I COMPLETION, produ endix "B" - Eastern Kar	a minimum of 20 feet into the the operator and the dised before well is either pluguetion pipe shall be cementhes surface casing order #	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of \$133,891-C, which applies to the KCC District 3 area, alternate II cemerates.	<i>ling;</i> late. enting
Remember to: For KCC Use ONLY API # 15	 A copy of the approach The minimum amount through all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App 	unt of surface pipe as soblidated materials plus a le, an agreement betwe strict office will be notified I COMPLETION, produ endix "B" - Eastern Kar	a minimum of 20 feet into the the operator and the dised before well is either pluguetion pipe shall be cementhes surface casing order #	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of \$133,891-C, which applies to the KCC District 3 area, alternate II cemerates.	<i>ling;</i> late. enting
For KCC Use ONLY API # 15	 A copy of the approsentations. The minimum amount through all unconstants. If the well is dry hosentations. The appropriate distants. If an ALTERNATE I Or pursuant to Appropriate distants. 	unt of surface pipe as solidated materials plus a le, an agreement betwe strict office will be notifice I COMPLETION, produendix "B" - Eastern Kar within 30 days of the solidated as solid	a minimum of 20 feet into the the operator and the dised before well is either pluguetion pipe shall be cementhes surface casing order #	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of \$133,891-C, which applies to the KCC District 3 area, alternate II cemerates.	<i>ling;</i> late. enting
API # 15	 A copy of the approsimate a copy of the appropriate discovered and a copy of the appropriate discovered and a copy of the appropriate discovered and a copy of the appropriate of the appropri	unt of surface pipe as solidated materials plus a le, an agreement betwe strict office will be notifice I COMPLETION, produendix "B" - Eastern Kar within 30 days of the solidated as solid	a minimum of 20 feet into the the operator and the dised before well is either pluguetion pipe shall be cementhes surface casing order #	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of \$133,891-C, which applies to the KCC District 3 area, alternate II cemerates.	<i>ling;</i> late. enting
Conductor pipe required	 A copy of the approach The minimum amount through all unconsorus If the well is dry horal The appropriate dis If an ALTERNATE I Or pursuant to Appropriate dis 	unt of surface pipe as solidated materials plus a le, an agreement betwe strict office will be notifice I COMPLETION, produendix "B" - Eastern Kar within 30 days of the solidated as solid	a minimum of 20 feet into the the operator and the dised before well is either pluguetion pipe shall be cementhes surface casing order #	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of £133,891-C, which applies to the KCC District 3 area, alternate II cemple plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing the product of the KCC District of the prior to any cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing the prior to	ning; late. enting ng.
File Completion Form ACO-1 within 120 days of spud date; Approved by: This authorization expires: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	2. A copy of the approsence of the control of the	unt of surface pipe as solidated materials plus ale, an agreement betweetrict office will be notifice to COMPLETION, produendix "B" - Eastern Kar within 30 days of the solically	a minimum of 20 feet into the disen the operator and the disen the operator and the dised before well is either pluguction pipe shall be cement has surface casing order #spud date or the well shall be	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of \$133,891-C, which applies to the KCC District 3 area, alternate II cemple plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing the prior to any cem	ning; late. enting ng.
Minimum surface pipe required	2. A copy of the approsection of the minimum amount through all unconsocential of the well is dry howard for the appropriate discontinuous of the appropriate discon	unt of surface pipe as solidated materials plus alle, an agreement betweetrict office will be notificed in COMPLETION, producendix "B" - Eastern Karwithin 30 days of the solically	a minimum of 20 feet into the disen the operator and the disen the operator and the dised before well is either pluguction pipe shall be cement as surface casing order supud date or the well shall be	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of 133,891-C, which applies to the KCC District 3 area, alternate II cember plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing the Complex of the Kansas Surface Owner Not Act (KSONA-1) with Intent to Drill;	ning; late. enting ng.
Approved by: Notify appropriate district office 48 hours prior to workover or re-entry; This authorization expires: Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approved before dispossing or injection soft water.	2. A copy of the approsection of the minimum amount through all unconsocential of the well is dry howard for the appropriate discontinuous of the appropriate discon	unt of surface pipe as solidated materials plus alle, an agreement betweetrict office will be notificed in COMPLETION, producendix "B" - Eastern Karwithin 30 days of the solically	a minimum of 20 feet into the disen the operator and the disen the operator and the dised before well is either pluguction pipe shall be cement as surface casing order supud date or the well shall be	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud of the fraction of the	ning; late. enting ng.
This authorization expires: Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approved before disposing or injecting salt water.	2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis unconsorted by the completed Ibmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	unt of surface pipe as solidated materials plus alle, an agreement betweetrict office will be notifice I COMPLETION, producendix "B" - Eastern Karwithin 30 days of the solically	a minimum of 20 feet into the disen the operator and the dised before well is either pluguction pipe shall be cement as surface casing order spud date or the well shall be a spud feet	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud of the first specific spec	ning; late. enting ng.
This authorization expires:	2. A copy of the appro 3. The minimum amore through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate be completed Jubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe received.	unt of surface pipe as solidated materials plus a le, an agreement betweetrict office will be notificed in COMPLETION, produced within 30 days of the solically	a minimum of 20 feet into the disen the operator and the disent he operator and the dised before well is either pluguction pipe shall be cement insas surface casing order from the well shall be spud date or the well shall be feet feet feet feet feet insas surface.	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud of the first specific spec	ling; late. enting ng.
	2. A copy of the approsence of the composition of	unt of surface pipe as solidated materials plus alle, an agreement betweetrict office will be notifice I COMPLETION, producendix "B" - Eastern Karwithin 30 days of the solically	a minimum of 20 feet into the disen the operator and the disent he operator and the dised before well is either pluguction pipe shall be cement insas surface casing order from the well shall be spud date or the well shall be feet feet feet feet feet insas surface.	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud of the first specific spec	ling; late. enting ng. ification
- If well will not be drilled or permit has expired (See: authorized expiration date	2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approved by: Conductor pipe required Minimum surface pipe rec Approved by: This authorization expires	unt of surface pipe as solidated materials plus a le, an agreement betwee strict office will be notifice I COMPLETION, producendix "B" - Eastern Kar within 30 days of the solically	a minimum of 20 feet into the en the operator and the disenthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order found date or the well shall be the control of the well shall be th	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud of the first specific spec	ling; late. enting ng. ification
Spud date: Agent: please check the box below and return to the address below.	2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approved by: Conductor pipe required Minimum surface pipe received authorization expires	unt of surface pipe as solidated materials plus a le, an agreement betwee strict office will be notifice I COMPLETION, producendix "B" - Eastern Kar within 30 days of the solically	a minimum of 20 feet into the en the operator and the disenthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order found date or the well shall be the control of the well shall be th	strict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud of the transport of the tr	late. enting ng. iffication y; days);



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	is Section. Regular of Integular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
PL	AT
Show location of the well. Show footage to the nearest le	
lease roads, tank batteries, pipelines and electrical lines, as requ	
You may attach a sep	parate plat if desired.
	555 it.
	946 ft.
	946 ft.
	Tank Battery Location
	: Electric Line Location
	Lease Road Location
	Eease Road Location
	:
	EXAMPLE : :
	<u>:</u>
5	
	······.
	<u> </u>
	[:]
	1980' FSL
	`
	<u>· L</u>

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued in the continue	Existing nstructed:(bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to nearest water well within one-mile of	of nit	Denth to shallo	west fresh waterfeet.
Distance to nearest water well within one-fille t	л рп.	Source of infor	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: king pits to be utilized: procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		·	e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1275349

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	_ Well Location:		
Name:			
Address 1:			
Address 2:			
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or		
Contact Person:	the lease helow:		
Phone: () Fax: ()	_		
Email Address:	-		
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	accepts and in the real estate preparts toy records of the accepts traceurer		
City: State: Zip:+	_		
are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	ank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Be Act (House Bill 2032), I have provided the following to the surface the located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form mobeing filed is a Form C-1 or Form CB-1, the plat(s) required by this		
form; and 3) my operator name, address, phone number, fax	, and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this less of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			

shown on thi

H & B PETROLEUM CORPORATION SALEM FARMS LEASE NE. 1/4, SECTION 5, T21S, R12W STAFFORD COUNTY, KANSAS

STAFFORD COUNTY, KANSAS (NE. 210TH ST.) PAVED ROAD FENCE GATE A GRAVEL ROAD COPPOSITE LOC Drillsite Location PLANTED GROUND Salem Forms #1 539'FNL 932'FEL -Ground Elevation = 1850 Y = 580023 X = 1954350State Plane-NAD 27-Kansas South (Mapping Grade GPS Used) Latitude 38.259552 Longitude -98.659432 MG5 84-NAD 83 *Alternate Location (20'SW. of Loc.) 553'FNL 946'FEL Ground Elevation = 1850 $Y = 580009 \quad X = 1954336$ Latitude 38.259491 Longitude -98.659402 Notes: 1. Set iron rod at location site. 2. All flagging Red & Yellow. 3. Overhead power available at N., S. & W. lines. Sec. 5. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION; Various pipelines in Sec.5. 6. Cattle in planted ground at date of staking. 7. Contact landowner for best access and as to location of iron rods in planted ground. 8. Location fell 20'SW. of a pivot system wheel track, set alternate 20'SW. per instructions. (NE. 200TH ST.) GRAVEL ROAD 5 201 NATIONA WILDLIFT REFUGE (219)

● Elevations derived from Natlanal Geodetic Vartical Detum

Jonuary 5, 2016

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

e Controlling 8016 is based upon the best mass and photographs available to up and upon a regular section of land containing 640 mores.

[•] Approximate section I limit were determined using the normal standard of care of olifield surveyors procining in the state of Knoso. The section corpers, which extends in the precise section (ingest were not necessarily) located, and the edoct location of the delicitie location in the section is not perfectly the edoctory according to the device and occuping this plot and all other processors are section to the edoctory according to the section of the edoctory according to the

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

January 08, 2016

Al Hammersmith H & B Petroleum Corp. PO BOX 277 ELLINWOOD, KS 67526-0277

Re: Drilling Pit Application Salem Farms 1 NE/4 Sec.05-21S-12W Stafford County, Kansas

Dear Al Hammersmith:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.