

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1276190

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
□ Oil □ WSW □ SHOW □ Gas □ D&A □ ENHR □ SIGW □ OG □ GSW □ Temp. Abd. □ CM (Coal Bed Methane) □ Cathodic □ Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite:
☐ ENHR Permit #: ☐ GSW Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. Twp. S. R. East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
☐ Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Page Two



Operator Name:			Lease Name: _			Well #:		
Sec Twp	S. R	East West	County:					
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.								
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	n. Digital elec	tronic log
Drill Stem Tests Taken Yes No Log Formation (Takach Additional Sheets)							Samp	
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING	RECORD Ne	ew Used				
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
		ADDITIONAL	OFMENTING / OOL					
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa		
Perforate	Top Bottom	Type of Cement	ement # Sacks Used Type and Percent Additives			ercent Additives		
Protect Casing Plug Back TD								
Plug Off Zone								
Did vou perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)	
	=	raulic fracturing treatment ex	xceed 350,000 gallons			p question 3)	,	
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cement			Depth
	Сроспу Г	octago of Laon morvari of	ioratou	(>1	mount and rand or ma	teriar Good)		Борит
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN							
Fotimeted Day 1 . C	0" -	Flowing			Other (Explain)) O" D "		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:	
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled			
	bmit ACO-18.)	Other (Specify)	(Submit)	ACO-5) (Sub	omit ACO-4)			

Form	ACO1 - Well Completion		
Operator	Town Oil Company Inc.		
Well Name	Dempsay Family Trust 1		
Doc ID	1276190		

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	Portland	3	50/50 POZ

Town Oilfield Service

P.O Box 339 Louisburg, Ks 66053 913-837-8400

icket Number_	
ocation	
oreman	

Field Ticket & Treatment Report Cement

			Cem	ent			
Date Cu	ustomer# Well	Name &	Number	Section	Township	Range	Count
3-25-15	Den	25eY *	4//	29	17	21	FR
stomer	,		Mailing Ad				
			City		State	Zip Code	
Type <u>Plag</u>	Hole Size	5/8	Hole Depti	7/8	_ Casing Size	& Weight	
sing Depth	Drill Pipe	T	ubing		Other		
splacement	Displacement PSI		Mix PSI		Rate		
count Code	Quantity or Units	n.	scription	of Services or	Product	Unit Price	Total
	- Cadinety of Office		mp Charge				
			ment Truck				
		Wa	ater Truck	<u>.</u> .			
	19D 50c's	Ce	ment				
		Ge					_
		Plu	ıg				
				_		Sales Tax	
						Estimated Total	100
\sim						- 0 /= 1 C	_

 Franklin County, KS Town Oilfield Service, Inc.
Well:Dempsay Fam. Trus 11 (913) 837-8400 Commenced Spudding:
Lease Owner: Town Oil Co.

WELL LOG

hickness of Strata	Formation	Total Depth
0 - 5	Soil	5
5	Rock / Lime	10
97	Shale	107
17	Lime	124
17	Shale	141
3	Lime	144
11	Shale	155
5	Lime	160
35	Shale	195
17	Lime	212
9	Shale	221
29	Lime	250
9	Shale	259
21	Lime	280
5	Shale	285
4	Lime	289
1	Shale	290
6	Hertha	296
139	Shale	435
5	Lime	440
13	Shale	453
12	Lime	465
47	Shale	512
4	Lime	516
11	Shale	527
3	Lime	530
18	Shale	548
9	Lime	557
4	Limey Sand	561
5	Shale	566
2	Sand	568
2	Sandy Shale	570
2	Shale	572
1	Sand	573
61	Shale	634
8	Sand	642
42	Shale	684
1	Sandy Shale	685
33	Shale	718

Short Cuts

TANK CAPACITY

BBLS. (42 gai.) equals D2x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

TO FIGURE PUMP DRIVES

- * D Diameter of Pump Sheave
- * d Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - RPMxd over SPMxR

d - SPMxRxD over RPM

SPM - RPMXD over RxD

R - RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) + $\frac{(D-d)^2}{4C}$

* Need these to figure belt length

WATTS = AMPS

TO FIGURE AMPS:

VOLTS

746 WATTS equal 1 HP

Log Book

Well No.		
FarmDem	psay Fai	mily Tro
US (State)	F	County)
29 (Section)	(Township)	2 <u>/</u> (Range)
For	(Well Owner)	

Town Oilfield Services, Inc.

1207 N. 1st East Louisburg, KS 66053 913-710-5400

DFT Form: Franklin County	. CA	ASING AI	ND TUBING	MEASU	JREMENTS	
State; Well No.	Feet	ln.	Feet	ln.	Feet	ln.
Elevation			_			
Commenced Spuding August 3 20 15				1		
Finished Drilling20	, 			1		
Driller's Name Jeff 16WN	-	 - 		1 1	- .	
Finished Drilling		†		1		
Driller's Name						
Tool Dresser's Name						
Tool Dresser's Name				. • •		
Tool Dresser's Name						
Contractor's Name						
29 17 21						
(Section) (Township) (Range)	·					
Distance fromft.					_	
F					· .	
Distance from ft.	<u></u>					
7 //-						
J Sac165						
	<u> </u>					
CASING AND TUBING	<u> </u>		<u>.</u>			
RECORD						
10" Set 10" Pulled						
8" Set 8" Pulled						
6%" Set 201 6%" Pulled						
					·	
, , , , , , , , , , , , , , , , , , ,					<u></u>	
2" Set 2" Pulled			-1-			

Thickness of Strata	Formation	Total Depth	Remarks
0-5	Sort	5	Remarks
5	Rock/Lime_	10	
97	Shale_	107	
	Line	124	
	Shalf	141	
3	Lome	144	
	Shafe	155	
	FIME	160	
35	Shale	195	
	Lime	212	
9	Shale	250	
29	Lome	150	
7	<u>thale</u>	280	
7	Lime	200	
_5	Shale	289	
	Lime	289	
	Shale Hertha	796	
139	Shale	1225	
139	Lime	440	
12	Shale	453	
12	Line	465	
44	Shale	315	
- प	Lime	516	•
11	Shahe	527	
3	line	530	
10	Shale	540	

-2-

540

		010	
Thickness of Strata	Formation	Total Depth	Remarks
9	Line	567	Brown, No Odor
4	Liney Sand	561	Glight odor
5	Shall e	56G	
2	Sand	568	Black Sand, Solid, Com
_ 2	Sandy Shalf	570	Vera 14+1e CII
2_	Shale	512	
	Sand	573	Gran
6	Shale	1634	
	Sand	642	Brown, Slight bleed.
42_	Shale	684	3,0
	Sundy Shale	685	
33	Shate	718	
	-		
			*
		T	
		#	

-5-

