

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | · | |
| SGA? | Yes No | |

Kansas Corporation Commission Oil & Gas Conservation Division

1276560

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|--|--|
| month day year | |
| ODERATOR, Licensett | (Q/Q/Q/Q) feet from N / S Line of Section |
| OPERATOR: License# Name: | feet from E / W Line of Section |
| Address 1: | Is SECTION: Regular Irregular? |
| Address 2: | |
| City: State: Zip: + | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: | County: |
| Phone: | Lease Name: Well #: |
| CONTRACTOR, Licensett | Field Name: |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? |
| Name: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| | Surface Pipe by Alternate: III |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other: |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| KCC DKT #: | Will Cores be taken? Yes No |
| | If Yes, proposed zone: |
| | |
| AFF | IDAVIT |
| | |
| The undersigned hereby affirms that the drilling, completion and eventual plu | |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: | |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | gging of this well will comply with K.S.A. 55 et. seq. |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: | gging of this well will comply with K.S.A. 55 et. seq. drilling rig; |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the | gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set aunderlying formation. |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. circi office on plug length and placement is necessary prior to plugging ; |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. circi office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. bict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. | drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. | drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> and underlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; afform below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Circi office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 - | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date. By 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. Fict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the states. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

| Well will not be drilled or Permit Expired | Date: | _ |
|--|-------|-------|
| Signature of Operator or Agent: | | |
| | | |

Side Two



| For KCC Use ONLY | |
|------------------|---|
| API # 15 | - |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: | | | |
|---------------------------------------|--|--|--|--|
| Lease: | feet from N / S Line of Section | | | |
| Well Number: | feet from E / W Line of Section | | | |
| Field: | SecTwpS. R 🗌 E 🔲 W | | | |
| Number of Acres attributable to well: | Is Section: Regular or Irregular | | | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | | | |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

2942 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | | | |
|---|---|--|---|--|--|--|
| Operator Address: | | | | | | |
| Contact Person: | | | Phone Number: | | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit is: Proposed Existing If Existing, date constructed: Pit capacity: | | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of Section | | | |
| | | (bbls) | County | | | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? | | | |
| Pit dimensions (all but working pits): | Length (fee | et) | Width (feet) N/A: Steel Pits | | | |
| Depth fro | om ground level to dee | epest point: | (feet) No Pit | | | |
| material, thickness and installation procedure. liner integrity, including any special monitoring. | | | | | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallowest fresh water feet. Source of information: | | | | |
| feet Depth of water wellfeet | | | measured well owner electric log KDWR | | | |
| Producing Formation: Typ Number of producing wells on lease: Number of producing wells on lease: Typ | | | ver and Haul-Off Pits ONLY: Il utilized in drilling/workover: king pits to be utilized: procedure: | | | |
| Submitted Electronically | | | | | | |
| | КСС | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS | | | |
| Date Received: Permit Numl | ber: | Permi | t Date: Lease Inspection: Yes No | | | |



1276560

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

| OPERATOR: License # | Well Location: | | | |
|---|---|--|--|--|
| Name: | SecTwpS. R | | | |
| Address 1: | County: | | | |
| Address 2: | Lease Name: Well #: | | | |
| City: | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: | | | |
| Phone: () Fax: () | | | | |
| Email Address: | | | | |
| Surface Owner Information: | | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | | |
| Address 2: | county, and in the real estate property tax records of the county treasurer. | | | |
| City: State: Zip:+ | | | | |
| are preliminary non-binding estimates. The locations may be entered | nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | | |
| Select one of the following: | | | | |
| owner(s) of the land upon which the subject well is or will be | Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. | | | |
| KCC will be required to send this information to the surface of | acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. | | | |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF | g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned. | | | |
| Submitted Electronically | | | | |
| I | _ | | | |

| For KCC Use ONLY | |
|------------------|---|
| API # 15 | - |


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: | | | |
|---------------------------------------|--|--|--|--|
| Lease: | feet from N / S Line of Section | | | |
| Well Number: | feet from E / W Line of Section | | | |
| Field: | Sec Twp S. R | | | |
| Number of Acres attributable to well: | Is Section: Regular or Irregular | | | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | | | |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2942 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

DAVID CALLEWAERT

(Print Name)

Kansas Corporation Commission Oil & Gas Conservation Division

1161481

✓ Employee of Operator or ☐ Operator on above-described well,

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD

| OPERATOR: License #: 30 | 0129 | KAK. O. | Z-J-117 | API No. 15 | _ 15-191-222 | 13-00-01 | |
|---|------------------------------|-----------------------------|-------------|---|------------------------|---|--|
| Name: Eagle Creek Corporation | | | | Spot Description: | | | |
| Address 1: 150 N MAIN STE 905 | | | | SE SW SW NW = 20 = 32 = 1 7 = | | | |
| Address 2: | | | | | | North / South Line of Section | |
| City: WICHITA State: KS Zip: 67202 + 131 Contact Person: DAVE CALLEWAERT Phone: (316) 264-8044 | | | 7 | | | | |
| | | | | | | | |
| | | | | | | | |
| Type of Well: (Check one) | | | | | | | |
| | | SWD Permit #: <u>D26701</u> | | Lease Name: FISHER Well #: 1-20 | | | |
| | | rage Permit#: | _ | | | | |
| ls ACO-1 filed? ✓ Yes | No If not, is well | log attached? Yes | No | The plugging proposal was approved on: (Date) | | | |
| Producing Formation(s): List A | · | | | by: | | (KCC District Agent's Name) | |
| Depth to | • | m: T.D | | Plugging Commenced: 10/4/2013 Plugging Completed: 10/4/2013 | | | |
| Depth to | · | m: T.D | | | | | |
| Depth to |) lop: Botto | m:T.D | | | | | |
| Show depth and thickness of a | all water, oil and gas forma | tions. | | | | | |
| Oil, Gas or Water | Records | Casing I | | Record (Surfa | nce, Conductor & Produ | ction) | |
| Formation | Content | Casing | Size | | Setting Depth | Pulled Out | |
| | | surface | 8.625 | | 451 | 0 | |
| | | production | 5.5 | | 4159 | 0 | |
| | | production | 0.0 | | 1100 | | |
| | | | | | | | |
| | | | | | | | |
| Describe in detail the manner cement or other plugs were us | | 9 | | - | | ds used in introducing it into the hole. If | |
| SET WIRELINE BR | IDGE PLUG AT 4 | 4125 MIXED AND | RAN 2 | SACKS | S OF CEMENT | ON WIRELINE DUMP | |
| | | | | | | LISHED CIRCULATION. | |
| | | , | | , | | ATED TO SURFACE. | |
| LEFT 5.5" CASING | FULL OF CEME | NT FROM 501 TO | GROL | JND LEV | /EL. | | |
| KCC WITNESS: ST | EVE VAN GIESO | ON | | | | | |
| | | | | | | | |
| Plugging Contractor License # | 33961 | | Name: _ | Consol | idated Oil Well | Services LLC | |
| Address 1: 1322 S GRANT | | | | | | | |
| | | | | | | zin: 66720 + | |
| Phone: (620) 431-92 | | | | _ 3.0.0. <u></u> | | p. <u>p ·</u> | |
| Name of Party Responsible fo | | F CREEK CORPO | RATIO | -)N | | | |
| • | County, _ | | | | | | |
| State of | County, _ | | | , ss. | | | |

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

January 14, 2016

Joseph Forma O'Brien Energy Resources Corp. 18 CONGRESS ST, STE 207 PORTSMOUTH, NH 03801-4091

Re: Drilling Pit Application Fisher 1-20 NW/4 Sec.20-32S-01E Sumner County, Kansas

Dear Joseph Forma:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.