



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1278657
OIL & GAS CONSERVATION DIVISION

Form ACO-1
August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1278657

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	-------	---------	------------	---

Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____
---	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	--	---

Drillers Log

Company SCZ Resources
 Farm New Cannon
 NC#1
 Operator#
 Surface Pipe 21 5ft with 6 sacks

Contractor David Wrestler
 License # 7160
 County Allen
 Sec 28/26/18e
 Location 165 fld
 Location 165 fld

Spot

started 7-20-2015

finished 7-21-2015

Thickness		Depth	Remarks
0-4ft	Top soil	4ft	
27ft	lime	31ft	
24ft	Shale	55ft	
19ft	lime	64ft	
50ft	Shale	114ft	
151ft	lime	265ft	
43ft	Shale	428ft	
15ft	lime	443ft	
7ft	green sand	450ft	
3ft	sand	453ft	
65ft	Shale	528ft	
15ft	lime	543ft	
47ft	Shale	590ft	
17ft	lime	607ft	20 ft Lime
13ft	Shale	620ft	
5ft	lime	625ft	5ft Lime
79ft	Shale	704ft	
3ft	lime	707ft	
53ft	Shale	760ft	
2ft	sand	762ft	Oder
6ft	Shale	768ft	
8ft	oil sand	776ft	Very Good Bleed
2ft	brk sand	778ft	oil show
74ft	Shale	852ft	
	T D Well 852		
	T D Pipe 848		
892 T D Pipe			

Kepley Well Service, LLC

19245 Ford Road
Chanute, KS 66720

Date	Invoice #
8/5/2015	50691

Cement Treatment Report

SCZ Resources LLC
8614 Cedarspur Drive
Houston, TX 77055

(x) Landed Plug on Bottom at 800 PSI
 () Shut in Pressure psi
 (x) Good Cement Returns
 () Topped off well with _____ sacks
 (x) Set float shoe

TYPE OF TREATMENT: Production Casing
 HOLE SIZE: 5 5/8"
 TOTAL DEPTH: 852

Well Name	Terms	Due Date		
New Cannon	Net 15 days	8/15/2015		
Service or Product	Qty	Per Foot Pricing/Unit Pricing	Amount	
Run and cement 2 7/8" Sales Tax	852	3.00 7.75%	2,556.00 0.00	
<div style="border: 2px solid black; border-radius: 15px; padding: 10px; width: fit-content; margin: 0 auto;"> 7-24-15 New Cannon #NC1 Allen County Section: Township: Range: </div>				

Hooked onto 2 7/8" casing. Established circulation with 1 1/2 barrels of water, 2 GEL, METSO, COTTONSEED ahead, blended 90 sacks of 2% cement, dropped rubber plug, and pumped 4.9 barrels of water

Total	\$2,556.00
Payments/Credits	\$0.00
Balance Due	\$2,556.00

Kepley Well Service, LLC

19245 Ford Road
Chanute, KS 66720

Date	Invoice #
8/14/2015	50710

Cement Treatment Report

SCZ Resources LLC
8614 Cedarspur Drive
Houston, TX 77055

(x) Landed Plug on Bottom at 900 PSI
 () Shut in Pressure psi
 (x) Good Cement Returns
 () Topped off well with _____ sacks
 (x) Set float shoe

TYPE OF TREATMENT: Production Casing
 HOLE SIZE: 5 5/8"
 TOTAL DEPTH: 852

48-1103536	Terms	Due Date
New Cannon	Net 15 days	8/24/2015

Service or Product	Qty	Per Foot Pricing/Unit Pricing	Amount
Run and cement 2 7/8"	852	3.00	2,556.00
Sales Tax		7.75%	0.00

8-7-15
New Cannon #NC2
Allen County
Section:
Township:
Range:

Hooked onto 2 7/8" casing. Established circulation with 2.5 barrels of water, 2 GEL, METSO, COTTONSEED ahead, blended 87 sacks of 2% cement, dropped rubber plug, and pumped 4.9 barrels of water

Total	\$2,556.00
Payments/Credits	\$0.00
Balance Due	\$2,556.00

Phone #	E-mail
620-431-9212	rustypickle@hotmail.com

Kepley Well Service, LLC

19245 Ford Road
Chanute, KS 66720

Date	Invoice #
8/14/2015	50709

Cement Treatment Report

SCZ Resources LLC
8614 Cedarspur Drive
Houston, TX 77055

(x) Landed Plug on Bottom at 800 PSI
 () Shut in Pressure psi
 (x) Good Cement Returns
 () Topped off well with _____ sacks
 (x) Set float shoe

TYPE OF TREATMENT: Production Casing
 HOLE SIZE: 5 5/8"
 TOTAL DEPTH: 895

48-1103536	Terms	Due Date
New Cannon	Net 15 days	8/24/2015

Service or Product	Qty	Per-Foot Pricing/Unit Pricing	Amount
Run and cement 2 7/8" Sales Tax	895	3.00 7.75%	2,685.00 0.00

8-7-15
New Cannon #NC3
Allen County
Section:
Township:
Range:

Hooked onto 2 7/8" casing. Established circulation with 3 barrels of water, 2 GEL, METSO, COTTONSEED ahead, blended 91 sacks of 2% cement, dropped rubber plug, and pumped 5.1 barrels of water

Total	\$2,685.00
Payments/Credits	\$0.00
Balance Due	\$2,685.00

Phone #	E-mail
620-431-9212	rustypickle@hotmail.com

Kepley Well Service, LLC

19245 Ford Road
Chanute, KS 66720

Date	Invoice #
9/4/2015	50749

Cement Treatment Report

SCZ Resources LLC
8614 Cedarspur Drive
Houston, TX 77055

(x) Landed Plug on Bottom at 900 PSI
 () Shut in Pressure psi
 (x) Good Cement Returns
 () Topped off well with _____ sacks
 (x) Set float shoe

TYPE OF TREATMENT: Production Casing
 HOLE SIZE: 5 5/8"
 TOTAL DEPTH: 833

48-1103536	Terms	Due Date		
Allen	Net 15 days	9/14/2015		
Service or Product	Qty	Per Foot Pricing/Unit Pricing	Amount	
Run and cement 2 7/8" in	819	3.00	2,457.00	
Sales Tax		7.75%	0.00	

8-26-15
New Cannon #NC4
Allen County
Section:
Township:
Range:

Hooked onto 2 7/8" casing. Established circulation with 3 barrels of water, 2 GEL, METSO, COTTONSEED ahead, blended 96 sacks of 2% cement, dropped rubber plug, and pumped 5 barrels of water

Total	\$2,457.00
Payments/Credits	\$0.00
Balance Due	\$2,457.00

Phone #	E-mail
620-431-9212	rustypickle@hotmail.com

Kepley Well Service, LLC

19245 Ford Road
Chanute, KS 66720

Date	Invoice #
9/4/2015	50748

Cement Treatment Report

SCZ Resources LLC
8614 Cedarspur Drive
Houston, TX 77055

(x) Landed Plug on Bottom at 900 PSI
 () Shut in Pressure psi
 (x) Good Cement Returns
 () Topped off well with _____ sacks
 (x) Set float shoe

TYPE OF TREATMENT: Production Casing
 HOLE SIZE: 5 5/8"
 TOTAL DEPTH: 855

48-1103536	Terms	Due Date		
Allen	Net 15 days	9/14/2015		
Service or Product	Qty	Per Foot Pricing/Unit Pricing	Amount	
Run and cement 2 7/8" in	848	3.00	2,544.00	
Sales Tax		7.75%	0.00	

8-26-15
New Cannon #NCS
Allen County
Section:
Township:
Range:

Hooked onto 2 7/8" casing. Established circulation with 3 barrels of water, 2 GEL, METSO, COTTONSEED ahead, blended 93 sacks of 2% cement, dropped rubber plug, and pumped 5 barrels of water

Total	\$2,544.00
Payments/Credits	\$0.00
Balance Due	\$2,544.00

Phone #	E-mail
620-431-9212	rustypickle@hotmail.com