

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1279316

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Snot Description:		
month day year	Spot Description:		
	Sec Twp S. R E W		
OPERATOR: License#	feet from N / S Line of Section feet from E / W Line of Section		
Name:	Is SECTION: Regular Irregular?		
Address 1:	is SECTION. Regular Integular:		
Address 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)		
Contact Person:	County:		
Phone:	Lease Name: Well #:		
CONTRACTOR: License#	Field Name:		
Name:	Is this a Prorated / Spaced Field? Yes No		
	Target Formation(s):		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):feet MSL		
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:		
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:		
Disposal Wildcat Cable	Depth to bottom of fresh water:		
Seismic ; # of Holes Other	Depth to bottom of usable water:		
Other:	Surface Pipe by Alternate: I II		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:		
_	Length of Conductor Pipe (if any):		
Operator: Well Name:	Projected Total Depth:		
Original Completion Date: Original Total Depth:	Formation at Total Depth:		
Original Completion Date.	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:		
If Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR)		
KCC DKT #:	Will Cores be taken?		
	If Yes, proposed zone:		
ΔΕΓ	IDAVIT		
The undersigned hereby affirms that the drilling, completion and eventual plu			
It is agreed that the following minimum requirements will be met:	55 5		
Notify the appropriate district office <i>prior</i> to spudding of well;			
, , , ,	drilling rig:		
2. A copy of the approved notice of intent to drill shall be posted on each	ariiirig rig,		
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set 	by circulating cement to the top; in all cases surface pipe shall be set		
 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging</i> ;		
 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in;		
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.		
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	a underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.		
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:		
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification		
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:		
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;		
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	e underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;		
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;		
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);		
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry;		

Location of Well: County: __

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	_

Operator: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease:									feet fro	om N /	S Line	of Section
Well Numb	er:								feet fro	om	W Line	of Section
Field:			_ Se	C	_ Twp S. R		E	W				
Number of QTR/QTR/							15 1	Section:	Regular or Irre	gular		
							If S		rregular, locate well from the state of the		orner bound SW	dary.
		ds, tank t			d electrica	al lines, as	required b		ary line. Show the predi as Surface Owner Notice red.			
			:			:	:	:	L	EGEND		
1155 ft		•)		•••••				— F	Vell Location ank Battery L Pipeline Locat Electric Line L Lease Road L	tion .ocation	
				1	4				EXAMPLE			
			•			•	•	•			:	1980' FSI

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1279316

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:		•	License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:		·		
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West Feet from North / South Line of Section Feet from East / West Line of Section		
Settling Pit Drilling Pit	If Existing, date co	nstructed:			
Workover Pit Haul-Off Pit					
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
	om ground level to dee	,			
If the pit is lined give a brief description of the liner Describe procedu			dures for periodic maintenance and determining any special monitoring.		
material, thickness and installation procedure.		iner integrity, ir	icluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:		west fresh water feet.		
feet Depth of water well	feet	Source of information measured	nation: well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	1661		over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nite must h	e closed within 365 days of spud date.		
ilow into the pit:			e diosed within 300 days of spud date.		
Submitted Electronically					
	KCC	OFFICE USE O			
			Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		

CORRECTION #1

1279316

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Kansas Corporation Commission


OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #			
Name:	·		
Address 1:			
Address 2: City: State: Zip:+			
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
Address 2:			
City: State: Zip:+	-		
the KCC with a plat showing the predicted locations of lease roads, ta	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handlir form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
1			

Shannon Lease Well#30-15 SI4-T2S-RITE Allen Co

1500 FNL and 1155 FWL



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

January 21, 2016

Greg Lair Piqua Petro, Inc. 1331 XYLAN RD PIQUA, KS 66761-1667

Re: Drilling Pit Application API 15-001-31421-00-00 Shannon 30-15 NW/4 Sec.14-25S-17E Allen County, Kansas

Dear Greg Lair:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607. (a)	DISPOSAL OF DIKE AND PIT CONTENTS. Each operator shall perform one of the following when disposing of dike or
pit	
(4)	contents:
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
(2)	dispose of reserve pit waste down the annular space of a well completed
	according to the alternate I requirements of K.A.R. 82-3-106, if the waste to
	be disposed of was generated during the drilling and completion of the well;
or (3)	dispose of the remaining solid contents in any manner required by the
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
	(A) Burial in place, in accordance with the grading and restoration
	requirements in K.A.R. 82-3-602 (f);
	(B) removal and placement of the contents in an on-site disposal area
	approved by the commission;
	(C) removal and placement of the contents in an off-site disposal area
on	
	acreage owned by the same landowner or to another producing
lease	or unit approted by the same approtor if prior written permission
from	or unit operated by the same operator, if prior written permission
пош	the landowner has been obtained; or

	(D)	removal of the contents to a permitted off-site disposal area
approved		
		by the department.
(b)	Each	violation of this regulation shall be punishable by the following:
(1) A \$1,0	000 penalty for the first violation;
(2	a \$2,5	00 penalty for the second violation; and
(3	a \$5,0	000 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.

Summary of Changes

Lease Name and Number: Shannon 30-15

API/Permit #: 15-001-31421-00-00

Doc ID: 1279316

Correction Number: 1

Approved By: Rick Hestermann 01/21/2016

Field Name	Previous Value	New Value
ElevationPDF	1044 Estimated	1039 Estimated
Ground Surface Elevation	1044	1039
KCC Only - Approved By	Rick Hestermann 11/19/2015	Rick Hestermann 01/21/2016
KCC Only - Approved Date	11/19/2015	01/21/2016
KCC Only - Date Received	11/18/2015	01/21/2016
KCC Only - Regular Section Quarter Calls	SW SE NE NW	NE NE SW NW
LocationInfoLink	https://kolar.kgs.ku.edu/kcc/detail/locationInform	https://kolar.kgs.ku.edu/kcc/detail/locationInform
Number of Feet East or West From Section Line	ation.cfm?section=14&t 2195	ation.cfm?section=14&t 1155
Number of Feet East or West From Section Line	2195	1155
Number of Feet North or South From Section Line	1005	1500

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section	1005	1500
Line Quarter Call 2	NE	SW
Quarter Call 3	SE	NE
Quarter Call 4 - Smallest	SW	NE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 71815	//kcc/detail/operatorE ditDetail.cfm?docID=12 79316
Subdivision2	NE	SW
Subdivision3	SE	NE
Subdivision4Smallest	SW	NE

Summary of Attachments

Lease Name and Number: Shannon 30-15

API: 15-001-31421-00-00

Doc ID: 1279316

Correction Number: 1

Approved By: Rick Hestermann 01/21/2016

Attachment Name

No Earthen Pits

Haul Off Pit Application