

C	onfiden	tiality	/ Requested	:
	Yes	N	10	

Kansas Corporation Commission Oil & Gas Conservation Division

1279571

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SHOW □ Gas □ D&A □ ENHR □ SIGW □ OG □ GSW □ Temp. Abd. □ CM (Coal Bed Methane) □ Cathodic □ Other (Core, Expl., etc.): □ If Workover/Re-entry: Old Well Info as follows: Operator: Well Name:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt.
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
□ Commingled Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite:
GSW Permit #:	Cuerter See Two S R Total West
Spud Date or Date Reached TD Completion Date or Recompletion Date	QuarterSec. TwpS. R East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II Approved by: Date:					

Page Two



Operator Name:			Lease Name: _			Well #:		
Sec Twp	S. R	East West	County:					
open and closed, flow and flow rates if gas t	ving and shut-in presson to surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	itic pressures, bott d.	tom hole tempe	erature, fluid r	recovery,
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	n. Digital elec	tronic log
Drill Stem Tests Taken (Attach Additional	•	Yes No		_	on (Top), Depth ar		Samp	
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING	RECORD Ne	ew Used				
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
		ADDITIONAL	OFMENTING / OOL					
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa		
Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives				
Protect Casing Plug Back TD								
Plug Off Zone								
Did vou perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)	
	=	raulic fracturing treatment ex	xceed 350,000 gallons		= ' '	p question 3)	,	
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cement			Depth
	Сроспу Г	octago of Laon morvari of	ioratou	(>1	mount and rand or ma	teriar Good)		Борит
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN				21			
Fotimeted Day 1 2	0" -	Flowing			Other (Explain)) O" D "		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:	
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled			
	bmit ACO-18.)	Other (Specify)	(Submit)	ACO-5) (Sub	omit ACO-4)			

Form	ACO1 - Well Completion
Operator	Piqua Petro, Inc.
Well Name	Shannon 30-15
Doc ID	1279571

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12	7	17	22	CLASS A	10	0
Production	5.625	2.875	6.5	874	CLASS A	115	0



LEIS OIL SERVICES



1410 150th Rd. • Yates Center, Kansas 66783 • (620) 212-0752

Operator License #: 30345	API #: 15-001-31421-00-00
Operator: Piqua Petro, Inc.	Lease: Shannon
Address: 1331 Xylan Rd, Piqua, KS 66761	Well #: 30-15
Phone: (620) 433-0099	Spud Date: 11-24-15 Completed: 11-25-15
Contractor License: 34036	Location: NE-NE-SW-NW of 14-25-17E
T.D.: 879 T.D. of Pipe: 874 Size: 2.875"	1500 Feet From North
Surface Pipe Size: 7" Depth: 22'	1155 Feet From West
Kind of Well: Oil	County: Allen

LOG

Thickness	Strata	From	То	Thickness	Strata	From	To
2	Soil	0	2	4	Shale	771	775
8	Lime	2	10	3	Black Shale	775	778
130	Shale	10	140	4	Shale	778	782
22	Lime	140	162	3	Lime	782	785
15	Shale	162	177	27	Shale	785	812
49	Lime	177	226	3	Lime Streaks	812	815
42	Shale	226	268	12	Oil Sand	815	827
9	Lime	268	277	52	Shale	827	879
20	Shale	277	297				
72	Lime	297	369				
9	Shale/Black Shale	369	378				
28	Lime	378	406				
4	Black Shale	406	410				
33	Lime	410	443				
177	Shale	443	620		T.D. of Pipe		874
10	Lime	620	630		T.D.		879
61	Shale	630	691				
6	Lime	691	697				
5	Shale	697	702	1			
11	Lime	702	713				
4	Shale	713	717				
3	Lime	717	720				
6	Shale	720	726				
5	Lime	726	731				
2	Black Shale	731	733				
21	Shale	733	754				
6	Lime	754	760				
4	Shale	760	764				
7	Lime	764	771				

Leis Oil Services, LLC

1410 150th Rd Yates Center, KS 66783

Invoice

Date	Invoice #
12/30/2015	1080

Bill To	0.00
Piqua Petro, Inc.	
1331 Xylan Rd	
Piqua, KS 66761	

P.O. No.	Terms	Project
	Net 30	

Quantity	Description	Rate	Amount
1	Portable pit	150.00	150.0
10	Cement for surface	11.60	116.0
	Drilling for Shannon 28-15	6.25	5,512.5
1		150.00	150.0
10	Cement for surface	11.60	116.0
	Drilling for Shannon 29-15	6.25	5,493.7
/ 1	Portable Pit	150.00	150.0
(10)	Cement for surface	11.60	116.0
	Drilling for Shannon 30-15	6.25	5,493.7
	Portable Pit	150.00	150.0
	Cement for surface	11.60	116.0
	Drilling for Shannon 31-15	6.25	5,431.2
1	Portable Pit	150.00	150.0
10	Cement for surface	11.60	116.0
	Drilling for Shannon 32-15	6.25	5,431.2
		Total	\$28,692.50

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, coadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The same time to unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contention of strength or mix indicated. We do not assume responsibility for strength test water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contactor does not supply a place to wash truck out. Tow charges are buyers responsibility.

PIODE PIQUA PETRO, INC. 1331 XYLAN RD

LEASE: (SHANNON #30-15

54 W TO GOORD S 3MI TO MINNESOTA RD W 1.5MI WIRE GATE SSD

TIME	FORMULA	LOAD SIZE	YARDS ORDERED				
		The State	TANDO UNDERED		DRIVER/TRUCK	% Air	PLANT/TRANSACTIO
+:21 PM	WELL.	11.50	11.50		AC 32		
DATE	PO NUMBER	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	AL-LCI TICKET NUMBER
11/2 5 /1529-15		1	11.50	29	0.00	4. 22 in	40245

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement! Wear Rubbet Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid-Contact. With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes. Rubst Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting latly sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR. CODE

DESCRIPTION

QUANTITY

TC

PROPERTY DAMAGE RELEASE

(TO BE SIGNED FO ELIVERY TO BE MADE NISIDE CURB LINE)

Dear Customer-The drieve of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his runck may possibly cause damage to the premises and/or adjacent property if it places the metaltain in this lood where you desire is, it is our who to help you in environment of the property of the premises and/or adjacent the metal of the property buildings, sickwalls, of the supplier from any terpressible property buildings, sickwalls, officewally, curbs, etc., by the damage to the premises and/or adjacent from the where of his whelce so that he will not littler the public written, as additional consideration, the undersigned agrees to indemnify and hold harmiess the driver of this truck and this supplier for the truck and this supplier for adjacent property which may be claimed by anyone to have saided adjacent property which may be claimed by anyone to have sidened.

H₂0 Added By Request/Authorized By WEIGHMASTER

UNIT PRICE

EXTENDED PRICE

11.50	WELL WC TRUCKIN MIX&HAU	WINTER G TRUCKIN	Ø SACKS PER CHARGE IG CHARGE AND HAULING	UNIT)	11.50 1.00 2.50 11.50	747.50 2287.50 105.90
9	gengick og j		115	Sacks		\$ 30.00
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLII		TIME ALLOWED	¬
6.35	6:10	8:45	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT	THE ALLOWED	TAX 7.75 € 87.75
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN	8. CITATION 9. OTHER		1 1 0 0 0 0 1 . 1D
11.10	(/	~ ^ *	5. ADDED WATER	-	TIME DUE	
4:50	2.17	5:25				ADDITIONAL OLIVERA
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME				ADDITIONAL CHARGE 1
		- THE TIME			DELAY TIME	ADDITIONAL CHARGE 2
1.75		- 4				11 10-11
* .	E		and the state of t			GRAND TOTAL > \$\pi \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \