

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1279703

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					
CONTRACTOR: License #					
Name:	(e.g. xx.xxxxx) (e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:					
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:				
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:	_				
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Conv. to GSW Conv. to Producer					
	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
ENHR Permit #:					
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1279703
Operator Name:	_ Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS. Chaw important tapa of formations panatrated	tail all aaroo Bapart all final	apping of drill stome tools giving interval tooled, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		.og Formatio	on (Top), Depth and	d Datum	Sample
Samples Sent to Geolog	,	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydraulic	fracturing treatment of	on this well?		Yes	No (If No. skip	o questions 2 an	d 3)
Does the volume of the total	0		ceed 350,000 gallons			o question 3)	/

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

Shots Per Foot		PERFORATION Specify Fo	I RECOF	RD - Bridge F Each Interval	Plugs Set/Typ Perforated)e			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner F	Run:	No	
Date of First, Resumed	I Product	ion, SWD or ENH	٦.	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
				·						
DISPOSITI	ON OF (GAS:			METHOD	OF COMPLE	TION:		PRODUCTION INTE	ERVAL:
Vented Solo	d 🗌	Used on Lease		Open Hole	Perf.	Dually (Submit)	Comp.	Commingled (Submit ACO-4)		
(If vented, Su	bmit ACC	D-18.)		Other (Specify)		(2001111)				

Yes

No

(If No, fill out Page Three of the ACO-1)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	Leis, Victor J.
Well Name	STOCKEBRAND WSW-1
Doc ID	1279703

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	10	8	28	40	PORT	13	NA
Production	7.875	5.5	18	670	OWC	108	NA

	hanute, KS 66720 or 800-467-8676	FIEL	D TICKET & T			PORT	101èe#80	15490
DATE	CUSTOMER #	WELL		MENT	SECTION	TOWNSHIP	RANGE	COUNTY
8-19-15	2463 ,	Storky	hrand, the	Oth.	NE20	24	16	40
CUSTOMER					35. Sec. 19			
MAILING ADDRE	oc 0;1				TRUCK #	DRIVER	TRUCK#	DRIVER
DD	Box 223	?			730 0	19.19.140	SGTERY	Mee
CITY .			ZIP CODE	-	1000	Ko' Dat	ł	
Vates 1	enter	KS	66783	F	SFR	Timpen		
JOB TYPE OF	nsstrins Ho		the second se	DEPTH_	677	CASING SIZE &	WEIGHT	2
CASING DEPTH	120		TUBIN			•	OTHER	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.
SLURRY WEIGH	IT SL	URRY VOL	WATE	R gal/sk_		CEMENT LEFT	n CASING 1/2	5
DISPLACEMENT	r_16_ di	SPLACEMENT		SI	200	RATE 4	spn	
REMARKS: H	eld meet	ing. E	stgblished	l ra	te. N	lixed +	sumped	100#
sel for	lowed b	y 11	bbi dye	Mar	Ker.	Mired	+ pump	red
108 51	K foz Bie	nd F.	A plus	270	gel.	Greyl	ated ,	dye.
Flush	red pun	np d.	ean. Pu.	mpe	de ply	sto ca	ising T	Di
Gircul	ated 5:	551 Ct	ement re	etur.	ns.	well h	eld 800	PST.
_1_10sed	ugice.	·						
	eve heis	Drilling	<i>ç</i>		/	Alan	Moore	<u></u>
ACCOUNT	QUANITY or		DESCRIPT	TION of S	ERVICES of P	A Law o		TOTAL
ACCOUNT				TION of S	ERVICES of P			TOTAL
ACCOUNT CODE (E0450	QUANITY or		PUMP CHARGE	TION of S	ERVICES of P	368	UNIT PRICE	TOTAL
ACCOUNT CODE (E0450 (E0002 1	QUANITY or	>	PUMP CHARGE MILEAGE		ERVICES of P	<u> </u>	1500 00 214 50	TOTAL
ACCOUNT CODE (E0450 (E0002 (E011)	QUANITY or	>	PUMP CHARGE MILEAGE ton m. 185		ERVICES of P	368 368 348	1500 00 214 50 860 00	TOTAL
ACCOUNT CODE (E0450 (E0002 1	QUANITY or	>	PUMP CHARGE MILEAGE			<u> </u>	1500 214 50 300 20 300 20	TOTAL
ACCOUNT CODE (E0450 (E0002 (E011)	QUANITY or	>	PUMP CHARGE MILEAGE ton m. 185		14	368 368 348 675	1500° 214 50 300° 2674,50	
ACCOUNT CODE (E0450 (E0002 (E011)	QUANITY or	>	PUMP CHARGE MILEAGE ton m. 185			368 368 348	1500 214 50 300 20 300 20	тотаL
ACCOUNT CODE (E0450 (E0002 (E011) WE 0853	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE Yon M. ! Les BO Vac	رېر	14	368 368 348 675	1500 214 50 300 26.74.50 1203.53	
ACCOUNT CODE (E0450 (E0002) (E0111) WE 0853 CC 5840	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE Jon M. ! Les BO Vac BO Vac	رېر	14	368 368 348 675	1500° 214 50 300° 2674,50	
ACCOUNT CODE (ED450 (ED002 (E0011 WE 0853 WE 0853 CC 5840 CC 3965	QUANITY or I 3C MIN 3	>	PUMP CHARGE MILEAGE <u>Jon M. 11es</u> <u>BO Vac</u> <u>Poz Blend</u> <u>Gel</u>	رېر	14	368 368 348 675	1500 214 50 300 26.74.50 1203.53	
ACCOUNT CODE (E0450 (E0450 (E0702) (E0711) WE 0853 CC 5840	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE Jon M. ! Les BO Vac BO Vac	Si e T.	15 hebs	368 368 348 675 45% -	1500 214 50 300 26.74.50 1203.53	
ACCOUNT CODE (E0450 (E0102 (E011) WE 0853 CE0111 WE 0853 CE0111 WE 0853 CE0111 (E0111 (E011) (E011) (E011) (E010) (E01	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <i>Jon M. 1 (es 80 Vac</i> <i>Poz Blende</i> <i>Gel</i> <i>51/2 plug</i> <i>51/2 flg</i>	رېر	hess Less	368 368 348 675 45% -	1500 214 50 300 26.74.50 1203.53	
ACCOUNT CODE (E0450) (E0450 (E0450) (E0450 (E0450) (E	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <u>Jon M. 11es</u> <u>BO Vac</u> <u>Poz Blend</u> <u>Gel</u>	R T.	hebs hebs shoe	368 368 348 675 45% -	1500° 214 50 300° 300° 26.74,50 1203.53 1458° 84.30 12500 445° 84.30 12500 445° 81°00	
ACCOUNT CODE (E0450 (E0102 (E011) WE 0853 CC 5840 CC 5840 CC 3965 CP 8179 CP 8379	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <i>Jon M. 1 (es 80 Vac</i> <i>Poz Blende</i> <i>Gel</i> <i>51/2 plug</i> <i>51/2 flg</i>	SI R T. Aper Ma	hebs hebs shoe interial	368 368 348 675 45% -	1500 214 50 300 26.74.50 1203.53 14.58 14.58 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 120 125 120 125 120 125 120 125 120 125 120 125 120 120 125 120 120 120 120 120 120 120 120	1470.9
ACCOUNT CODE (E0450 (E0102 (E011) WE 0853 CC 5840 CC 5840 CC 3965 CP 8179 CP 8379	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <i>Jon M. 1 (es 80 Vac</i> <i>Poz Blende</i> <i>Gel</i> <i>51/2 plug</i> <i>51/2 flg</i>	SI R T. Aper Ma	hebs hebs shoe	368 368 348 675 45% -	1500° 214 50 300° 300° 26.74,50 1203.53 1458° 84.30 12500 445° 84.30 12500 445° 81°00	1470.0
ACCOUNT CODE (E0450 (E0102 (E011) WE 0853 CE0111 WE 0853 CE0111 WE 0853 CE0111 (E0111 (E011) (E011) (E011) (E010) (E01	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <i>Jon M. 1 (es 80 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>S0 Vac</i> <i>S12 plag</i> <i>512 plag</i> <i>512 flag</i>	SI R T. Aper Ma	hebs hebs shoe interial	368 368 348 675 45% -	1500 214 50 300 26.74.50 1203.53 14.58 14.58 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 120 125 120 125 120 125 120 125 120 125 120 125 120 120 125 120 120 120 120 120 120 120 120	1470.0
ACCOUNT CODE (E0450 (E0102 (E011) WE 0853 CC 5840 CC 5840 CC 3965 CP 8179 CP 8379	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <i>Jon M. 1 (es 80 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>S0 Vac</i> <i>S12 plag</i> <i>512 plag</i> <i>512 flag</i>	SI R T. Aper Ma	hebs hebs shoe interial	368 368 348 675 45% -	1500 214 50 300 26.74.50 1203.53 14.58 14.58 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 120 125 120 125 120 125 120 125 120 125 120 125 120 120 125 120 120 120 120 120 120 120 120	1470.9
ACCOUNT CODE (E0450 (E0102 (E011) WE 0853 CE0111 WE 0853 CE0111 WE 0853 CE0111 (E0111 (E011) (E011) (E011) (E010) (E01	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <i>Jon M. 1 (es 80 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>S0 Vac</i> <i>S12 plag</i> <i>512 plag</i> <i>512 flag</i>	SI R T. Aper Ma	hebs hebs shoe interial	368 368 348 675 45% -	1500 214 50 300 26.74.50 1203.53 14.58 14.58 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 120 125 120 125 120 125 120 125 120 125 120 120 125 120 120 120 120 120 120 120 120	
ACCOUNT CODE (E0450 (E0002	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <i>Jon M. 1 (es 80 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>S0 Vac</i> <i>S12 plag</i> <i>512 plag</i> <i>512 flag</i>	SI R T. Aper Ma	hebs hebs shoe interial	368 368 348 675 4596 -	1500 214 50 300 26.74.50 1203.53 14.58 14.58 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 84.30 125 120 125 120 125 120 125 120 125 120 125 120 120 125 120 120 120 120 120 120 120 120	1470.0
ACCOUNT CODE (E0450 (E0002 (E011) WE 0853 WE 0853 CC 3965 CC 3965 CP 8179 CP 8179 CP 8179	QUANITY or I MIN 3 IDB	>	PUMP CHARGE MILEAGE <i>Jon M. 1 (es 80 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>B0 Vac</i> <i>S0 Vac</i> <i>S12 plag</i> <i>512 plag</i> <i>512 flag</i>	SI R T. Aper Ma	hebs hebs shoe interial	368 368 348 675 45% -	1500 ° 214 50 300 ° 26.74.50 1203.53 14.58° 84.30 125° 445° 81° 219.35 986,99	1470.9

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.