

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

|  | month day  | <br>year  | Spot Description:  |
|--|--|---|--|
|  | monun day  | year  | Sec Twp S. R E   |
| DPERATOR: License#   |  |   | feet from N / S Line of Section  |
|  |  |   | feet from E / W Line of Sect   |
| .ddress 1:   |  |   | Is SECTION: Regular Irregular?   |
|  |  |   | (Note: Locate well on the Section Plat on reverse side)  |
|  | State: Zip:  |   | County:  |
| Contact Person:  |  |   | Lease Name: Well #:  |
| hone:  |  |   | Field Name:  |
| ONTRACTOR: License#  |  |   | Is this a Prorated / Spaced Field?   |
| ame:   |  |   | Target Formation(s):   |
|  |  |   | Nearest Lease or unit boundary line (in footage):  |
| Well Drilled For:  | Well Class: Typ  | e Equipment:  | Ground Surface Elevation:feet M  |
| Oil Enh R  | tec Infield  | Mud Rotary  |  |
| Gas Storag   | ´  | Air Rotary  |  |
| Dispos   |  | Cable   |  |
| Seismic ;# o   |  |   | Depth to bottom of fresh water:  |
| Other:   |  |   | Depth to bottom of usable water:   |
| If OWWO: old well  | information as follows:  |   | Surface Pipe by Alternate: II III  |
|  |  |   | Length of Surface Pipe Planned to be set:  |
| -  |  |   |  |
|  |  |   | Projected Total Depth:   |
| Original Completion Da   | te: Original Tota  | ıl Depth:   |  |
| inactional Devictor on Ho  | rimo nto Lucalla o no O  | □ Vaa □ Na  | Water Source for Drilling Operations:  |
| Directional, Deviated or Hor   | nzontai welibore?  | Yes No  | Well Farm Pond Other:  |
|  |  |   | DWR Permit #:  |
|  |  |   | (Note: Apply for Permit with DWR )   |
|  |  |   | vviii cores de takeri:   |
|  |  |   | If Yes, proposed zone:   |
|  |  | AF  | FIDAVIT  |
|  |  |   |  |
| he undersigned hereby a  | affirms that the drilling, compl   | letion and eventual pl  | ugging of this well will comply with K.S.A. 55 et. seq.  |
|  | affirms that the drilling, compliing minimum requirements w  |   | ugging of this well will comply with K.S.A. 55 et. seq.  |
| t is agreed that the follow  | ing minimum requirements w   | vill be met:  | ugging of this well will comply with K.S.A. 55 et. seq.  |
| is agreed that the follow  1. Notify the appropria   |  | vill be met:<br>dding of well;  |  |
| t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou  | ing minimum requirements wate district office <i>prior</i> to spuce of intent to drill <i>sh</i> unt of surface pipe as specific   | vill be met: dding of well; hall be posted on each ed below shall be se   | h drilling rig;<br>t by circulating cement to the top; in all cases surface pipe <b>shall be set</b>   |
| <ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconsorted</li> </ol>   | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specificalidated materials plus a minimum.   | vill be met: dding of well; hall be posted on eaced below shall be seemum of 20 feet into the   | h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  |
| <ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> </ol>   | ing minimum requirements wate district office <i>prior</i> to spucyed notice of intent to drill <i>sh</i> unt of surface pipe as specificalidated materials plus a minime, an agreement between the  | vill be met: dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the operator and the dis   | h drilling rig; thy circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;   |
| <ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> </ol>   | ing minimum requirements wate district office <i>prior</i> to spuce of the notice of intent to drill shount of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before the strict office will be notified before the strict office will be notified before the strict of       | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug   | h drilling rig; thy circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in;  |
| <ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> </ol>  | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> unt of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production produ | will be met:  dding of well;  hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente   | h drilling rig; thy circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;   |
| is agreed that the follow     1. Notify the appropria     2. A copy of the appro     3. The minimum amouthrough all unconso     4. If the well is dry hol     5. The appropriate dis     6. If an ALTERNATE II     Or pursuant to Appropriate of       | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so  | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #                             | th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  |
| t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amouthrough all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE II  Or pursuant to Appo  | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so  | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #                             | th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Apport</li> </ol>  | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plus a minimum, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas so  | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #                             | th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II         Or pursuant to Appropriate dis     </li> </ol>  | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days  | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #                             | th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Apport</li> </ol>  | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days  | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #                             | th drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.   |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate desemble to the completed  ubmitted Electror   | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days  | will be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order #                             | th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation.  Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set of the |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ubmitted Electror  For KCC Use ONLY  | ing minimum requirements we atte district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud danically   | vill be met: dding of well; hall be posted on eace ed below shall be sei mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be   | th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification  |
| is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -   | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days  | vill be met: dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b    | th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. thictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |
| is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to ap | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas si within 30 days of the spud data  | vill be met: dding of well; hall be posted on eace ed below shall be set mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b    | th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the set to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification  |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —   | ing minimum requirements we ate district office <i>prior</i> to sput oved notice of intent to drill <i>sh</i> and of surface pipe as specific blidated materials plus a minime, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas su within 30 days of the spud days  | vill be met: dding of well; hall be posted on eace ed below shall be set mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall b    | th drilling rig; the price of the top; in all cases surface pipe shall be set the underlying formation.  Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and the price of the waste of the surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate be completed  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —  Minimum surface pipe req  | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specifical plidated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas si within 30 days of the spud data  | dding of well; dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be | h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is drived or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Ecompleted  Ibmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required —  Minimum surface pipe req  Approved by:  | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud days | dding of well; dding of well; hall be posted on eace ed below shall be see mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cemente urface casing order # ate or the well shall be | h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It it office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);   |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appropriate to Appropriate to Appropriate to Appropriate to Appropriate to Approved Electror  For KCC Use ONLY  API # 15 - Conductor pipe required — Minimum surface pipe req Approved by: This authorization expires  | ing minimum requirements wate district office <i>prior</i> to spuce oved notice of intent to drill <i>sh</i> and of surface pipe as specificalliated materials plus a minime, an agreement between the strict office will be notified before I COMPLETION, production pendix "B" - Eastern Kansas swithin 30 days of the spud days | dding of well; dding of well; hall be posted on each ed below shall be ser mum of 20 feet into the e operator and the dis fore well is either plug pipe shall be cement urface casing order # ate or the well shall be  | h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is drived or plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |

Spud date: \_




| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | - |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:  | Location of Well: County:   |
|--|---|
| Lease:   | feet from N / S Line of Section                                       |
| Well Number:   | feet from E / W Line of Section                                       |
| Field:   | SecTwp S. R 🗌 E 🗍 W   |
| Number of Acres attributable to well:                          | is Section. Regular of Inregular                                      |
|  | If Section is Irregular, locate well from nearest corner boundary.    |
|  | Section corner used: NE NW SE SW                                      |
|  |   |
|  | PLAT  |
| Show location of the well. Show footage to the near            | rest lease or unit boundary line. Show the predicted locations of     |
| lease roads, tank batteries, pipelines and electrical lines, a | is required by the Kansas Surface Owner Notice Act (House Bill 2032). |
| You may attach   | h a separate plat if desired.   |
|  |   |
|  | : :   |




NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 135 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

#### Submit in Duplicate

| Operator Name:   |                                | License Number:                     |  |  |
|--|--------------------------------|-------------------------------------|--|--|
| Operator Address:  |                                |                                     |  |  |
| Contact Person:  |                                | Phone Number:                       |  |  |
| Lease Name & Well No.:   |                                | Pit Location (QQQQ):                |  |  |
| Type of Pit:   | Pit is:                        |                                     |  |  |
| Emergency Pit Burn Pit   | Proposed                       | Existing                            | SecTwpR  |  |
| Settling Pit Drilling Pit  | If Existing, date constructed: |                                     | Feet from North / South Line of Section  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)                                      | Pit capacity:                  |                                     | Feet from East / West Line of Section  |  |
| (II WI Guppiy Al TNo. of Teal Diffied)   |                                | (bbls)                              | County   |  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes                       | No                                  | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |  |
| Is the bottom below ground level?  | Artificial Liner?              |                                     | How is the pit lined if a plastic liner is not used?                           |  |
| Yes No   | Yes N                          | No                                  |  |  |
| Pit dimensions (all but working pits):   |                                | ,                                   | Width (feet)N/A: Steel Pits  |  |
| · · · · · · · · · · · · · · · · · · ·  | om ground level to dee         |                                     |  |  |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | ner                            |                                     | dures for periodic maintenance and determining cluding any special monitoring. |  |
|  |                                |                                     |  |  |
|  |                                |                                     |  |  |
|  |                                |                                     |  |  |
| Distance to nearest water well within one-mile of pit:   |                                | Depth to shallo<br>Source of inforr | west fresh water feet.<br>nation:  |  |
| feet Depth of water wellfeet   |                                | measured                            | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:  |                                | Drilling, Work                      | ver and Haul-Off Pits ONLY:  |  |
| Producing Formation:   |                                | Type of materia                     | l utilized in drilling/workover:   |  |
| Number of producing wells on lease:  |                                | Number of worl                      | ring pits to be utilized:  |  |
| Barrels of fluid produced daily:   |                                | Abandonment p                       | procedure:   |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No             |                                | Drill pits must b                   | e closed within 365 days of spud date.   |  |
|  |                                |                                     |  |  |
| Submitted Electronically   |                                |                                     |  |  |
| ,  |                                |                                     |  |  |
|  |                                |                                     |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS   |                                |                                     |  |  |
| Date Received: Permit Num  | ber:                           | Permi                               | t Date: Lease Inspection: Yes No   |  |



1281544

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

| OPERATOR: License #   | Well Location:   |  |  |
|---|--|--|--|
| Name:   |  |  |  |
| Address 1:  | County:  |  |  |
| Address 2:  | Lease Name: Well #:  |  |  |
| City:   |  |  |  |
| Contact Person:   | the lease below:   |  |  |
| Phone: ( ) Fax: ( )   |  |  |  |
| Email Address:  |  |  |  |
| Surface Owner Information:  |  |  |  |
| Name:   |  |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |  |  |
| Address 2:  | the state of the s |  |  |
| City:   |  |  |  |
| are preliminary non-binding estimates. The locations may be entered of  | k batteries, pipelines, and electrical lines. The locations shown on the plat<br>n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.   |  |  |
| Select one of the following:  |  |  |  |
| owner(s) of the land upon which the subject well is or will be le   | Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.  |  |  |
|   | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this   |  |  |
| task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I |  |  |  |
| that I am being charged a \$30.00 handling fee, payable to the I  | CCC, which is enclosed with this form.  fee with this form. If the fee is not received with this form, the KSONA-1   |  |  |





Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

## **NOTICE**

## **Nearest Lease or Unit Boundary Line**

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.