KOLAR Document ID: 1279013

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
□ OG □ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1279013

Page Two

Operator Name:	:						_ Lease	Name: _				W	/ell #:	
SecTw	vp	S. R.		East	t W	/est	Count	ty:						
open and closed and flow rates if	d, flowing a gas to sur rity Log, Fir	and shu face tes nal Logs	t-in pressu st, along w s run to ob	ures, who vith final otain Geo	ether sh chart(s) ophysic	nut-in pre). Attach al Data a	ssure rea extra she and Final E	ched stat eet if more Electric Lo	c level space	, hydrosta is needed	tic pressures d.	, botton	n hole tempe	val tested, time tool erature, fluid recovery, v. Digital electronic log
Drill Stem Tests (Attach Addi		rs)			⁄es [No		L	.og	Formatio	on (Top), Dep	oth and	Datum	Sample
Samples Sent to		•	ey		es [No		Nam	е			-	Тор	Datum
Cores Taken Electric Log Rur Geologist Repoi	rt / Mud Lo	gs			/es [/es [No No No								
				Rep			RECORD			Used te, producti	on. etc.			
Purpose of S	tring		Hole lled	Si	ze Casir et (In O.[ng	We	eight . / Ft.	5	Setting Depth	Type of Cement		# Sacks Used	Type and Percent Additives
					ADE	SITIONIAL	OFMENT	:NO / 00!	 	DECORD				
Purpose:		De	epth	Typ				s Used	JEEZE	RECORD	Type	and Perc	ent Additives	
Perforate Protect Ca		Top B	Bottom	i y P	Type of Cement		040.10 0004		Typo and t electric datasets					
Plug Off Z	Zone													
 Did you perforn Does the volum Was the hydrau 	ne of the tota	al base fl	luid of the h	ydraulic fr	acturing					Yes Yes Yes	No (If N	lo, skip q	nuestions 2 an nuestion 3) t Page Three o	
Date of first Produ	uction/Injecti	ion or Re	esumed Pro	duction/		ucing Meth	nod:	ing	Gas Li	t	other (Explain)			
Estimated Produ	ction		Oil E	Bbls.			Mcf	Wat			ols.	Gas	-Oil Ratio	Gravity
Per 24 Hours														
Vented	POSITION O	Used	on Lease		Open H	_	METHOD O	Dually	ETION:		nmingled	-	PRODUCTIC Top	N INTERVAL: Bottom
(If vent	ted, Submit A	.CO-18.)								(0.5.5)	,			
Shots Per Foot	Perfora Top		Perfora Botto		Bridge Typ		Bridge P Set At			Acid,	Fracture, Shot (Amount and		nting Squeeze Material Used)	Record
TUBING RECOR	RD:	Size:		Set At:			Packer At:							

Form	ACO1 - Well Completion
Operator	Diamond Star Oil, Inc.
Well Name	Shofner DI-4
Doc ID	1279013

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	0	22	50/50 POZ	5	N/A
Production	5.625	2.875	0	687	60/40 POZ		See Service Co. Ticket



250 N. Water, Ste 200 - Wichita, Ks 67202

HURRICANE SERVICES INC

104 Prairie Plaza Parkway - Garnett, Ks 66032

Custamer	Diamond	Star Oil,inc			stomer Name:	John Paulsen Ticket No.:				100644	
Address:	219 Broo	kside Dr.			AFE No.:		Date:	10/28/2015			
City, State, Zip:	zip: Paola, Ks. 66071					Longstring (new well)					
Service District:	Service District: Madison, Ks					: 5 5/8" hole @ 697' 2 7/8" set @ 687'					
Well name & No.	foll name & No. Shofner # DI-4				Well Location:	3-17s-22e County: Miami State:		Kansas			
Equipment#	Driver	Equipment #	Driver	Equipment #	Hours	TRUCK CALLED				AM PM	
#201	Jerry					ARRIVED AT JOB				AN PM	
#202	Bryan					START OPERATION				AM PM	
144-150	Rick					FINISH OPERATION			AM PN		
#30	Brad					RELEASED	AM PM				
						MILES FROM S					

Treatment Summary

Rig up to 2 7/8" tubing, ran wire line into well and taged float shoe at 687'. Break circulation with water,pumped 8 Bbls gel flush, circulated gel around to condition hole. Mixed 97 sks 60/40 Pozmix w/ 2% gel @ 14.5 lb. per/gal. shut down, wash out pump & lines, release plug- Displace plug with 3.9 Bbls of water. Final pumping 400psi, landed plug with 1100psi - well held 1100psi.

MIT well with 1100psi for 30 minutes. close tubing in w/ 1100psi Job Complete with good cement returns w/ 4 Bbls of slurry. washup & teardown "Thank You"

Product/Servi Code	Description	Unit of Measure	Quantity	List Price/Unit	Gross Amount	Item Discount		Net Amour
c20103	Cement Pump (Multiple wells)	ea	1.00	\$675.00	\$675.00	25.00%		\$506.2
c00101	Heavy Equip. One Way	mí	15.00	\$3.25	\$48.75	25.00%	-	\$36.5
p01603	60/40 Pozmix Cement	sack	97.00	\$12.00	\$1,164.00	25.00%		\$873.0
p01607	Bentonite Gel	lb	167.00	\$0.30	\$50.10	25.00%	-	\$37.5
p01607	Bentonite Gel	. Ib	200.00	\$0.30	\$60.00	25.00%		\$45.0
00104	Minimum Ton Mile Charge	ea	1.00	\$300.00	\$300.00	50.00%		\$150.0
15000	Transports 150 bbl	ea	3.00	\$105.00	\$315.00	25.00%		\$236.2
002000	H2O	gal	3,000.00	\$0.01	\$39.00	25.00%		\$29.2
00102	Light Equip. One Way	mi	15.00	\$1.50	\$22.50	25.00%		\$16.8
001631	Rubber Plug 2 7/8	ea	1.00	\$30.00	\$30.00	25.00%		\$22.5
	vance unless Hurricane Services Inc has approved credit prior to sale, for approved accounts are total invoice due on or before the 30th day from			Gross:	\$ 2,704.35	Net:	\$	1,953.26
55% per month or to	Past due accounts may pay interest on the balance past due at the rate of the maximum allowable by applicable state or federal laws if such laws limit		axable service treatments	\$1,007.33	Tax Rate:	7.650%	_	>
riterest to a lesser amount. In the event it is necessary to employ an agency and/or attorney to affect the collection of said account, Customer hereby agrees to pay all fees directly or ndirectly incurred for such collection. In the event that Customer's account with HSI becomes		intent to increa	ise production on ne ng wells are not tax:	ewly drilled or	Sale Tax:		\$	2,030.32
elinquent, HSI has l et invoice price. Up	the right to revoke any and all discounts previously applied in arriving at on revocation, the full invoice price without discount will become		Date of Service:	10/28/2015		rodin		2,000.02
mediately due and	owing and subject to collection.	HSII	Representative: E	3rad Butler		Thank You		
X	CUSTOMER AUTHORIZED AGENT	Customer I	Representative:					
	Customer Comments or Concerns:							