## KOLAR Document ID: 1279049

Confiden	tiality Re	quested:
Yes	No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY	<ul> <li>DESCRIPTION</li> </ul>	VOF WELL	& LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
OilWSWSWD GasDHEOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR         Permit #:           GSW         Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Reached TD Recompletion Date of Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

### KOLAR Document ID: 1279049

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Y	es 🗌 No			og Formatio	n (Top), Depth	and Datum	Sample
Samples Sent to Geolog	*		és 🗌 No	Ν	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I		] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Туре	e of Cement	# Sacks Used	k		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the is</li> <li>Was the hydraulic fractu</li> <li>Date of first Production/Inj</li> </ol>	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes ns? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITION	I OF GAS:		M	ETHOD OF COM	<b>IPLE</b>	TION:			ON INTERVAL:
Vented Sold (If vented, Subm	Used on Lease		Open Hole		-		mingled	Тор	Bottom
	oration Perfora Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Diamond Star Oil, Inc.
Well Name	Shofner DI-7
Doc ID	1279049

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	0	22	50/50 POZ	5	N/A
Production	5.625	2.875	0	677	60/40 POZ		See Service Co. Ticket

TREATMENT REPORT



HURRICANE SERVICES INC

and the second s	Diamond Star	OII			Date:	10/22/2015	SO#:		1286	
Representative:	2									
Address:	219 Brookside	e Dr.								
City, State:	Paola	, KS								
County, Zip:	1									
Fiel	Id Order No.:			Ope	en Hole:	5 5/8	7	Perf De	pths (ft)	Perfs
	Well Name:	Shofne	er #D-17	Casing	g Depth:	678	1 г			rens
	Location:			Casi	ing Size:	2 7/8				
	Formation:			Tubing	g Depth:					
Тур	e of Service:	Long	string	and the second se	ing Size:					
	Well Type:				r Depth:		-1 -			
	Age of Well:			Lin	er Size:					
P	Packer Type:			Lir	ner Top:		-1 -			
Pa	acker Depth:			Liner	Bottom:		-1 -			
Tre	eatment Via:			Tota	I Depth:					
	( <del>)</del>								Total Perfs	0
	Provide the second s									
TIME	INJECTION FLUID	NRATE N2/CO2	PRESS			REMARKS		PROP	HCL	FLUID
TIME 1030am				SURE ANNULUS	out	REMARKS		PROP (lbs)	HCL (gis)	FLUID (bbls)
and the second				ANNULUS	ut from shop	REMARKS				
1030am				ANNULUS call or leave	from shop	REMARKS				
1030am 1145am				ANNULUS call or leave on loc		REMARKS				
1030am 1145am 1230pm				ANNULUS call or leave on loc hook	from shop cation by up to well	REMARKS				
1030am 1145am 1230pm 1235pm				ANNULUS call o leave on loc hook safty	from shop cation by up to well					(bbls)
1030am 1145am 1230pm 1235pm 1245pm	FLUID		STP	ANNULUS call o leave on loc hook safty start p	from shop cation by up to well meeting / and	wait on state to show up				
1030am 1145am 1230pm 1235pm 1245pm 130pm 134pm 137pm	FLUID		STP	ANNULUS call o leave on loc hook safty start p start	from shop cation by up to well meeting / and pumping	wait on state to show up				(bbls) 5.00
1030am 1145am 1230pm 1235pm 1245pm 130pm 134pm 137pm 142pm	FLUID		STP	ANNULUS call o leave on loc hook safty start p starte pump	from shop cation by up to well meeting / and pumping ed down with g	wait on state to show up	V40 2%			(bbls) 5.00 8.00
1030am 1145am 1230pm 1235pm 1245pm 134pm 134pm 137pm 142pm 149pm	FLUID FLUID Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm		STP 100.0 100.0 125.0	ANNULUS call or leave on loc hook safty start p start c pump start r	from shop cation by up to well meeting / and pumping ed down with g	walt on state to show up get get mpinf cement @ 14.4ppg 60	V40 2%			(bbls) 5.00 8.00 15.00
1030am 1145am 1230pm 1235pm 1245pm 134pm 134pm 137pm 142pm 149pm 151pm	FLUID		STP 100.0 100.0 125.0	ANNULUS call or leave on loc hook safty start p start p pump start r start r	from shop cation by up to well meeting / and pumping ed down with g water behind mixing and pu down to clean	walt on state to show up get get mpinf cement @ 14.4ppg 60	V40 2%			(bbls) 5.00 8.00 15.00 13.00
1030am 1145am 1230pm 1235pm 1245pm 134pm 134pm 137pm 142pm 149pm 151pm 154pm	FLUID FLUID Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm		STP 100.0 100.0 125.0 175.0	ANNULUS call or leave on loc hook safty start p start p pump start r shut d start p	from shop cation by up to well meeting / and pumping ed down with g water behind mixing and pu down to clean pumping the p	wait on state to show up gel gel impinf cement @ 14.4ppg 60 out pump	V40 2%			(bbls) 5.00 8.00 15.00 13.00 2.00
1030am 1145am 1230pm 1235pm 1245pm 130pm 134pm 137pm 142pm 149pm 151pm 154pm 224pm	FLUID FLUID Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm		STP	ANNULUS call or leave on loc hook safty start p start p start c start r shut d start p pump	from shop cation by up to well meeting / and pumping ed down with g water behind mixing and pu down to clean pumping the p	wait on state to show up gel gel impinf cement @ 14.4ppg 60 out pump olug down the well itart the MIT @ 800 psi	V40 2%			(bbls) 5.00 8.00 15.00 13.00 2.00
1030am 1145am 1230pm 1235pm 1245pm 134pm 134pm 137pm 142pm 149pm 151pm 154pm	FLUID FLUID Sbpm Sbpm Sbpm Sbpm Sbpm Fluid Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm		STP	ANNULUS call o leave on loc hook safty start p start p start c start c start p ump	from shop cation by up to well meeting / and pumping ed down with g water behind mixing and pu down to clean pumping the p hits bottom / s	wait on state to show up gel gel impinf cement @ 14.4ppg 60 out pump olug down the well itart the MIT @ 800 psi	V40 2%			(bbls) 5.00 8.00 15.00 13.00 2.00 4.00
1030am 1145am 1230pm 1235pm 1245pm 130pm 134pm 137pm 142pm 149pm 151pm 154pm 224pm	FLUID FLUID Sbpm Sbpm Sbpm Sbpm Sbpm Fluid Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm		STP	ANNULUS call o leave on loc hook safty start p start start start p start p lug h clean leave	from shop cation by up to well meeting / and pumping ed down with g water behind mixing and pu down to clean pumping the p hits bottom / s' up truck and f location	wait on state to show up gel gel impinf cement @ 14.4ppg 60 out pump olug down the well itart the MIT @ 800 psi	M40 2%			(bbls) 5.00 8.00 15.00 13.00 2.00 4.00
1030am 1145am 1230pm 1235pm 1245pm 130pm 134pm 137pm 142pm 149pm 151pm 154pm 224pm	FLUID FLUID Sbpm Sbpm Sbpm Sbpm Sbpm Fluid Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm		STP	ANNULUS call o leave on loc hook safty start p start p start p start p start p clean leave THAN	from shop cation by up to well meeting / and pumping ed down with g o water behind mixing and pu down to clean pumping the p hits bottom / s up truck and f location	wait on state to show up gel gel impinf cement @ 14.4ppg 60 out pump plug down the well start the MIT @ 800 psi fittings	V40 2%			(bbls) 5.00 8.00 15.00 13.00 2.00 4.00
1030am 1145am 1230pm 1235pm 1245pm 130pm 134pm 137pm 142pm 149pm 151pm 154pm 224pm	FLUID FLUID Sbpm Sbpm Sbpm Sbpm Sbpm Fluid Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm		STP	ANNULUS call o leave on loc hook safty start p start p start p start p start p clean leave THAN	from shop cation by up to well meeting / and pumping ed down with g water behind mixing and pu down to clean pumping the p hits bottom / s' up truck and f location	wait on state to show up gel gel impinf cement @ 14.4ppg 60 out pump plug down the well start the MIT @ 800 psi fittings	V40 2%			(bbls) 5.00 8.00 15.00 13.00 2.00 4.00
1030am 1145am 1230pm 1235pm 1245pm 130pm 134pm 137pm 142pm 149pm 151pm 154pm 224pm	FLUID FLUID Sbpm Sbpm Sbpm Sbpm Sbpm Fluid Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm Sbpm		STP	ANNULUS call o leave on loc hook safty start p start p start p start p start p clean leave THAN	from shop cation by up to well meeting / and pumping ed down with g o water behind mixing and pu down to clean pumping the p hits bottom / s up truck and f location	wait on state to show up gel gel impinf cement @ 14.4ppg 60 out pump plug down the well start the MIT @ 800 psi fittings	V40 2%			(bbls) 5.00 8.00 15.00 13.00 2.00 4.00

 
 Max Fl. Rate
 Avg Fl. Rate
 Max PSI

 3.0
 1.5 bpm
 175.0
 Avg PSI 750.0

94sx of 60/40 2% gel, 200 lbs gel, 68 bbl of H2O

Tom Goodner Treater:

Customer: Diamond Star Oil