

3613A Y Road  
 Madison, KS 66860  
 Ph: 620-437-2661  
 Fax: 620-437-2881



HURRICANE SERVICES INC

104 Prairie Plaza Parkway  
 Garnett, KS 66032  
 Ph: 785-448-3100  
 Fax: 785-448-3102

FED ID# 48-1214033  
 MC ID# 165290

Remit to: Hurricane Services, Inc.  
 250 N. Water, Suite 200  
 Wichita, KS 67202

Customer:  
 IANTHA RESOURCES LLC  
 21517 NW 1650 RD  
 GARNETT, KS 66032

Invoice Date: 1/5/2016  
 Invoice #: 0021013  
 Lease Name: POSS  
 Well #: 3-B  
 County: ANDERSON

Date/Description	HRS/QTY	Rate	Total
See ticket 50697 of Joe B	0.000	0.000	0.00
Cement Pozmix 50/50	128.000	11.300	1,446.40 T
Bentonite Gel	415.000	0.300	124.50
Pheno Seal	32.000	1.700	54.40
City water	3,000.000	0.013	39.00
Cement pump multiple wells	1.000	675.000	675.00
Bulk truck #242	1.000	300.000	300.00
80bbl Vac truck 111	1.000	84.000	84.00
80bbl Vac Truck #109	1.000	84.000	84.00
Bid price	1.000	361.600-	361.60-T
Bid price	1.000	415.220-	415.22-

Net Invoice 2,030.48  
 Sales Tax: (8.00%) 86.78  
**Total** 2,117.26

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

**WE APPRECIATE YOUR BUSINESS!**



**TREATMENT REPORT**



**HURRICANE SERVICES INC**

Customer:	lantha Resources	Date:	1/5/2016	SO#:		1286
Representative:						
Address:						
City, State:						
County, Zip:						

Field Order No.:	50697	Open Hole:	5 5/8	Perf Depths (ft)	Perfs
Well Name:	Poss 3 B	Casing Depth:			
Location:		Casing Size:			
Formation:		Tubing Depth:	691		
Type of Service:	Longstring	Tubing Size:	2 7/8		
Well Type:		Liner Depth:			
Age of Well:	new	Liner Size:			
Packer Type:		Liner Top:			
Packer Depth:		Liner Bottom:			
Treatment Via:		Total Depth:	702		
				<b>Total Perfs</b>	<b>0</b>

TIME	INJECTION RATE		PRESSURE		REMARKS	PROP (lbs)	HCL (gls)	FLUID (bbls)
	FLUID	N2/CO2	STP	ANNULUS				
10:00 AM					Called out			
10:00am					leave shop			
10:10 AM					On location with casing in hole			
10:10am					ran wireline confirm td 691			
10:10AM					safety meeting			
10:20am					rig up to 2 7/8 casing 6.4#			
10:26am	3.5			100.0	start pumping 5 bbl h2o ahead			5.00
10:28 AM	3.5			100.0	start pumping 8bbl gel			8.00
10:31 AM	3.5			150.0	start h2o to bring gel to surface			10.00
10:34am	3.5			150.0	start pumping 4 bbl dye			4.00
					start mixing 50/50 2% gel 128 sk @ 14.3 ppg			
10:36am	4.0			200.0	cement up to weight and started it down hole			26.00
10:46AM					Flush pump and lines			
10:48am	3.0			200.0	start pumping plug			4.00
10:50am				1,200.0	plug landed held 1200psi for 3 minutes and			
					set float shoe			
10:54am					start cleaning up truck and flush out lines			
11:10 AM					Washed up and left location			
<b>TOTAL:</b>						-	-	57.00

**SUMMARY**

Max Fl. Rate	Avg Fl. Rate	Max PSI	Avg PSI
4.0		-	

**PRODUCTS USED**

128 sks 50/50 2% gel .25 pheno seal

Treater: Joe Blanchard

Customer: lantha resources

