COPELAND

Acid & Cement

POST OFFICE BOX 438 HAYSVILLE, KS 67060 (316) 524-1225 (316) 524-1027 FAX

Invoice

Page: 1

BURRTON, KS | | GREAT BEND, KS (620) 463-5161 FAX (620) 463-2104

(620) 793-3366 FAX (620)

INVOICE NUMBER: C43615-IN

BILL TO:

CARMEN SCHMITT, INC. P.O. BOX 47 GREAT BEND, KS 67530 LEASE: OGALLAH UNIT 4-7

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE O	RDER	SPECIAL INSTRUCTIONS		
01/13/2016	C43615		01/06/2016				IET 30	
QUANTITY U/M		ITEM NO./DESCRIPTION			D/C	PRICE	EXTENSION	
40:00	(MI	MILEAGE CEMENT PUMP TRUCK			10.00	4.00	144.00	
40.00	MI	MILEAGE PICKUP TRUCK			1,0.00	2.00	72.00	
1.00	EA	CEMENT PUMP CHARGE - PLUG			10.00	650.00	585.00	
<u>'</u> 440.00	sk	60/40 POZ 2% GEL MIX			10.00	10.75	4,257.00	
8.00	sĸ	2% ADDITIONAL GEL			10.00	22.00	158.40	
300.00	LB	COTTONSEED HULLS			10.00	0.40	108.00	
454.00	EΑ	BULK CHARGE			10.00	1.25	510.75	
796.40	мі	BULK TRUCK - TON MILES			10.00	1.10	788.44	
		130 Vei Cemai	7/0/43 990.0407 11 ATe 14 phy socrie	es				
P.O. BOX 438 HAYSVILLE, KS 67060		COP FUEL SURCHARGE IS NOT TAXABLE AND IS ADDED TO MILEAGE, PUMP AND OR DELIVERY CHARGES ONLY.		Net Invoice: TRECO Sales Tax: Invoice Total:		6,623.59 46.80 6,670.39		
RECEIVED BY		-	NET 30 DAYS					

There will be a charge of 1.5% "per month" (18% annual rate) on all accounts over 30 days pas

Copeland Acid & Coment is a subsidiary of Gressel Oit Field Service



FIELD ORDER Nº C 43615

BOX 438 • HAYSVILLE, KANSAS 67060 316-524-1225

	DATE 1- G	• 13	20		
AUTHORIZED BY:	erne Sahmill INAME OF CUSTOMER)				
dress		State			
T 18/-01					
Follows: Lease 6	elleh Unit Well No. 4-7 Cust	omer Order No			
c. Twp. nge	County Treso	State _	ts		
to be held tiable for any dan lied, and no representations Ilment is payable. There will Invoicing department in acc	consideration hereof it is agreed that Copeland Acid Service is to service or treat at owns nage that may accrue in connection with said service or treatment. Copeland Acid Service have been relied on, as to what may be the results or effect of the servicing or treating be no discount allowed subsequent to such date. 6% interest will be charged after 60 dordance with latest published price schedules. himself to be duly authorized to sign this order for well owner or operator.	ice has made no rep said well. The cons	presentation, expressed (ideration of said service (
S ORDER MUST BE SIGNED ORE WORK IS COMMENCED	Well Owner or Operator	Age			
			LINUT		
CODE QUANTITY	DESCRIPTION	COST	AMOUNT		
2 40	nileese pump truck	"Y, ""	160		
2 40	milecse pickup	7.00	80,0%		
_	·		4 4		
2 1	Pump Charge - Plus		6s0.		
2 440	69/40 par. 7% sol.	10, 74/	4,730		
2 8	2% add. sel.	77.00/	176.00		
2 300	Hulls	av.	10.		
2 454	Buik Charge	1.25/	567, 59		
2	Bulk Truck Miles 19.917 K40 = 796,47 K).	1,19	876.04		
	Process License Fee onGallons				
	TOTAL BILLI	NG	7,359.		
manner under the dire	e material has been accepted and used; that the above service was perction, supervision and control of the owner, operator or his agent, who	ose signature ap			
Copeland Representative Station 6 - 8	Curlis	H. To	tal \$6623.		
Remarks	NET 30 DAYS				



ACIU	& Cemen	læMab						Acid Stage No	·. —		
					Type Treatment:	Amt.	Type Fluid	Sand Size	Pound	s of Sand	
Date 1/6/2015 District G.B. F.O. No. C43615					Bkdown	Bbl./Gal.					
	Carmen Schr										
Well Name	e & No. Ogallah	Unit 4-7									
Location					<u> </u>						
County	Trego		State KS		Flush	Bbl./Gal.					
				<u> </u>	Treated from		ft. to		No. ft.	0	
Casing:	Size 5.5"	Type & Wt.		Set atft.	from		ft. to		No. ft.		
Formation					from		ft. to	ft.	No. ft.	0	
Formation											
					-	,					
Formation			Pert	to		ut tient sed	365 -		Turk		
Liner: 5	ize Type &	s Wt.	_ lop at ft.		ft. Pump Trucks. No. Used: Std. <u>365</u> Sp. Twin						
			Swung at		t. Auxiliary Equipment 360/310 tr. Personnel Nathan Jordan Greg						
i fraing:	Perforated f		swung at ft. to		Auxiliary Tools	ii Joidali dieg				-	
	Репогатест	70HI			-						
					Plugging or Sealing Materials: Type						
Open Hole	Size	T.D	ft. P.	B. toft.	<u> </u>			Gals.		lb.	
Company	Representative		Curtis I	1	Treater		Nathan	W.			
TIME	PRES	SURES	Total Fluid Pumped			REMARKS					
a.m./p.m.	-	Casing					_				
2:00	2.5"	5.5"		On Location.							
		L									
				Mix 100sks 60/40poz 4%gel with 100# Hulls at 3900'						_	
				Mix 100sks with 100# Hulls at 3700'							
		 			ks with 100# Hulls at 2800'						
		†		Mix 100sks with							
		 	 								
	<u> </u>			Miv 90eks at 175	O' Circulate	d coment to	o curface ou	t casing	Shut i		
	<u> </u>	 			t 1750' Circulated cement to surface out casing. Shut in nix 40sks. Circulated cement to surface out surface pipe.						
	l	 		casing and mix 4	OSKS. CITCUI	lated Cemen	it to surface	Out Suria	re hih	e	
	<u> </u>	 		T (6 'H 20.	1						
5:30		 	<u> </u>	Top off with 20s	1 ZUSKS.						
		↓									
<u> </u>		 						_			
		<u> </u>		Thank You!							
i											
				Nathan W.							
		1	1								
		†	<u>†</u>								
		 	 								
<u> </u>	<u> </u>	 	†								
		 	1								
<u> </u>	 	 	 			· · ·					
	ļ <u> </u>	└									