



Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1283511
 OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
 K.A.R. 82-3-117

Form CP-4
 March 2009

Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: (_____) _____
 Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____
 Spot Description: _____
 _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
 _____ Feet from North / South Line of Section
 _____ Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: _____
 Lease Name: _____ Well #: _____
 Date Well Completed: _____
 The plugging proposal was approved on: _____ (Date)
 by: _____ (KCC District Agent's Name)
 Plugging Commenced: _____
 Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____
 Address 1: _____ Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Phone: (_____) _____
 Name of Party Responsible for Plugging Fees: _____
 State of _____ County, _____, ss.
 _____ Employee of Operator or Operator on above-described well,
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

QUALITY WELL SERVICE, INC.

6437

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410

Fax 620-672-3663

Rich's Cell 620-727-3409

Brady's Cell 620-727-6964

Date	11/10/15	Sec.	03	Twp.	28S	Range	23W	County	Ford	State	KS	On Location	12:00 noon	Finish	3:15 PM
Lease	Riegel		Well No.		2-3		Location								
Contractor									Owner						
Type Job									To Quality Well Service, Inc.						
Hole Size									You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.						
Csg.									Charge To						
Tbg. Size									Street						
Tool									City						
Cement Left in Csg.									State						
Meas Line									The above was done to satisfaction and supervision of owner agent or contractor.						

EQUIPMENT										Cement Amount Ordered					
Pumptrk	No.	Mike B								12.5sx class A + 2 1/2" gel + 3 1/2" cc + 1/4" Flow Seal					
Bulktrk	No.	David B								Common 125					
Bulktrk	No.	David F								Poz. Mix MDC 125					
Pickup	No.									Gel. 11					
JOB SERVICES & REMARKS										Calcium 10					

Rat Hole	Hulls	
Mouse Hole	Salt	
Centralizers	Flowseal 66.25	
Baskets	Kol-Seal	
D/V or Port Collar	Mud CLR 48	
Pipe on Btm, Break Circ, Pump Pres	CFL-117 or CD110 CAF 38	
H ² O Spacer, Mix 12.5sx lite weight,	Sand	
Mix 12.5sx tail Cement, Stop, Release	Handling 271	
Plug, Start Disp w/ Fresh H ² O, Wash	Mileage 50	
up on Plug, See Steady increase in	FLOAT EQUIPMENT	
PST, Slow rate,	Guide Shoe	
Bump Plug at 38 1/2 BBLs total	Centralizer	
Disp from 250" to 500" PST, shut in	Baskets	
Cement Did Circulate	AFU Inserts	
	Float Shoe 8 5/8 Ruffle Plate	
	Latch Down 8 5/8 wood Plug	
	Service spacer	
	LMV 50	
	Pumptrk Charge Surface	
	Mileage 50x2	

Signature	Tax
	Discount
	Total Charge

QUALITY WELL SERVICE, INC.

6438

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410
Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	11 19 15	Sec.	03	Twp.	28s	Range	23w	County	Fond	State	KS	On Location	8:30 AM	Finish	12:45 PM	
Lease	Reigel			Well No.	12-3			Location	Fond 1/4 N, 3w, 1s, 1/4w N/S							
Contractor	Duke #7							Owner	Vincent							
Type Job	Rotary Plug							To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.								
Hole Size	7 7/8			T.D.												
Csg.	8 5/8			Depth	645			Charge To	Vincent							
Tbg. Size	4 1/2 DP			Depth	1500'			Street								
Tool				Depth				City	State							
Cement Left in Csg.				Shoe Joint	The above was done to satisfaction and supervision of owner agent or contractor.											
Meas Line				Displace				Cement Amount Ordered	210sx 60:40: 4% gel + 1/4 CF							
EQUIPMENT																
Pumptrk	8	No.	D. Folio						Common	130						
Bulktrk	10	No.	m. Baker						Poz. Mix	80						
Bulktrk		No.							Gel.	7						
Pickup		No.							Calcium							
JOB SERVICES & REMARKS																
Rat Hole							Hulls									
Mouse Hole							Salt									
Centralizers							Flowseal			52 50						
Baskets							Kol-Seal									
D/V or Port Collar							Mud CLR 48									
							CFL-117 or CD110 CAF 38									
				Drill pipe at 1500', load Hole, Pump Spec			Sand									
				Mix 50sx 60 40 cement, Disp w/ Fresh & mud to 15 BBLs			Handling			217						
							Mileage			50						
FLOAT EQUIPMENT																
				Drill Pipe at 690', load Hole Pump Spec			Guide Shoe			3						
				Mix 50sx, Disp w/ Fresh & mud to 8 BBLs			Centralizer									
				Drill Pipe at 240', load Hole, Mix 40sx			Baskets									
				Disp. 1 Fresh			AFU Inserts									
				Drill Pipe at 60' mix 20sx - Did Calc.			Float Shoe									
				Plug Rat & Mouse holes w/ 50sx Cement			Latch Down									
							LMV 50									
							Service Supervisor									
							Pumptrk Charge			Rotary Plug						
							Mileage			50x2						
														Tax		
														Discount		
														Total Charge		
X Signature	Aled D. Road															