



Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION 1285223  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
August 2013

Form must be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Plug Back       Conv. to GSW       Conv. to Producer
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

|                                   |                 |   |
|-----------------------------------|-----------------|---|
| Spud Date or<br>Recompletion Date | Date Reached TD | Completion Date or<br>Recompletion Date |
|-----------------------------------|-----------------|---|

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27       NAD83       WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

1285223

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

|  |   |
|--|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Attach Additional Sheets)</i><br><br>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No<br><br>Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No<br><br>List All E. Logs Run: _____ | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample<br><br>Name Top Datum |
|--|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used  |                   |                           |                   |               |                |              |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. |                   |                           |                   |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |

| ADDITIONAL CEMENTING / SQUEEZE RECORD  |                  |                |              |                            |
|--|------------------|----------------|--------------|----------------------------|
| Purpose:   | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate<br><input type="checkbox"/> Protect Casing<br><input type="checkbox"/> Plug Back TD<br><input type="checkbox"/> Plug Off Zone |                  |                |              |                            |
|  |                  |                |              |                            |

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br><i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |

|                |       |         |            |   |
|----------------|-------|---------|------------|---|
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No |
|----------------|-------|---------|------------|---|

|   |  |
|---|--|
| Date of First, Resumed Production, SWD or ENHR. | Producing Method:<br><input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____ |
|---|--|

| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
|                                   |           |         |             |               |         |

|  |   |   |
|--|---|---|
| <b>DISPOSITION OF GAS:</b><br><input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease<br><i>(If vented, Submit ACO-18.)</i> | <b>METHOD OF COMPLETION:</b><br><input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled<br><i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____<br><input type="checkbox"/> Other <i>(Specify)</i> _____ | <b>PRODUCTION INTERVAL:</b><br>_____<br>_____ |
|--|---|---|



## DRILLERS LOG

Company: MARK MORRISON

Contractor: EK Energy LLC

License# 33977

Farm: KIMBERLIN

County: WILSON

Well No: KI-31

Sec: 3 TWP: 27 Range: 16E

API: 15-205-28376-00-00

Location: 1801' FSL

Surface Pipe: 21'

Location: 3120' FEL

Spot: NW-SE-NE-SW

| Thickness | Formation    | Depth | Remarks                   |
|-----------|--------------|-------|---------------------------|
|           | SOIL & CLAY  | 5     | Drilled 9 7/8 HOLE SET 7" |
| 31        | LIME         | 36    | Drilled 5 7/8 HOLE        |
| 115       | SHALE        | 151   |                           |
| 20        | LIME         | 171   |                           |
| 49        | SHALE        | 220   | Started 1/28/2016         |
| 22        | LIME         | 242   | Finished 2/1/2016         |
| 71        | SHALE        | 313   |                           |
| 9         | LIME         | 322   |                           |
| 13        | SHALE        | 335   | T.D. Hole 962'            |
| 180       | LIME         | 515   | T.D. PIPE 958'            |
| 114       | SHALE        | 629   |                           |
| 9         | LIME         | 638   |                           |
| 10        | SHALE        | 648   |                           |
| 4         | SAND         | 652   |                           |
| 61        | SHALE        | 713   |                           |
| 35        | LIME         | 748   |                           |
| 26        | SHALE        | 774   |                           |
| 14        | LIME         | 788   |                           |
| 9         | SHALE        | 797   |                           |
| 3         | LIME         | 800   |                           |
| 6         | SHALE        | 806   |                           |
| 4         | OIL SHOW     | 810   |                           |
| 2         | SAND         | 812   |                           |
| 25        | SHALE        | 838   |                           |
| 16        | SAND & SHALE | 854   |                           |
| 74        | SHALE        | 928   |                           |
| 9         | OIL SAND     | 937   |                           |
| 3         | BLACK SAND   | 940   |                           |
| 1         | COAL         | 941   |                           |
|           | SAHLE        | T.D.  |                           |

MARK MORRISON  
1651 50th Road  
Yates Center, KS 66783

**WORK ORDER**  
KIMBERLIN LEASE

| <u>DATE</u> | <u>WELL</u> | <u>DESCRIPTION</u>  |
|-------------|-------------|---|
| 1/28/2016   | KI-31       | mixed 4 sacks of cement to cement surface   |
| 2/1/2016    | KI-31       | established circulation;<br>circulate 115 sacks of cement to surface;<br>pumped plug and set float shoe |

Building Materials  
 Farm & Ranch Supplies  
 Structural Steel Products  
 Hardware & Paint

# CLEAVER FARM & HOME

A Division of Cleaver Farm Supply, Inc.

2103 S. SANTA FE  
 CHANUTE, KS 66720  
 (620)431-6070

RETURN POLICY - within 30 days only -  
 merchandise must be in saleable  
 condition and accompanied by invoice.

No refunds on Special Order non-stock  
 items

Account due 10th of month  
 following purchase. 1 1/2%  
 interest per month added for an  
 annual percentage rate of 18%.

SOLD TO  
 MARK MORRISON  
 MORRISON CONSTR  
 1651 50TH. RD.  
 YATES CENTER, KS 66785-5141  
 620-537-6675

SHIP TO  
 MORRISON CONSTRUCTION  
 1651 50TH RD

YATES CENTER, KS 66783



Shipment #: 1

| ACCOUNT #                             | CUSTOMER P.O.# | TERMS    | ORDER #     | ORDER DATE  | SLSMN    | INVOICE #   | INVOICE DATE |
|---------------------------------------|----------------|----------|-------------|---|----------|-------------|--------------|
| M1876                                 |                | NET 10TH | 1452312     | 12/11/15  | TT       | 1008854     | 12/11/15     |
| ORDERED                               | BACKORDERED    | SHIPPED  | U/M         | DESCRIPTION   | PRICE    | AMOUNT      |              |
| 8                                     | 0              | 8        | EA          | CEMENT STANDARD TYPE 1 94LB<br>MONARCH<br>STD<br>PALLET ?<br><br><i>4-skS # K1-31</i><br><i>4-skS # K1-30</i> | 11.650   | 93.20*      |              |
| December 11, 2015 12:33:12 TIM TINDLE |                |          |             |   | 0 / 1    | MERCHANDISE | 93.20        |
| *****<br>* INVOICE *                  |                |          | SHIP VIA    | FILLED BY   | CHK'D BY | DRIVER      | OTHER        |
| *****                                 |                |          |             |   |          |             | 0.00         |
| 10                                    |                |          | PAGE 1 OF 1 |   |          | TAX         | 8.16         |
|                                       |                |          |             |   |          | 8.750%      |              |
|                                       |                |          |             |   |          | FREIGHT     | 0.00         |
|                                       |                |          |             |   |          | TOTAL       | 101.36       |

802 N. Industrial Rd.  
 P.O. Box 664  
 Iola, Kansas 66749  
 Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

**NOTICE TO OWNER**

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO: 10009

MARK MORRISON  
 1651 50TH RD

KIMBERLAND WELL # KI31 SHIP TO:

54 W TO YC S ON 75HWY TO 2400RD  
 E 2.5 MI N SD

YATES CENTER KS 66783

1/4 Air

| TIME     | FORMULA           | LOAD SIZE  | YARDS ORDERED | DRIVER/TRUCK | PLANT/TRANSACTION # |               |
|----------|-------------------|------------|---------------|--------------|---------------------|---------------|
| 10:23 AM | WELL<br>PO NUMBER | 11.50      | 11.50         | 35           | NE000               |               |
| DATE     | LOAD #            | YARDS DEL. | BATCH#        | WATER TRIM   | SLUMP               | TICKET NUMBER |
| 2/17/16  | 1                 | 11.50      | 9             | 0.00         | 4.00 in             | 40505         |

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$60/HR.

**PROPERTY DAMAGE RELEASE**  
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED  
 X \_\_\_\_\_

**Excessive Water is Detrimental to Concrete Performance**  
**H<sub>2</sub>O Added By Request/Authorized By**

GAL X \_\_\_\_\_

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X Mark

| QUANTITY | CODE     | DESCRIPTION              | UNIT PRICE | EXTENDED PRICE |
|----------|----------|--------------------------|------------|----------------|
| 11.50    | WELL     | WELL (10 SACKS PER UNIT) | 11.50      |                |
| 2.50     | TRUCKING | TRUCKING CHARGE          | 2.50       |                |
| 11.50    | MIX&HAUL | MIXING AND HAULING       | 11.50      |                |

KI-31

| RETURNED TO PLANT | LEFT JOB     | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN  | TIME ALLOWED |
|-------------------|--------------|------------------|--|--------------|
|                   |              | 1149             | 1. JOB NOT READY<br>2. SLOW POUR OR PUMP<br>3. TRUCK AHEAD ON JOB<br>4. CONTRACTOR BROKE DOWN<br>5. ADDED WATER<br>6. TRUCK BROKE DOWN<br>7. ACCIDENT<br>8. CITATION<br>9. OTHER |              |
| LEFT PLANT        | ARRIVED JOB  | START UNLOADING  |  | TIME DUE     |
| 1044              | H30          |                  |  |              |
| TOTAL ROUND TRIP  | TOTAL AT JOB | UNLOADING TIME   |  | DELAY TIME   |
|                   |              |                  |  |              |

TAX 7.50

ADDITIONAL CHARGE 1 \_\_\_\_\_

ADDITIONAL CHARGE 2 \_\_\_\_\_

**GRAND TOTAL** ▶