KOLAR Document ID: 1287537

Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec.         TwpS. R East West           County:         Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
☐ Wireline Log Received ☐ Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1287537


#### Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [	East	West	County:					
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.  Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).										
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum
Samples Sent to Geological Survey  Cores Taken  Electric Log Run  Geologist Report / Mud Logs  List All E. Logs Run:			Y€  Y€	es No						
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[	Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate		Type of Cement		# Sacks Used		Type and Percent Additives				
Plug Off Z										
Did you perform a hydraulic fracturing treatment on this well?      Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?      Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?      No (If No, skip questions 2 and 3)  No (If No, skip question 3)  No (If No, fill out Page Three of the ACO-1)					,					
Date of first Production/Injection or Resumed Production/ Producing Method: Injection: Pumping Cool iff Other (Function)										
, Liowing			Pumping Gas Lift Other (Explain)  Mcf Water Bbls. Gas-Oil Ratio		Gas Oil Patio	Gravity				
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:						N INTERVAL:			
□ Vented     □ Sold     □ Used on Lease     □ Open Hole     □ Perf.     □ Dually Comp.     □ Commingled			Bottom							
(If vented, Submit ACO-18.) (Submit ACO-5) (Submit ACO-4)										
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					


Form	ACO1 - Well Completion	
Operator	Wilson County Holdings LLC	
Well Name	Wilson County Holdings TL 11-020	
Doc ID	1287537	

# Casing


Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	10	7.625	26.4	25	portland	8	15ppg
Intermedia te	6.75	4.5	11.3	240	portland	39	15ppg




WCH LLC
FREDONIA FACILITY
TL 11-020
PLAN VIEW



_			
	JT ATION CK	PROJECT MANAGER:	INITIALS
	PLC NALIZ CHE	CHECKED BY:	FPS



DRAWN BY: FPS | DATE DRAWN: 3/24/2015 |
REVISION: A | REV DATE: 2/19/2016 |
SCALE: 1"=50"



Borehole ID	Branch ID	Measured Depth (ft)	Azimuth (deg)	Inclination (deg)
11-020	main	0.00	20.00	100.00
11-020	main	29.53	30.54	100.75
11-020	main	39.37	17.26	99.94
11-020	main	59.06	19.13	99.76
11-020	main	78.74	20.14	101.22
11-020	main	98.43	20.69	102.87
11-020	main	118.11	19.63	102.56
11-020	main	137.80	20.16	99.43
11-020	main	157.48	21.33	98.50
11-020	main	177.17	19.78	97.84
11-020	main	196.85	17.75	96.50
11-020	main	216.54	17.07	93.00
11-020	main	236.22	18.25	92.83

EW (ft)	NS (ft)		True Vertical Depth (ft, Subsea)
	0.00	0.00	-263.50
1	12.37	26.21	-258.15
1	16.31	35.07	-256.38
2	22.34	53.48	-253.03
2	28.84	71.72	-249.46
3	35.56	89.76	-245.32
4	12.19	107.78	-240.99
4	18.75	125.95	-237.25
5	55.64	144.13	-234.17
$\epsilon$	52.50	162.37	-231.38
$\epsilon$	58.77	180.87	-228.92
7	74.64	199.57	-227.28
8	30.61	218.31	-226.30

### **PURCHASE ORDER #152466** \*\*Sections shaded are assigned by Purchasing Date Issued: WILSON COUNTY HOLDINGS Quotation / Order#: 1442599 DRILLING Ext.#/Department: Vendor ID: CL0001 Suggested Name: CLEAVERS FARM AND HOME AFE FR-016 AFE/Cost Code: Vendor: Address: 2103 S. SANTA FE G/L Code: CHANUTE, KS 66720 G/L Description: Fax: Phone: 620.431.6070 Terms: Net 30 Invoice $\underline{\mathsf{Email}: \mathsf{nick}.\mathsf{whitworth}@\mathsf{cleaver} \mathsf{farm}.\mathsf{com}} \quad \mathsf{Contact:} \ \mathsf{NICK} \ \mathsf{WHITWORTH}$ Ship Via: Best Available Way FORMATION REPAIR AND CASING INSTALLATION Justification: Ship to: Fredonia Facility 1135 N. 15th Street Fredonia, KS 66736 Bill to: Wilson County Holdings 907 North Poplar Drive, Suite 235 Casper, Wyoming 82601 wchbilling@stranded-oil.com Item Quantity Unit of Measure Unit Price Total Price Description Part Number CEMENT STANDARD TYPE 1, 94LB, MONARCH 10.10 \$ 300 EΑ 3,030.00 CEMENT PALLET (DEPOSIT) 180.00 10 EΑ 18.00 \$ Notes: Sub-Total 3,210.00 Plus Tax of 6.50% 208.65 3,418.65

Authorized by: BUYER / BRECK ADAY
Signature Title / Printed Name Date