

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

•	month	day	vear	Spot Description:	
	monur	uay	year	Sec Twp S. R	E \
PERATOR: License#				foot from N / S line	of Section
ame:					of Section
ddress 1:				Is SECTION: Regular Irregular?	
ddress 2:					
City:		•		County:	
Contact Person:				Lease Name: Well #:	
hone:				Field Name:	
CONTRACTOR: License#				Is this a Prorated / Spaced Field?	es No
lame:				Target Formation(s):	
Well Drilled For:	Well Class	. Type F	quipment:	Nearest Lease or unit boundary line (in footage):	
				Ground Surface Elevation:	_feet MS
Oil Enh F		=	lud Rotary ir Rotary		es N
Dispo	~ 		able		es 🔲 N
Seismic ;# o				Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water:	
				Surface Pipe by Alternate: I II	
If OWWO: old well	information as follo	ows:		Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion Da	ate:	Original Total De	epth:	_ Formation at Total Depth:	
				Water Source for Drilling Operations:	
Directional, Deviated or Ho			Yes No	Well Farm Pond Other:	
f Yes, true vertical depth: _				DWR Permit #:	
Bottom Hole Location:				(Note: Apply for Permit with DWR)	
(CC DKT #:				Will Golds be taken:	es N
				If Yes, proposed zone:	
			AF	FIDAVIT	
The undersigned hereby	affirms that the di	rilling, completion		*FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.	
			on and eventual p		
t is agreed that the follow	ving minimum req	uirements will b	on and eventual poe met:		
	ving minimum req	uirements will b	on and eventual poe met:	lugging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo	ving minimum requate district office poved notice of integrate of surface pip	uirements will be prior to spuddirent to drill shall be as specified by	on and eventual poe met: ng of well; I be posted on each below shall be se	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set	
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconsor	ving minimum requate district office poved notice of integrate of surface pipolidated materials	uirements will b prior to spuddir ent to drill shall e as specified b s plus a minimu	on and eventual p be met: ng of well; I be posted on each below shall be se m of 20 feet into the	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.	
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho	ving minimum req ate district office poved notice of inte unt of surface pip blidated materials le, an agreement	uirements will be prior to spudding to drill shall be as specified be plus a minimulative of the option of the opt	on and eventual poe met: Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dispersion and dispersio	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging.	g;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis	ving minimum requate district office poved notice of integrated pipelidated materials le, an agreement strict office will be	uirements will be prior to spudding to drill shall be as specified be splus a minimulative the open the open outfied before	on and eventual poe met: Ing of well; Ing of well ing of well ing of well is either plug	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;	
 t is agreed that the follow Notify the appropria A copy of the appropria The minimum amonthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE I 	ving minimum requate district office poved notice of integrated into the surface pipolidated materials le, an agreement strict office will be I COMPLETION,	uirements will be prior to spudding to drill shall be as specified be splus a minimulative the open the open to differ the production pipeling production producti	on and eventual poe met: Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging.	e.
 t is agreed that the follow Notify the appropria A copy of the appropria The minimum amonthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE In Or pursuant to Appropriate of the App	ving minimum requate district office poved notice of integrated into the properties of the properties	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met: Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.	e. iing
 t is agreed that the follow Notify the appropria A copy of the appropria The minimum amonthrough all unconso If the well is dry ho The appropriate dis If an ALTERNATE In our pursuant to Appropriate of the Ap	ving minimum requate district office poved notice of integrated into the properties of the properties	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met: Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement	e. iing
 s agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconso If the well is dry ho The appropriate dis If an ALTERNATE In Or pursuant to Appropriate of the Appr	ving minimum requate district office poved notice of integrated into the properties of the properties	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met: Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement	e. iing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Or pursuant to Appropriate dispute	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met: Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement	e. iing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Or pursuant to Appropriate dispute	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met: Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date \$133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.	e. iing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Or pursuant to Appropriate dispute	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of	uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa	on and eventual poe met: Ing of well; Ing of well be seen of 20 feet into the perator and the district well is either pluge shall be cement acce casing order #	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing.	e. ing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of	uirements will be prior to spuddirent to drill shall e as specified be splus a minimule between the open notified before production pipern Kansas surfaft the spud date	on and eventual poe met: Ing of well; Ing of well be set into the set well is either pluge e shall be cement ace casing order #	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date \$133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.	e. ing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed Ubmitted Electroi For KCC Use ONLY API # 15 -	ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be II COMPLETION, sendix "B" - Easte II within 30 days on iically	uirements will be prior to spudding to drill shall be as specified be splus a minimule between the open totified before production pipern Kansas surfaft the spud date	on and eventual poe met: Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement ace casing order # or the well shall be	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notific	e. ing
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. If completed Ibmitted Electroi For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be I COMPLETION, rendix "B" - Easter within 30 days of the completion of the compl	uirements will be prior to spuddirent to drill shall e as specified be splus a minimulative between the open officed before production pipern Kansas surfat the spud date	on and eventual poe met: Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement ace casing order # or the well shall be	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	e. ing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 9. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dispension of the completed dispension of the completed dispension of the complete dispension	ving minimum requate district office poved notice of integrated unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the complete of the complet	uirements will be prior to spuddirent to drill shall e as specified be splus a minimule between the open of the production pipern Kansas surfate the spud date	on and eventual poe met: Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the district well is either pluge shall be cement acce casing order # or the well shall be contained to the well shall be certained to t	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	e. ing
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed Ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requate district office poved notice of integrated unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the complete of the complet	uirements will be prior to spuddirent to drill shall e as specified be splus a minimule between the open of the production pipern Kansas surfate the spud date	on and eventual poe met: Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the district well is either pluge shall be cement acce casing order # or the well shall be contained to the well shall be certained to t	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	e. ing ation
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Computed Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe recompleted by: This authorization expires	ving minimum requate district office poved notice of integrated provided in the control of surface pipolidated materials le, an agreement strict office will be II COMPLETION, rendix "B" - Easter I within 30 days of the control of t	uirements will be prior to spuddirent to drill shall be as specified be splus a minimule tween the open totified before production pipern Kansas surfate the spud date	on and eventual poe met: Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement acce casing order # or the well shall be certain the well shall be ce	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging to production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).	e. ing ation
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approved by conductor pipe required. Minimum surface pipe reconductor by:	ving minimum requate district office poved notice of integrated provided in the control of surface pipolidated materials le, an agreement strict office will be II COMPLETION, rendix "B" - Easter I within 30 days of the control of t	uirements will be prior to spuddirent to drill shall be as specified be splus a minimule tween the open totified before production pipern Kansas surfate the spud date	on and eventual poe met: Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement acce casing order # or the well shall be certain the well shall be ce	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	e. e. eiing ation



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _						Lo	cation of W	/ell: County:
Lease:								feet from N / S Line of Section
Well Numb	er:							feet from E / W Line of Section
Field:						_ Se	C	Twp S. R E W
Number of QTR/QTR/						15	Section:	Regular or Irregular
		J	 					land and the section will for an arranged a constant and the section of
								Irregular, locate well from nearest corner boundary.
						Se	ction corne	er used: NE NW SE SW
				d electrica	l lines, as	required b		dary line. Show the predicted locations of eas Surface Owner Notice Act (House Bill 2032). ired.
			:		:	:		
					:		:	LEGEND
			 ·	••••			·	
	:		:		:	:	:	 Well Location
					:	:		Tank Battery Location
			 :		:	:	:	Pipeline Location
								Electric Line Location
			:		:	:	:	
			:		:		:	Lease Road Location
			 	•••••				
		;	:		:	:	:	
						:		
			:		:		:	EXAMPLE
		:	:	_	:	:	:	
			1	8	:	:	:	
			:		:	:	:	
					:	:	:	
					:	:	:	
2060 tt	,		 	••••	: 	:		<u> </u>
3960 ft			•		(:	1980' FSL
					:]	:	
	:		 	•••••	:		: 	
			:		:	1	:	SEWARD CO. 3390' FEL

1320 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:
flow into the pit? Yes No Submitted Electronically		'	e closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1294377


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent)			
OPERATOR: License #	Well Location:			
Name:				
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and the batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
☐ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this s of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.			
Submitted Electronically				
I	_			



Roads-Electric----Tanks-

Production Line - DE BOB
Fraction Line D- E- E-

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

March 02, 2016

Steve Jackson S & K Oil Production, Inc. PO BOX 184 BLUE MOUND, KS 66010-0184

Re: Drilling Pit Application Page 122 SE/4 Sec.18-25S-22E Bourbon County, Kansas

Dear Steve Jackson:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607. (a) pit	DISPOSAL OF DIKE AND PIT CONTENTS. Each operator shall perform one of the following when disposing of dike of					
Pit	contents:					
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;					
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;					
or						
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f); (B) removal and placement of the contents in an on-site disposal area approved by the commission; (C) removal and placement of the contents in an off-site disposal area					
on						
lease	acreage owned by the same landowner or to another producing					
from	or unit operated by the same operator, if prior written permission					
	the landowner has been obtained; or					

		(D)	removal of the contents to a permitted off-site disposal area
approved			
			by the department.
(b)		Each v	iolation of this regulation shall be punishable by the following:
	(1)	A \$1,00	00 penalty for the first violation;
	(2)	a \$2,50	00 penalty for the second violation; and
	(3)	a \$5,00	00 penalty and an operator license review for the third violation.

<u>File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.</u>

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo If yes, written permission from the land owner must be obtained. Attach
written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.