



Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1296018
OIL & GAS CONSERVATION DIVISION

Form CP-4
March 2009

Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD
K.A.R. 82-3-117

OPERATOR: License #: _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: (_____) _____
 Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____
 Spot Description: _____
 _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
 _____ Feet from North / South Line of Section
 _____ Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: _____
 Lease Name: _____ Well #: _____
 Date Well Completed: _____
 The plugging proposal was approved on: _____ (Date)
 by: _____ (KCC District Agent's Name)
 Plugging Commenced: _____
 Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____
 Address 1: _____ Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Phone: (_____) _____
 Name of Party Responsible for Plugging Fees: _____
 State of _____ County, _____, ss.
 _____ Employee of Operator or Operator on above-described well,
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

QUALITY WELL SERVICE, INC.

6446

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410

Fax 620-672-3663

Rich's Cell 620-727-3409

Brady's Cell 620-727-6964

Date	122315	Sec.	08	Twp.	28s	Range	21w	County	Ford	State	KS	On Location	4:30AM	Finish	10:15AM	
Lease	McCavustland	Well No.	1-8			Location Mullinville, KS 8w on 400, 2n, W 1/4 into										
Contractor	Duke #7							Owner	Vincent							
Type Job	Surface							To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.								
Hole Size	12 1/4			T.D.	620											
Csg.	8 5/8			23 #	Depth	618										
Tbg. Size				Depth												
Tool				Depth												
Cement Left in Csg.	31'			Shoe Joint	31.02											
Meas Line				Displace	38 Bbls Fresh											
EQUIPMENT											Cement Amount Ordered					
											\$ 125sx class A + 2 1/2 gal + 3% cc + 1/4" Flowseal					
Pumptrk	8	No.	Mike B			Common 125										
Bulktrk	10	No.	Crazy			Poz. Mix 125										
Bulktrk	7	No.	David F			Gel. 11										
Pickup		No.				Calcium 10										
JOB SERVICES & REMARKS											Hulls					
Rat Hole											Salt					
Mouse Hole											Flowseal 66.25					
Centralizers											Kof-Seal					
Baskets											Mud CLR 48					
D/V or Port Collar											CFL-117 or CD110 CAF 38					
Pipe on Bttm, Back Line, Pump Fresh											Sand					
Spacer, Mix 125sx lite weight, Mix											Handling 271					
125sx tail cement, stop, Release											Mileage 50					
Plug, Start Disp. w/ Fresh H ₂ O, Wash											FLOAT EQUIPMENT					
up on top of Plug, See Steady increase											Guide Shoe					
in PSI, Slow Rate, Bump Plug at											Centralizer					
38 Bbls, Shut in, Cement Did Circ.											Baskets					
											AFU Inserts / Baffle Plate 35/8					
											Float Shoe					
											Latch Down / wooden Cup Plug 8 5/8					
											LMV 50					
											Service Supervisor					
											Pumptrk Charge Surface					
											Mileage 50 x 2					
											Tax					
											Discount					
											Total Charge					
X Signature	[Handwritten Signature]															

QUALITY WELL SERVICE, INC.

Federal Tax I.D. # 481187368

6451

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410
Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	01 07 16	Sec.	08	Twp.	28s	Range	21w	County	Ford	State	KS	On Location	8:00 Am	Finish	11:57 AM
Lease	McCaustland			Well No.	1-8			Location	Mullinville KS, 8 mi, 2nd N of W/into						
Contractor	Duke #7							Owner	Vincent						
Type Job	Rotary Plug							To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.							
Hole Size	7 7/8							T.D.							
Csg.	8 5/8							Depth	Charge To Vincent						
Tbg. Size	4 1/4 DP.							Depth	1600'						
Tool								Depth	Street						
Cement Left in Csg.								Shoe Joint	City						
Meas Line								Displace	State						
								The above was done to satisfaction and supervision of owner agent or contractor.							
								Cement Amount Ordered	200 or 60:40:4% gel +						
EQUIPMENT															
Pumptrk	8	No.	Mike B				1/4 C.F								
Bulktrk	10	No.	Derek B				Common 120								
Bulktrk		No.					Poz. Mix 80								
Pickup		No.	David F				Gel. 7								
								Calcium							
JOB SERVICES & REMARKS															
Rat Hole	30sx							Hulls							
Mouse Hole	20sx							Salt							
Centralizers								Flowseal 50							
Baskets								Kol-Seal							
D/V or Port Collar								Mud CLR 48							
Drill Pipe at 1600' load Hole, Pump Fresh								CFL-117 or CD110 CAF 38							
Spaced, Mix 50sx cement, Disp w/ 3 Fresh								Sand							
410 mud								Handling 207							
								Mileage 50							
FLOAT EQUIPMENT															
Drill Pipe at 650' load Hole, Pump Fresh								Guide Shoe							
Mix 80sx cement, Disp w/ 4 Fresh								Centralizer							
								Baskets							
Drill Pipe at 60' mix load Hole, Mix 20								AFU Inserts							
sx cement Did Circ.								Float Shoe							
								Latch Down							
Plug Rat & Mouse Holes w/ 50sx								2 MV 50							
								Service Supervisor							
								Pumptrk Charge Rotary Plug							
								Mileage 50 x 2							
												Tax			
												Discount			
												Total Charge			
X Signature <i>[Signature]</i>															

THANKS