



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1298025
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1298025

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR: _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: _____ _____
--	---	---

Miami County, KS
Well: Windler-Stephens AI-2
Lease Owner: AltaVista

Town Oilfield Service, Inc.
(913) 837-8400

Commenced Spudding:
12/11/2015

Core		
		489
4.5	Sand	493.5
4.5	Sand	498
8	Sandy Shale	506

Short Cuts

TANK CAPACITY

BBLs. (42 gal.) equals $D^2 \times .14 \times h$

D equals diameter in feet.

h equals height in feet.

BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004

BPH - barrels per hour

PSI - pounds square inch

TO FIGURE PUMP DRIVES

* D - Diameter of Pump Sheave

* d - Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - $RPM \times d$ over $SPM \times R$

d - $SPM \times R \times D$ over RPM

SPM - $RPM \times D$ over $R \times D$

R - $RPM \times D$ over $SPM \times d$

BELT LENGTH - $2C + 1.57(D + d) + \frac{(D-d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS: $\frac{WATTS}{VOLTS} = AMPS$

746 WATTS equal 1 HP

Log Book

Well No. AI-2

Farm Windler - Stephens

KS Miami
(State) (County)

21 18 27
(Section) (Township) (Range)

For Altavista Energy inc
(Well Owner)

Town Oilfield Services, Inc.

1207 N. 1st East
Louisburg, KS 66053
913-710-5400

Thickness of Strata	Formation	Total Depth	Remarks
0-17	soil - clay	17	
9	Lime	26	
12	Shale	38	
34	Lime	72	
6	Shale	78	
22	Lime	100	
3	Shale	103	
3	Lime	106	
4	Shale	110	
6	Lime	116	
21	Shale	137	Heatha
15	sand	152	broken - good Oil Show
20	sandy shale	172	
104	shale	276	
17	Shale	293	water
32	Shale	325	
6	Lime	331	
18	Shale	349	
7	Lime	356	
16	Shale	372	
3	Lime	375	
14	Shale	389	
26	Lime	415	
69	Shale	484	
4	sandy shale	488	
1	sand	489	Solid - good Oil Show
17	core	506	Page 6

506

Thickness of Strata	Formation	Total Depth	Remarks
74	shale	580	TD

Thickness of Strata	Formation	Total Depth	Remarks
	core		
		489	
4.5	sand	493.5	solid - good saturation
4.5	sand	498	broken - mostly solid - ^{good} saturation
8	sandy shale	506	



REMIT TO
 Consolidated Oil Well Services, LLC
 Dept:970
 P.O.Box 4346
 Houston, TX 77210-4346

MAIN OFFICE

P.O.Box884
 Chanute, KS 66720
 620/431-9210, 1-800/467-8676
 Fax 620/431-0012

Invoice Invoice# 806688

Invoice Date: 12/22/15 Terms: Net 30 Page 1

ALTAVISTA ENERGY INC
 4595 K-33 HWY, PO BOX 128
 WELLSVILLE KS 66092
 USA
 7858834057

windler stephens #a-i-2

Part No	Description	Quantity	Unit Price	Discount(%)	Total
CE0450	Cement Pump Charge 0 - 1500'	1.000	1,500.0000	46.000	810.00
CE0002	Equipment Mileage Charge - Heavy Equipment	30.000	7.1500	46.000	115.83
CE0711	Minimum Cement Delivery Charge	1.000	660.0000	46.000	356.40
WE0853	80 BBL Vacuum Truck (Cement Services)	1.500	100.0000	46.000	81.00
CC6128	Mud Flush - C	0.500	50.0000	46.000	13.50
CC5840	Poz-Blend I A (50:50)	75.000	13.5000	46.000	546.75
CC5965	Bentonite	226.000	0.3000	46.000	36.61
CC5326	Sodium Chloride, Salt	145.000	0.7500	46.000	58.73
CC6077	Kolseal	375.000	0.5000	46.000	101.25
CP8176	2 7/8" Top Rubber Plug	1.000	45.0000	46.000	24.30

Subtotal 3,971.05
 Discounted Amount 1,826.68
 SubTotal After Discount 2,144.37

Amount Due 4,086.77 If paid after 01/21/16

Tax: 62.49
 Total: 2,206.86



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

5042
Invoice # 806688 4950

TICKET NUMBER 49932
LOCATION Ottawa KS
FOREMAN Fred Madu

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
12-18-15	3244	Winkler Stephens # A-I-2	NE 28	18	24	MI
CUSTOMER			TRUCK #			
Alta Vista Energy			712	Fred Madu		
MAILING ADDRESS			495	Harley		
P.O. Box # 120			675	Kai Det		
CITY			510	Kai Car		
Wellsville						
STATE						
KS						
ZIP CODE						
66092						

JOB TYPE Longstring HOLE SIZE 5 7/8 HOLE DEPTH 560 CASING SIZE & WEIGHT 2 7/8 EUE
 CASING DEPTH 570 DRILL PIPE _____ TUBING 5 4 1/2 OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 28' x Ply
 DISPLACEMENT 3.1488 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 BPM

REMARKS: Hold safety meeting. Establish pump rate. Pump 1/2 Gal NE 100
Polymer Flush. Mix & Pump 100# Gal Flush. Mix & Pump 75 Sks
Poz Blend I A Cement 270 Gal 5% Salt 5# Kol Seal /sk. Cement
to surface. Flush pump & lines clean. Displace 2 1/2" Rubber
plug to baffle in casing. Pressure to 800# PSI. Casing held
pressure. Release pressure to set float valve. Shut in casing.

TOS Drilling - (wec)

Fred Madu

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
CE0450	1	PUMP CHARGE	495	1500.00
CE0002	30mi	MILEAGE	495	21450
CE0711	Minimum	Ten Miles Delivery	510	660.00
WE0553	1/2 hr	80 bbl Vac Truck	675	150.00
		Sub Total		25245.00
		Less 46%		11612.7
				13633.33
CL6128	1/2 gal	Mad Flush		2500
CC5840	75 sks	Poz Blend I.A Cement		1012.50
CC5965	226#	Bentonite Gel		67.80
CC5226	145#	Salt		108.35
CC6077	375#	Kol Seal		187.50
CP 8176	1	2 1/2" Rubber Plug		45.00
		Sub Total		14416.33
		Less 46%		665.41
				7811.4
			8%	SALES TAX
				624.9
				ESTIMATED
				TOTAL
				2206.86

Flavin 3737
 AUTHORIZATION No Co Rep on S. 4e TITLE _____ DATE (11/16/17)

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form