



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1298036
OIL & GAS CONSERVATION DIVISION

Form ACO-1
August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

| | | |
|-----------------------------------|-----------------|---|
| Spud Date or Recompletion Date | Date Reached TD | Completion Date or Recompletion Date |
|-----------------------------------|-----------------|---|

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1298036

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| | |
|--|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____ | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum |
|--|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |
| | | | | |
| | | | | |

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| | | |
|----------------|--|---|
| TUBING RECORD: | Size: _____ Set At: _____ Packer At: _____ | Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No |
|----------------|--|---|

| | |
|---|--|
| Date of First, Resumed Production, SWD or ENHR. _____ | Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____ |
|---|--|

| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
| | | | | | |

| | | |
|--|---|---|
| DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ | PRODUCTION INTERVAL: _____ _____ |
|--|---|---|

Miami County, KS
Well: Windler-Stephens A-4
Lease Owner: AltaVista

Town Oilfield Service, Inc.
(913) 837-8400

Commenced Spudding:
11/23/2015

| Core | | |
|------|-------------|-------|
| | | 486 |
| 1.5 | Sandy Shale | 487.5 |
| 7 | Sand | 494.5 |
| 1.5 | Sand | 496 |
| 3 | Sandy Shale | 499 |
| | | |
| | | |
| | | |
| | | |

Short Cuts

TANK CAPACITY

BBLs. (42 gal.) equals $D^2 \times .14 \times h$

D equals diameter in feet.

h equals height in feet.

BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals $BPH \times PSI \times .0004$

BPH - barrels per hour

PSI - pounds square inch

TO FIGURE PUMP DRIVES

* D - Diameter of Pump Sheave

* d - Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

*C - Shaft Center Distance

D - $RPM \times d$ over $SPM \times R$

d - $SPM \times R \times D$ over RPM

SPM - $RPM \times D$ over $R \times d$

R - $RPM \times D$ over $SPM \times d$

BELT LENGTH - $2C + 1.57(D + d) + \frac{(D-d)^2}{4C}$

* Need these to figure belt length

TO FIGURE AMPS: $\frac{WATTS}{VOLTS} = AMPS$

746 WATTS equal 1 HP

Log Book

Well No. A-4

Farm Windler - Stephens

KS Miami
(State) (County)

21 18 24
(Section) (Township) (Range)

For Altavista Energy inc
(Well Owner)

Town Oilfield Services, Inc.

1207 N. 1st East
Louisburg, KS 66053
913-710-5400

windler
stephens

Farm: Miami County

KS State; Well No. A-4

Elevation 953

Commenced Spuding 11-23 .20 15

Finished Drilling 11-24 .20 15

Driller's Name Wesley Dollard

Driller's Name _____

Driller's Name _____

Tool Dresser's Name Ryan Ward

Tool Dresser's Name _____

Tool Dresser's Name _____

Contractor's Name TOS

21 18 24

(Section) (Township) (Range)

Distance from S line, 3405 ft.

Distance from E line, 4815 ft.

3 sacks
1 core
9 hrs
5 5/8 borehole

CASING AND TUBING MEASUREMENTS

| Feet | In. | Feet | In. | Feet | In. |
|------|-----|--------|-----|-------|-------|
| 484. | 55 | Scat | | Apple | |
| 514. | 70 | Baffle | | | |
| 541. | 25 | Flow | | | |
| 560 | TD | | | | 2 7/8 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

**CASING AND TUBING
RECORD**

10" Set _____ 10" Pulled _____
 8" Set _____ 8" Pulled _____
 7 3/4" Set 22 6 1/4" Pulled _____
 4" Set _____ 4" Pulled _____
 2" Set _____ 2" Pulled _____

| Thickness of Strata | Formation | Total Depth | Remarks |
|---------------------|-----------|-------------|----------------------|
| 0-16 | soil-clay | 16 | |
| 9 | Lime | 25 | |
| 13 | Shale | 38 | |
| 32 | Lime | 70 | |
| 7 | Shale | 77 | |
| 22 | Lime | 99 | |
| 4 | Shale | 103 | |
| 2 | Lime | 105 | |
| 3 | Shale | 108 | |
| 7 | Lime | 115 | Heather |
| 22 | Shale | 137 | |
| 21 | Sand | 158 | broken oil - OK show |
| 116 | Shale | 274 | |
| 16 | Sand | 290 | no Oil |
| 34 | Shale | 324 | |
| 6 | Lime | 330 | |
| 6 | Shale | 336 | |
| 6 | Lime | 342 | |
| 7 | Shale | 349 | |
| 8 | Lime | 357 | |
| 4 | Sand | 361 | no Oil |
| 11 | Shale | 372 | |
| 4 | Lime | 376 | |
| 14 | Shale | 390 | |
| 25 | Lime | 415 | |
| 18 | Shale | 433 | |
| 4 | Lime | 437 | |

| Thickness of Strata | Formation | Total Depth | Remarks |
|---------------------|-------------|-------------|------------------------------|
| | core | | |
| | | 486 | |
| 1.5 | sandy shale | 487.5 | |
| 7 | sand | 494.5 | solid oil / perf |
| 1.5 | sand | 496 | broken oil / good saturation |
| 3 | sandy shale | 499 | no oil |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



REMIT TO
 Consolidated Oil Well Services, LLC
 Dept:970
 P.O.Box 4346
 Houston, TX 77210-4346

MAIN OFFICE

P.O.Box884
 Chanute, KS 66720
 620/431-9210, 1-800/467-8676
 Fax 620/431-0012

Invoice Invoice# 806494

Invoice Date: 11/30/15 Terms: Net 30 Page 1

ALTAVISTA ENERGY INC
 4595 K-33 HWY, PO BOX 128
 WELLSVILLE KS 66092
 USA
 7858834057

WINDLER STEPHENS #A-4

| Part No | Description | Quantity | Unit Price | Discount(%) | Total |
|---------|--|----------|------------|-------------|--------|
| CE0450 | Cement Pump Charge 0 - 1500' | 1.000 | 1,500.0000 | 46.000 | 810.00 |
| CE0002 | Equipment Mileage Charge - Heavy Equipment | 30.000 | 7.1500 | 46.000 | 115.83 |
| CE0711 | Minimum Cement Delivery Charge | 1.000 | 660.0000 | 46.000 | 356.40 |
| WE0853 | 80 BBL Vacuum Truck (Cement Services) | 1.000 | 100.0000 | 46.000 | 54.00 |
| CC5840 | Poz-Blend I A (50:50) | 71.000 | 13.5000 | 46.000 | 517.59 |
| CC5965 | Bentonite | 219.000 | 0.3000 | 46.000 | 35.48 |
| CC5326 | Sodium Chloride, Salt | 137.000 | 0.7500 | 46.000 | 55.49 |
| CC6077 | Kolseal | 355.000 | 0.5000 | 46.000 | 95.85 |
| CP8176 | 2 7/8" Top Rubber Plug | 1.000 | 45.0000 | 46.000 | 24.30 |

Subtotal 3,823.95
 Discounted Amount 1,759.02
 SubTotal After Discount 2,064.93

Amount Due 3,931.91 If paid after 12/30/15

Tax: 58.30
 Total: 2,123.24



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

4893 / 4801
Invoice # 806494

TICKET NUMBER 49910
LOCATION Ottawa KS
FOREMAN Fred Maden

FIELD TICKET & TREATMENT REPORT
CEMENT

| DATE | CUSTOMER # | WELL NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
|-----------------|------------|------------------------|-------------------------------|----------|-------|--------|
| 11-24-15 | 3244 | Winkler-Stephens # A-4 | NW 21 | 18 | 24 | M1 |
| CUSTOMER | | | TRUCK # DRIVER TRUCK # DRIVER | | | |
| MAILING ADDRESS | | | 712 / Fred Mad | | | |
| CITY | | | 495 / Har Ber | | | |
| STATE | | | 675 / Kai Det | | | |
| ZIP CODE | | | 510 / Mike Waa | | | |
| Wellsville | | | | | | |
| KS | | | | | | |
| 66092 | | | | | | |

JOB TYPE Longstring HOLE SIZE 5 7/8 HOLE DEPTH 560 CASING SIZE & WEIGHT 2 7/8 EVE
 CASING DEPTH 541.25 DRILL PIPE Baffle in TUBING @ 514-70 OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING _____
 DISPLACEMENT 3 BBL DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 BPM

REMARKS: Hold Safety Meeting. Establish circulation. Mix Pump 100# Gel Flush. Mix Pump 71 SKS Por Blend I A Cement 2% Gel 5% Salt 5# Kol Seal /sk. Cement to surface. Flush pump + lines clean. Displace 2 1/2" Rubber plug to Baffle in Tubing. Pressure to 800# PSI. Release pressure to set float valve.

TOS Drilling - wes

Fred Maden

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TOTAL |
|--------------|-------------------|------------------------------------|-----------------|-----------|
| CE0450 | 1 | PUMP CHARGE | 495 | 1500.00 |
| CE0002 | 30mi | MILEAGE | 495 | 21450.00 |
| CE0711 | Minimum | Ten Miles Delivery | 510 | 660.00 |
| WE0853 | 1hr | 80 BBL Vac Trucks | 675 | 100.00 |
| | | Sub Total | | 24745.00 |
| | | Less - 46% | | -11382.70 |
| | | | | 13362.30 |
| CC5840 | 71 SKS | Por Blend I A Cement | 958.50 | 958.50 |
| CC5965 | 219# | Baytanite Gel | 65.70 | 65.70 |
| CC5326 | 137# | Salt | 102.75 | 102.75 |
| CC6077 | 355# | Kol Seal | 177.50 | 177.50 |
| CP8176 | 1 | 2 1/2" Rubber Plug | 45.00 | 45.00 |
| | | Sub Total | | 13494.50 |
| | | Less 46% | | -6207.50 |
| | | | | 7287.00 |
| | | 8% | SALES TAX | 583.00 |
| | | | ESTIMATED TOTAL | 2128.00 |

Ravin 3737

AUTHORIZATION No Co. Rep on Site TITLE _____ DATE 1/30/31.91

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form