

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | | |
| SGA? | Yes No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|---|---|
| month day year | Sec Twp S. R |
| OPERATOR: License# | feet from N / S Line of Section |
| Name: | foot from E / W Line of Continu |
| Address 1: | Is SECTION: Regular Irregular? |
| Address 2: | |
| City: State: Zip: + | |
| Contact Person: | Lease Name: Well #: |
| Phone: | Field Name: |
| CONTRACTOR: License# | |
| Name: | Target Formation(s): |
| | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| If OWWO: old well information as follows: | Surface Pipe by Alternate: II III |
| II OVVVO. Old Well information as follows. | Length of Surface Pipe Planned to be set: |
| Operator: | |
| Well Name: | |
| Original Completion Date: Original Total Depth: | |
| B: :: B : : B : : | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes Yes | |
| If Yes, true vertical depth: | DWK Fellill #. |
| Bottom Hole Location: | (Note: Apply for Fernik with DVVV |
| KCC DKT #: | Will Cores be taken? Yes No |
| | If Voc proposed zone: |
| | If Yes, proposed zone: |
| | AFFIDAVIT |
| The undersigned hereby affirms that the drilling, completion and ever | AFFIDAVIT |
| | AFFIDAVIT |
| The undersigned hereby affirms that the drilling, completion and ever It is agreed that the following minimum requirements will be met: | AFFIDAVIT |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the specific spe | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> . | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet of the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be considered. | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either. 5. If an ALTERNATE II COMPLETION, production pipe shall be confused by the confu | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either. 5. If an ALTERNATE II COMPLETION, production pipe shall be conformation of the production of | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet of the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be confirmed by the confirmed will be confirmed by the confir | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be on the complete of the spuddate or the well in the spuddate or the spuddate or the spuddate or the well in the spuddate or the spuddate | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be on the complete of the spuddate or the well in the spuddate or the spuddate or the spuddate or the well in the spuddate or the spuddate | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and of the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be on the complete of the spuddate or the well in the spuddate or t | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically. | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the posted of the provided below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet of the well is dry hole, an agreement between the operator and of the appropriate district office will be notified before well is either of the provided before well in the prov | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the specific of the well in the specific of the | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the intent of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the intent of the appropriate district office will be notified before well is either the appropriate district office will be notified before well is either the appropriate district office will be notified before well is either the appropriate district office will be notified before well is either the appropriate to Appendix "B" - Eastern Kansas surface casing of the spud date or the well is submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the specific of the well in the specific of the | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; er plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the approved and an appropriate district office prior to a minimum of 20 feet of the well is dry hole, an agreement between the operator and of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the appropriate of the appropriate of the spud date or the well of the appropriate of the | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. The right of the right of the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the approved and through all unconsolidated materials plus a minimum of 20 feet of the well is dry hole, an agreement between the operator and to the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the appropriate of the spud date or the well is the appropriate of the spud date or the well is submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; et plugged or production casing is cemented in; emented from below any usable water to surface within 120 DAYS of spud date. rder #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet of the well is dry hole, an agreement between the operator and of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the spud cate or the well is of the spud date or the well in the spud date or the spud date or the well in the spud date or the spud dat | AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. on each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or plugged or production and the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

| Well will not be drilled or Permit Expired | Date: |
|--|-------|
| Signature of Operator or Agent: | |
| | |



SEWARD CO. 3390' FEL

| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---|--|
| _ease: | feet from N / S Line of Section |
| Nell Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R |
| Number of Acres attributable to well: | is Section. Negulai of Integulai |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |
| lease roads, tank batteries, pipelines and electrical lines, as | PLAT st lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired. t. |
| : : : | : : |
| | LEGEND |
| ® | O Well Location Tank Battery Location Pipeline Location 1969 ft Electric Line Location Lease Road Location |
| | · · · · · · · · · · · · · · · · · · · |
| | EXAMPLE : |
| 12 | |
| | |
| | 1980' FSL |
| | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | |
|--|------------------------|--|---|--|
| Operator Address: | | | | |
| Contact Person: | | | Phone Number: | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | |
| Type of Pit: Pit is: | | | | |
| Emergency Pit Burn Pit Proposed Existing | | Existing | SecTwp R | |
| Settling Pit Drilling Pit If Existing, date con | | nstructed: | Feet from North / South Line of Section | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section County | |
| | | (bbls) | | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | |
| Yes No | Yes N | No | | |
| Pit dimensions (all but working pits): | Length (fe | et) | Width (feet)N/A: Steel Pits | |
| | om ground level to dee | | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | ner | | dures for periodic maintenance and determining acluding any special monitoring. | |
| | | | | |
| | | | | |
| | | | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallowest fresh water feet. Source of information: | | |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | |
| Producing Formation: | | Type of material utilized in drilling/workover: | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | |
| | | | | |
| Submitted Electronically | | | | |
| , | | | | |
| | | | | |
| | ксс | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS | |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No | |



1299083


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB- | 1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|---|---|
| OPERATOR: License # | _ Well Location: |
| Name: | |
| Address 1: | |
| Address 2: | Lease Name: Well #: |
| City: State: Zip:+ | _ If filing a Form T-1 for multiple wells on a lease, enter the legal description or |
| Contact Person: | the lease helow: |
| Phone: () Fax: () | _ |
| Email Address: | - |
| Surface Owner Information: | |
| Name: | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | accepts and in the real estate preparts toy records of the accepts traceurer |
| City: State: Zip:+ | _ |
| are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form | ank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elecated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form me being filed is a Form C-1 or Form CB-1, the plat(s) required by this |
| form; and 3) my operator name, address, phone number, fax | , and email address. |
| KCC will be required to send this information to the surface | I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this less of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 handliform and the associated Form C-1, Form CB-1, Form T-1, or Form C | ing fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned. |
| Submitted Electronically | |
| I | |



ENGINEERING & LAND SURVEYING

UELS, LLC Corporate Office * 85 South 200 East Vernal, UT 84078 * (435) 789-1017

| SURVEYED BY | DATE | REVISED BY | DATE | |
|--------------------|------------|------------|------|--|
| J.P. | 3-08-16 | | | |
| DRAWN BY | DATE | | | |
| L.C.S. | 03-10-16 | | | |
| SCALE | 1" = 1000' | | | |
| WELL LOCATION PLAT | | | | |

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

March 23, 2016

IDANIA MEDINA Merit Energy Company, LLC 13727 NOEL RD STE 1200 DALLAS, TX 75240

Re: Drilling Pit Application Griffin Cox Chester Unit 602W NE/4 Sec.12-28S-33W Haskell County, Kansas

Dear IDANIA MEDINA:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native cla6y, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.